



Wir♥Küchen
www.teka.com



b b b 00 2013
.....P|

Wir♥Küchen
www.teka.com



PT. TEKA P&T INTERNATIONAL
Gedung Kantor Taman A9 Unit A3
Jl. Dr. Ide Anak Agung Gde Agung Lot 8,9/A9
Kawasan Mega Kuningan
Jakarta Selatan 12950 - Indonesia
Tel : +62 21 576 2272
Fax : +62 21 576 2271
www.teka.co.id



Versatility
Elegance
Simplicity

SHOWROOM

Jakarta

- Gedung Kantor Taman A9 unit A3, Jl. Dr. Ide Anak Agung Gde Agung Lot 8,9/A9 Kawasan Mega Kuningan Jakarta 12950, Indonesia
- Mal Taman Anggrek, Lantai 4 No.468, Jl. Let.Jend. S. Parman Kav.21 Slipi Jakarta 11470, Telp/Fax : 021 563 9955

BRANCHES

Surabaya

Ruko Grand Sungkono II/D-9, Jl. Raya Dukuh Kupang Barat I, Surabaya 60225.
Telp. +62 21 576 2272. Fax. +62 31 566 9078

Bali

Sunset Road Kav.39D, Seminyak, Kuta, Badung, Telp/fax : (0361) 847 5996

TEKA SERVICE CENTRE

Jabotabek

Kantor Taman A9 Unit A3, Jl. Dr. Ide Anak Agung Gde Agung Lot 8,9/A9 Kawasan Mega Kuningan Jakarta Selatan.
Telp/Fax : 021 576 2272 (Hunting) - 021 576 2271

Surabaya

Jl. Raya Dukuh Kupang Barat I Ruko Grand Sungkono II / D-9 Surabaya.
Telp/Fax : 031 566 2780 - 031 566 2780

Bali

Sunset Road Kav.39D Seminyak Kuta Badung Bali
Telp/Fax : 0361 847 5996 - 0361 847 5996

Semarang

Karang Gawang Barat RT.9 RW 14 No.14 Semarang
Telp : 024 7009 1010

Batam

Jl. Bunga Raya No.18 - 20 Baloi Batam
Telp/Fax : 0778 433 199 - 0778 450 347

Medan

Jl. Setia Baru No.58 Sei Agul - Medan 20117
Telp : 061 7501 4440

Bandung

Perum Bojong Raya Jl. Beton No.3 Holis Cijerah Bandung 40212
Telp : 022 6145 5115

Solo

Biru RT.01 RW.01 Pandanan Wonosari Klaten Jawa Tengah.
Telp : 0271 751 7755

Riau

Jl. Mangga No.53 Sukajadi Pekanbaru 28128
Telp : 0853 6508 3999

AUTHORIZED SERVICE CENTRE

Area Jawa Tengah

Purnama Jaya Service : Jl. Ring Road Utara 265 Gorongan, Condong Catur Jogjakarta
Telp/Fax : 0274 486 123 - 0274 489 192

Area Jawa Barat

Chequi Teknik : Jl. Brigjend Darsono Blok A-4 (By Pass) Cirebon
Telp/Fax : 0231 914 4359 - 0231 233 946

Area Sumatra

Aneka Teknik : Jl. Musi Raya No.88 Palembang
Telp : 0813 7385 6660



Customer Care

021- 576 2272

tekacare@teka.co.id



Versatility - Elegance - Simplicity





INDEX

HOBS	7
• Induction Hobs	8 - 9
• Vitroceramic Hobs	10 - 11
• Glass Hobs	12 - 15
• Stainless Steel Hobs	16 - 18
• Modular Hobs	20 - 21
HOODS	23
• Chimney Island Hoods	25
• Chimney Hoods	26 - 27
• Sliding & Built-in Hoods	28
• Slim Hoods	29
OVENS	31
• Compact & Steam Ovens	33 - 34
• Electronic Ovens	34 - 35
• Gas Ovens	36
MICROWAVES	38
• Compact & Grill Microwaves	39
• Built-in Microwaves	40 - 41
COFFEE MACHINES	42 - 43
COLD LINE	45
• Wine Coolers	46 - 47
• Side by Side Refrigerators	48
• Free Standing Refrigerators & Freezer	49 - 50
• Built-in Refrigerators	51 - 52
LAUNDRY LINE	55
• Washing & Dryers	57
• Washing	58
• Dryers	59
DISHWASHERS	60
• Built-in Dishwashers	61
• Free Standing Dishwashers	61
SINKS	62
• Undermount Sinks	63
• Series Sinks	64 - 69
FOOD WASTE DISPOSER	71
TAPS	72
• Profesional Taps	73
• Series Taps	73 - 75



MT Series



MT Low Spout

- Laser series
- Mixer
- Swivel spout
- High spout
- Could

96.9113.02



MT High Spout

- High spout
- Could

96.9114.02

Laser Series



Laser MK Hot & Cold

- Laser series
- Mixer
- Swivel spout
- High spout
- Could

37.9112.84




Laser DW Cold

- Laser series
- Mixer
- Swivel spout
- High spout
- Could

16.041.84

Advantages:



Save Water:

Cartridges Faucets Teka has limiting the flow of water that can be set so that conserve water whenever mixing hot and cold water




Durable:

Cartridge Teka use porous ceramic plate surface, solonger able to hold lubricant. movement becomes more seamless, more durable and even faucets.



Limiting Temperature:

Temperature barrier placed in the cartridge allows us to save energy when heat water.



Swivel Spout:

Teka kitchen faucet can be rotated up to 360 degrees with a gentle motion making it easier to use, this will facilitate washing utensils such as pots and a large pan.



Anti Scalding:

Teka taps have a system that able to avoid the heat so that the material faucet not to melt when using hot water.

Hobs

MB2 Series



MB Plus Low Spout

- High spout
- Could

80.913.90



MB-2 Low Spout

- MB-2 series
- Low spout mixer
- Swivel spout

40.9119.02



MB-2 High Spout

- MB-2 series
- Wall-mounted mixer
- Wall mounted sink mixer
- Swivel spout

40.9114.02



MB-2 Pull Out

- MB-2 series
- Mixer
- Swivel spout

40.9318.02

Mix Series



MF-2 Low Spout

- MF-2 series
- Mixer
- Swivel spout

81.9113.62



ARES High Spout

- "Ares" kitchen mixer
- Mixer
- Swivel spout
- Minimalistic spout

23.915.02.10



MOUNT Pull Out

- "Mount" kitchen mixer
- Pull-Out Mixer
- Pull-Out Shower
- Swivel spout

42.9718.02





Induction Hobs

The fire that does not burn

Our motto at Teka is to keep it safe and practical. That is why we would walk through fire for the new induction hobs. representing our best technology and design know how. A Safe, easy-to-clean. versatile alternative which adapts to your cooking habits and needs.

Profesional Series



18.1610.02

MY Pro

- Swivel spout
- Stainless steel
- Protection. Easy cleaning.
- Ditto, with 1/2" flexible inlet pipes



35.9115.12

KOBE High Spout

- Sink mixer
- Cast swivel spout
- 3/8" flexible inlet pipes
- High : 338/207
- Colour : Chrome
- High spout



38.9115.02

CUADRO High Spout

- Swivel Spout
- Flexible Inlet Pipes
- Anti Scale Aerator Integrated In The Spout
- Ditto, With 1/2" Flexible Inlet Pipes.

Elan Series



35.9119.02

ELAN Low Spout

- Elan series
- Low Spout
- Chromed



35.9115.02

ELAN High Spout

- Sink mixer
- Cast swivel spout
- 3/8" flexible inlet pipes
- High : 338/207 mm
- Colour : Chromed
- High spoutt



35.9318.02

ELAN Pull Out

- Elan series
- Pull-out mixer
- Pull-out shower
- Cast swivel spout
- 3/8" flexible inlet pipes
- Chromed, Stainless steel

MC 10 Series



97.919.09

MC 10 Low Spout

- Low spout
- Chromed



97.9115.02

MC 10 High Spout

- MC-10 series
- High spout
- Could



97.9318.02

MC 10 Pull Spout

- MC-10 series
- High spout
- Could



Taps

Blending versatile technology and design

Alloy design and finishing Teka beautiful faucet makes a great fit with various models and layout of your kitchen. Whatever your needs, just cold water or hot water as well, this product is a solution the right to conserve water, energy, and at the same time safe


IR 641



10208036



- Induction hob
- Touch control panel
- Bevelled glass
- Dimensions: 600 x 510 mm
- Touch control with acoustic sensor and security blocking
- Digital programming of the cooking time (99 minutes)
- Independent programmer of each cooking zone
- Power function (3,000/2,300/1,800 W)
- Low temp function
- Pan detector
- 4 cooking zones: 1 induction element (210 mm Ø), 2 induction element (180 mm Ø), 1 induction element (145 mm Ø)
- Residual heat indicators
- Maximum nominal power: 6,400 W




IR 631




10208034



- Induction hob
- Touch control panel
- Bevelled glass or stainless steel frame
- Dimensions: 600 x 510 mm
- Touch control with acoustic sensor and security blocking
- Digital programming of the cooking time (99 minutes)
- Independent programmer of each cooking zone
- Power function (3,200-2,400/3,000/1,800 W)
- Low temp function
- Pan detector
- 3 cooking zones: 1 induction element (270 mm Ø), 1 induction element (210 mm Ø), 1 induction element (145 mm Ø)
- Residual heat indicators
- Maximum nominal power: 6,400 W




IR 321



10208093



- Bevelled glass or stainless steel frame (IT 641)
- Pan optimization system
- Touch control with acoustic sensor and security blocking
- Electronic timer
- Pan detector
- I1 induction Ø 145 mm
- I2 induction Ø 210 mm
- Power function in all induction elements (I1/1.800 W - I2/ 3.000 W)
- Residual heat indicators
- Total nominal power : 3.200 W
- Dimensions mm : 300 x 520




Food Waste Disposer

Making your kitchen convinient and healthy

Food Waste Disposer Teka is an appropriate tool to deal with kitchen waste and food scraps. Easy to install and operate, so according to the type of sink or any sink. With anti-rust protection, this product can destroy food scraps, chicken bones, seeds or fruit leather into a liquid that is ready to flow down the drain. You no longer need to worry your kitchen smelling, filled with garbage bags, or become disease and favorite places cockroaches.



40197002



Food Waste Disposer TR-50.2

- » Anticorrosion protection
- » Automatic rotation reverser
- » 1/2 HP motor
- » Silent block
- » Voltage: 230v

For disposal, Sink Teka is a simple and practical accessory that is used in millions of homes around the world. This unit can handle leftover food scraps (source of germs, odors, and bacteria) quickly and efficiently, so that keep the kitchen clean. This module has several abilities.

Vitroc ceramic Hobs

Free minds to create free forms

Come live a truly unique kitchen experience with hobs that combine state of the art technology with elegant, functional design. Teka features beautifully crafted vitroc ceramics and inductional hobs that are bold, contemporary and above all, cutting edge in form and function.

Hygiene

The rest of the food is directly inserted into the drain so overcome bacteria and prevent odor are inviting cockroaches.

Cleaning

Simply by turning on faucets and press the button, then the rest direct food wasted.

Practical

No need to throw food scraps into the trash or cleaning plastic bags, because Sink Teka is able to accommodate once destroyed.


Environmentally Friendly

The rest of the food that has been crushed and applied to the system processing waste into organic fertilizer can.

Safe

Do not use a knife to destroy the rest of the meal.

In addition, Sink Teka is also energy efficient, easy to install, no noisy, and durable




10210013



TR 610

- Bevelled glass
- Touch control with acoustic sensors and security blocking
- 1 High Light ý 145 mm
- 1 High Light ý 180 mm
- 1 High Light ý 180/230 mm
- Residual heat indicators
- Total nominal power: 5.100 W
- Ext dimensions mm: 600 x 510
- Built-in dimensions mm: 560 x 490





40204301



VT TC 2P 1

- Vitroceramic hob
- Touch control panel
- Bevelled glass.
- Dimension : 300 x 520 mm
- Security blocking • 2 zones : 1 high light double zone (120/180 mm Ø), 1 high light heating element (145 mm Ø)
- Residual heat indicators
- Max. nominal power : 3000 W




40204311



VT TC 1G

- Vitroceramic/Grill hob
- Touch control panel
- Bevelled glass
- 300 x 520 mm
- Security blocking
- 1 grill heating element (200 x 325 mm)
- Residual heat indicators
- Max. nominal power : 2,500 W
- Junction kit





Glass Hobs

The heat on the aesthetic glass

Out wide range of gas hobs fit seamlessly in any kitchen. With the gas on glass hobs, Teka gives another step ahead in delivering products that give a new feeling to your kitchen. Beautiful shades and reflections will fill your home with warmht and realibility


Industrial Series



PA354N3002

INFANT 1B 1D


- Material: Made of polished stainless steel
- Measurements in mm : overall (w x h), 860 x 440 : Bowl (w x h x d)365 x 335 x 150
- Installation : Inset, Base unit of minimum 45 cm widht,
- Reversible
- Accessories : 3½ basket wastes.



PA355P3001

NAPEA 1B 1D

- Material: Made of polished stainless steel
- Measurements in mm: Overall (w x h), 860 x 435, bowl (w x h x d), 370 x 340 x 150
- Installation: Inset, base unit of minimum 45 cm width reversible
- Accessories: 1 ½ basket waste



Advantages:



Thickness

The thickness of the sink is the most important factor for a sink. The thinner, the easier it will sink dent or even broken if collide with the hot pot. Sink Teka has a thickness of 0.6 mm toto 1.2 mm



Finishing

Sink Teka performing with beautiful satin finish linen, linen, and microtextured, Time makanapun be easy dealt with because every sink Puzzle comes with a pop-up and pull-out wastebasket wastebasket that prevent muck in and make a dead-end channel



Reversible


You can put up Sink Teka with the left or right to suit your needs, because of the SinkTeka totally symmetrical.



10107004 (stainless steel)
10107040 (linen)

STYLO 1B


- Material: Made of polished or microtextured stainless steel
- Measurements in mm :
Overall (w x h), 465 x 485 :
Bowl (w x h x d)
400 x 360 x 160
- Installation : Inset, Base unit of minimum 45 cm widht,
- Reversible
- Accessories : 3½ basket wastes.



10107018 (stainless steel)
10107039 (linen)

STYLO 1B 1D


- Material: Made of polished or microtextured stainless steel
- Measurements in mm : overall (w x h), 828 x 485 :
Bowl (w x h x d) 360 x 395 x 179
- Installation : Inset, Base unit of minimum 45 cm widht,
- Reversible
- Accessories : 3½ basket wastes.



10107027

STYLO 2B


- Material: Made of polished or microtextured stainless steel
- Measurements in mm:
Overall (w x h), 828 x 485,
Bowls (w x h x d), 360 x 417 x 170
- Installation: Inset, base unit of minimum 80 cm width
- Reversible
- Accessories: 3 ½ basket wastes



PA115P3401 (stainless steel)
PA115M3407 (linen)

CENTROVAL



- Material: Made of polished or microtextured stainless steel
- Measurements in mm: Overall Ø 510 ;
Bowl (w x h x d), Ø 385 x 184
- Instalattion ; Inset, Base unit of minimum 50 cm widht
- Accesories ; 3½ basket wastes



10110003

DR80 1B 1D



- Material: Made of polished stainless steel
- Measurements in mm: Overall (w x h), 840 x 440 :
Bowl (w x h x d), Ø 360 x 158
- Instalattion : Inset, Base unit of minimum 45 cm widht
- Accesories : 3½ basket wastes



40217300

CGW LUX 86 TC 3G AI AL 2TR



- Black tempered glass
- Bevelled edges
- Frontal touch control :
Child lock
Re-ignition
Electronic timer
- Cast iron grids
- Auto-ignition (AI)
- Auto lock (AL)
- 2 Wok burners of 4.2 kW
- 1 Semi rapid burner of 1.75 kW
- External dimensions (mm) : 860 x 450
- Built-in dimensions (mm) : 710 x 410



40215100

CGW LUX 86 3G AI AL 2TR


- Black tempered glass
- Bevelled edges
- Black knobs (matt black)
- Cast iron grids
- Auto-ignition (AI)
- Auto lock (AL)
- 2 Wok burners of 5 kW
- 1 Semi rapid burner of 1.75 kW
- External dimensions (mm) : 860 x 450
- Built-in dimensions (mm) : 710 x 410



10205645

CG LUX 70 4G AI

- Gas on glass hob
- Black frontal knobs
- Individual cast iron grid
- Bevelled tempered glass
- Frameless
- Dimensions : 710 x 510 mm
- Crystal surface with ceramic treatment
- Auto-ignition integrated in the burner operated by each knob
- 4 cooking zones :
1 fast burner (3 kW)
2 semi-fast burners (1.75 kW)
1 auxiliary burner (1 kW)
- Built-in kitchen cabinets of 60 cm




Universo Series



40232006

GK LUX 86 3G AI AL 2TR


- Gas on Glass Built-in Hob
- Tempered glass 8 mm with bevel edge
- High power and efficient burner 4.3 KW
- Full black burners
- Cast iron pan support with emboss logo
- Auto-ignition (Battery 1.5 V)
- Flame failure device (FFD)
- Black rounded metal knobs
- 3 burner zones (gas)
- Burner compoion : 2 triple-rings (4.3 kW)
- 1 aux (1.1 kW)
- Thermocouple
- Product dimension (P x L x T) mm : 780 x 480 x 150
- Cutting dimension : (P X L) mm : 740 x 430



40232004

GK LUX 78 3G AI AL 2TR


- Gas on Glass Built-in Hob
- Tempered glass 8 mm with bevel edge
- High power and efficient burner 4.3 KW
- Full black burners
- Cast iron pan support with emboss logo
- Individual auto-ignition (Battery 1.5 V)
- Flame failure device (FFD)
- Black rounded metal knobs
- 3 burner zones (gas)
- Burner compoion : 2 triple-rings (4.3 kW)1 aux (1.1 kW)
- Thermocouple
- Product dimension (P x L x T) mm : 780 x 480 x 150
- Cutting dimension : (P X L) mm : 740 x 430



40232003

GK LUX 73.2G.AI.AL.2TR


- Gas on Glass Built-in Hob
- Tempered glass 8 mm with bevel edge
- High power and efficient burner 4.3 KW
- Full black burners
- Cast iron pan support with emboss logo
- Individual auto-ignition (battery 1.5 v)
- Flame failure device (FFD)
- Black rounded metal knobs
- 2 burner zones (gas)
- Burner compoion : 2 Triple rapid-rings (4.3 kW)
- Product dimension (P x L x T) mm : 730 x 480 x 150
- Cutting dimension : (P X L) mm : 660 x 430



10120018

UNIVERSO 1B 1D


- Material: made of polished or microtextured stainless steel.
- Measurements: overall (w x h): 790 x 500 mm, bowl (w x h x d): 340 x 400 x 170 mm.
- Installation: inset, base unit of minimum 45 cm width.
- Reversible.
- Accessories: 3½" basket waste



10120030

UNIVERSO 1 ½B 1D


- Material: Made of polished stainless steel
- Measurements in mm : Overall (w x h), 1000 x 500 : Bowl (w x h x d) 340 x 400 x 160
- Installation : Inset, Base unit of minimum 60 cm width,
- Reversible
- Accessories : 3½ basket wastes.



10120020

UNIVERSO 2B


- Material: Made of polished stainless steel
- Measurements in mm : Overall (w x h), 790 x 500 : Bowl (w x h x d) 340 x 400 x 170
- Installation : Inset, Base unit of minimum 80 cm width,
- Reversible
- Accessories : 3½ basket wastes.



10120012

UNIVERSO 2B 1D

- Material: Made of polished stainless steel
- Measurements in mm : Overall (w x h), 1.160 x 500 : Bowl (w x h x d) 340 x 400 x 170
- Installation : Inset, Base unit of minimum 80 cm width,
- Reversible
- Accessories : 3½ basket wastes.






40150050

EBRO 1B

- Material: Made of bright polished stainless steel
- Measurements in mm: Overall (w x h), 640 x 480, bowl (w x h x d), 535 x 380 x 250
- Installation: Inset, base unit of minimum 80 cm width
- Accessory: 3 ½ basket waste




Classic Series



10119013 (stainless steel)
10119039 (linen)

CLASSIC 1B 1D


- Material: Made of polished or microtextured stainless steel
- Measurements in mm: Overall (w x h), 860 x 500; Bowl (w x h x d), 406 x 406 x 203
- Auxiliary bowl; (w x h x d) 340 x 400 x 190
- Instalattion; Inset, Base unit of minimum 50 cm widht,
- Reversible
- Accesories; 3½ basket wastes, Pop-up version



10119040

CLASSIC 1½B 1D


- Overall dimensions: 1000 x 500 mm.
- Made of 18/10 stainless steel.
- Reversible.
- Installation in base units of 80 cm. min.



10119021

CLASSIC 2B


- Material: Made of polished stainless steel
- Measurements in mm: Overall (w x h), 433 x 433; Bowl (w x h x d), 406 x 406 x 250
- Auxiliary bowl; (w x h x d) 340 x 400 x 190
- Instalattion; Inset, Base unit of minimum 90 cm widht,
- Reversible
- Accesories; 3½ basket wastes, Pop-up version



10119023

CLASSIC 2B 1D


- Material: Made of polished or microtextured stainless steel
- Measurements in mm: Overall (w x h), 1.160 x 500, bowls (w x h x d), 340 x 400 x193,
- Plus bowls (w x h x d), 340 x 400 x 200
- Installation: Inset, base unit of minimum 80 cm width
- Reversible
- Accesories: 3 ½ basket wastes



40232001

GK LUX 30 2G AI AL


- Gas on Glass Built-in Hob
- Tempered glass 8 mm with bevel edge
- Full black burners
- Cast iron pan support with emboss logo
- Individual auto-ignition (battery 1.5 v)
- Flame failure device (FFD)
- Black rounded metal knobs
- 2 burner zones (gas)
- Burner composition :
1 Semi rapid (2 kW)
1 aux (1.1 kW)
- Thermocouple
- Product dimension (P x L x T) mm : 300 x 520 x 150
- Cutting dimension : (P X L) mm : 260 x 490



40232000

GK LUX 30 1G AI AL TR

- Gas on Glass Built-in Hob
- Tempered glass 8 mm with bevel edge
- High power and efficient burner 4.3 KW
- Full black burners
- Cast iron pan support with emboss logo
- Individual auto-ignition
- Flame failure device (FFD)
- Black rounded metal knobs
- 1 burner zones (gas)
- Burner compoion : 1 triple-rings (4.3 kW)
- Thermocouple
- Product dimension (P x L x T) mm : 300 x 520 x 150
- Cutting dimension : (P X L) mm : 260 x 490



Advantages:



Auto ignition

Some models use a gas stove Teka system autoignition or automatic ignition, to turn on stove, simply done by pressing a button Lighter systems are not easily damaged and dirty stored neatly in a spark generator.



Security

Thermocouple security devices (auto-lock safety device) integrated and hidden in combustion systems (burner). When there is no ignition, then the thermo couple immediately stop the gas flow immediately. So gas is not be wasted with useless or at most only flows for 10 detk only



Speed Cooking

Triple ring burners capable of producing 3.8 k / w or 20% burner is hotter than the other, so it is ideal for cooking with pots, pans, or large frying pan



Stainless Steel Hobs

Create your own configuration.

We don't all have the same needs, interests or possibilities. Teka's modular hobs are devised so you can pick and mix according to your taste, skills and budget, as well as the space you have available. Teka modules share all the features of their bigger versions as regards design, finishes and options.




Stage Series



40108000

STAGE 1B 1D


- Inset/polished
- Thickness bowl : 0,8 mm
- Thickness top : 0,8 mm
- Bowl radius R35
- External dimensions : 860 x 500 mm
- Bowl dimensions : 340 x 400 x 180 mm
- 3½" basket waste & overflow
- Installation clips, sealing strip and installation instruction
- Packaging : Individual box



40108100

STAGE 2B

- Inset/polished
- Thickness bowl : 0,8 mm
- Thickness top : 0,8 mm
- Bowl radius R35
- External dimensions : 860 x 500 mm
- Bowl dimensions : 340 x 400 x 180 mm
- 3½" basket waste & overflow
- Installation clips, sealing strip and installation instruction
- Packaging : Individual box




Benggala Series



12127001

BAHIA 1B PLUS


- Inset sink
- Polished / Right version / 3Ø holes / g / Ø
- Bowl dimensions: 736 x 431 x 200 mm
- External Dimensions: 860 x 500 mm
- Base units: 90 cm
- Accessories included: Stainless steel colander, Wood chopping board, Soap dispenser, Pop up



40150000

BAHIA 1B


- Material: Made of polished stainless steel
- Measurements in mm : Overall (w x h), 800 x 500 : Bowl (w x h x d) 715 x 415 x 220
- Installation : Inset, Base unit of minimum 85 cm width,
- Reversible
- Accessories : Stainless steel colendar 3½ basket wastes.



40150070

JUCAR 2B

- Material: Made of bright polished stainless steel
- Measurements in mm: Overall (w x h), 858 x 500, bowl (w x h x d), 480 x 400 x 216, auxiliary bowl (w x h x d), 280 x 395 x 150
- Installation: Inset, base unit of minimum 90 cm width
- Accessories: 3 ½ basket wastes






10125123

BE 45.40 R20


- Undermount sink 1 bowl
- Made of polished stainless steel
- Measurement in mm.: Overall (w x h) 470 x 420, Bowl (w x h x d) 450 x 400 x 200
- Base unit of minimum 600 cm. wide 3 ½ basket waste



10125029

BE 2B 84 R

- Material: Made of brush polished stainless steel
- Measurements in mm: Overall (w x h) , 845 x 470 ; Bowl (w x h x d), 406 x 406 x 250
- Auxiliary bowl ; (w x h x d) 340 x 406 x 200
- Instalattion ; Undermount, Base unit of minimum 45 cm widht
- Accesories ; 3½ basket wastes, Pop-up version




Premium Series



12129008

LUX 1B 1D 86


- Tempered glass top: 8 mm thickness
- Stainless steel bowl : 1 mm thickness
- Bowl radius R15
- Reversible
- External dimensions : 860 x 510 mm
- Bowl dimensions : 400 x 400 x 200 mm
- Base units : 50 cm



10128002

PREMIUM 1B 1D 86


- Inset / Polished
- Thickness bowl: 1 mm
- Thickness top: 0,8 mm
- Reversible, right & left version
- Bowl radius R25
- External dimensions: 860 x 500 mm
- Bowl dimensions: 400 x 400 x 200 mm
- 3 ½" valve hole & overflow
- Base units: 50 cm
- Packaging: individual box



10128004

PREMIUM 1½ B 1D


- Inset / Polished
- Thickness bowl 34.40.20: 1 mm
- Thickness bowl 18.27.12: 0,8 mm
- Thickness top: 0,8 mm
- Reversible, right & left versions
- Bowl radius R25
- External dimensions: 1000 x 500 mm
- Bowl dimension 1: 340 x 400 x 200 mm
- Bowl dimension 2: 170 x 280 x 120 mm
- 3 ½" valve hole & overflow
- Base units: 60 cm
- Packaging: individual box



40224323

EX 90 4G AI AL


- Gas hob
- Metal looking frontal knobs
- Enamelled grids
- Stainless steel
- Dimensions: 860 x 500 mm
- Teka family look control knobs
- Auto-ignition integrated in the burner operated by each knob
- Auto-lock safety device integrated in each burner
- 4 cooking zones:
 - 1 fast burner (2.8 kW)
 - 2 semi-fast burner (1.75 kW)
 - 1 auxiliary burner (1 kW)
- Central service area



40231005

EI 930 3G AI AL TR


- Gas hob
- Metal looking frontal knobs
- Cast iron grids
- 2 Triple ring burner
- Stainless steel
- Dimensions: 860 x 500 mm
- Auto-ignition integrated in the burner operated by each knob
- Autolock safety device integrated in each burner
- 3 cooking zones:
 - 2 triple ring burner (3.1 kW),
 - 1 auxiliary burner (1 kW)
- Gas typology : LPG (butane/propane), natural



40231007

EI 730 3G AI 2TR


- Gas hob
- Metal looking frontal knobs
- Enamelled grids
- Triple ring burner
- Stainless steel
- Dimensions: 730 x 430 mm
- Auto-ignition integrated in the burner operated by each knob (Battery Operated)
- 3 cooking zones:
 - 2 triple ring burner (3.1 kW),
 - 1 auxiliary burner (1 kW)



40231006

EI 730 2G AI AL TR

- Gas hob
- Metal looking knobs
- Cast iron grids
- Triple ring burner
- Stainless steel
- Dimensions: 730 x 430 mm
- Auto-ignition integrated in the burner operated by each knob (Battery Operated)
- 2 cooking zones:
 - 1 triple ring burner (3.1 kW),
 - 1 semi-fast burners (1.75 kW)
- Working area






40231008



HLXI 60 4G AI AL TR


- Gas hob • Lateral control knobs
- Enamelled grids
- Triple ring burner
- Stainless steel, white or dark
- Dimensions: 580 x 500 mm
- Auto-ignition integrated in the burner operated by each knob
- Auto-lock safety device integrated in each burner
- 4 cooking zones:
 - 1 triple ring burner (3.3 kW),
 - 2 semi-fast burners (1.75 kW),
 - 1 auxiliary burner (1 kW)
- Gas typology: LPG (butane/propane), natural



40231009

EDI 30 2G AI AL

- Gas hob
- Frontal control knobs
- Enamelled grid
- Stainless steel
- Dimension : 300 x 500 mm
- Auto ignition (Battery)
- 2 zones : 1 fast burner (3 kW), 1 auxiliary burner (1 kW)




40231010



EDI 30 1G AI AL TR

- Gas hob
- Frontal control knob
- Enamelled grid
- Triple ring burner
- Dimension : 300 x 500 mm
- Auto-ignition (Battery)
- 1 triple ring burner (3.3 kW)




Undermount Series



10125124

BE LINEA 40 40 R15


- Stainless Steel 18/10
- Bowl dimensions: 400x400x191 mm
- External dimensions: 440x440 mm
- Base units: 50 cms
- Packaging: Individual box
- Accesories included:
 - 3 1/2 Basket Waste
 - Installation clips



10125134

BE LINEA 50 40 R15


- Polished
- 3 1/2 valve hole
- Round overflow
- Bowl dimensions: 500x400x193 mm
- External dimensions: 540x440 mm
- Base units: 60 cms
- Packaging: Individual box
- Accesories included:
 - 3 1/2 Basket Waste
 - Installation clips



10125006

BE 39


- Material: Made of polished stainless steel
- Measurements in mm: Overall Ø 390 ; Bowl (w x h x d), Ø 385 x 180
- Instalattion ; Undermount, Base unit of minimum 45 cm widht
- Accesories ; 3 1/2 basket wastes.



10125003

BE 28.40


- Material Made of polished stainless steel
- Measurements in mm Overall (w x h) , 307 x 433 Bowl (w x h x d), 280 x 406 x 180
- Installation Undermount Base unit of minimum 45 cm wide
- Accesories: 3 1/2 basket waste Pop-up version



10125021

BE 40 40 25

- Material: Made of polished stainless steel
- Measurements in mm: Overall (w x h) , 433 x 433 ; Bowl (w x h x d), 406 x 406 x 250
- Auxiliary bowl ; (w x h x d) 340 x 406 x 200
- Instalattion ; Undermount, Base unit of minimum 45 cm widht
- Accesories ; 3 1/2 basket wastes, Pop-up version





Sinks

When your kitchen's workspace redifine

Modern kitchen is not complete without the presence Sink Teka who has an ergonomic design and a variety of Teka sink configuration offers from high quality materials, either granite or stainless steel. Sink granite resistant to heat, so 280 ° C, chemical materials, impact, scratch-resistant, and very easy to clean, while Sink stainless steel, is a proven product Teka classic anti-scratch





Modular Hobs

The easiness of flexible combinations

Teka modular burner stoves either induction cooker, gas, electric or vitoceramics allows you to combine different modules according to your taste and most importantly fit your cooking needs

Built-in Dishwashers




40716240



DW 8.80 FI

- Full integrated dishwasher
- Stainless Steel Fingerprint proof panel/door
- Electronic
- 12 place settings capacity
- 10 washing programmes
- 5 washing temperatures (38-45-55-65-70°C)
- 3 digit 1-24 hours delay timer
- Automatic 3-height adjustable top basket
- Pilot lights: on/off, salt, rinse
- Acoustic signal at end of cycle
- 3 in 1 option
- 5 positions water softener
- Hidden heating element
- Water dirtiness sensor (AQUALOGIC)
- New Half-Load distributed system
- ECO program
- BIO program
- Fast program (45 minutes)
- 3rd sprayer
- Stainless steel interior
- Variable hinges system
- Full aqua stop

- Back feet regulation from front side
- Energy/Wash/Dry efficiency class: A/A/A
- Energy consumption: 1,05 kWh/cycle
- Water consumption: 14 litres
- Noise level: 45 dBA
- Voltage-Frequency: 220-230 V - 50 Hz
- Overall sizes (h/w/d in mm): 820/870 x 596 x 550
- Built-in door sizes: included with product




DW 7.57 FI



40782120



- Full integrated dishwasher
- Inox colour paint control panel
- Electronic
- 12 place settings capacity
- 5 washing programmes
- 4 washing temperatures (45-55-65-70°C)
- Pilot lights: on/off, salt, rinse
- Acoustic signal at end of cycle
- 3 in 1 option
- 5 positions water softener
- Hidden heating element
- 3rd sprayer
- ECO program
- New Half-Load distributed system
- Fast program (45 minutes)
- Stainless steel interior
- Full Aquastop
- Back feet adjustable from front side
- Height adjustable upper basket (extraction)
- Energy/Wash/Dry efficiency class: A/A/A
- Energy consumption 1,05 kWh/cycle
- Water consumption: 12 litres
- Noise level: 49 dBA
- Voltage-Frequency: 220-230 V - 50 Hz
- Overall sizes (h/w/d in mm): 820/870 x 596 x 550
- Built-in door sizes (h/d in mm): 820/870 x 596



Free Standing Dishwasher




40782090



LP7 840

- Free standing dishwasher
- Stainless steel door (fingerprint proof)
- Capacity: 15 place settings
- Digital display
- Electronic control panel
- 6 programmes
- Intensive programme 50'
- 5 washing temperatures (40°/45°/ 50°/55°/70°C)
- Hidden heating element
- Half-load programme
- Delayed programming (from 1 to 12 hours)
- 4 positions water softener
- Triple filtering and micro-filtering
- Stainless steel tub and flap back
- Adjustable upper basket
- Grey baskets
- Indicator pilots for: on/off, lack of salt, lack of rinse aid and selected programme
- Special cutlery basket for half load
- Full Aquastop safety system
- Energy class (energy/washing/ drying): A/A/A
- Noise level: 52 dBA
- Overall measurements (h/w/d in mm): 850 x 600 x 600





Dishwashers

Dishwasher A Class with a touch of design



When washing dishes and other kitchen utensils to be a problem, can Teka Dishwasher be the answer you need. The products are energy efficient, clean and dries quickly, and has a basket that can accommodate many equipment and a variety of sizes as well. Simply wait for a while until you hear a beeps and LED lights on, the equipment you also be clean and dry again



10209611

EM 30 2P


- Electric hob
- Metal looking frontal knobs
- Stainless steel
- 300 x 510 mm
- Teka family look control knobs
- 2 zones: 1 electric solid plate 145 mm Ø (1,500 W), 1 electric solid plate 180 mm Ø (1,500 W)
- Power-on lamp indicator
- Max. nominal power: 3,000 W
- Optional: Chronometer and junction kit



40221816

ED 30 1G


- Electric grill
- Frontal control knob
- Enamelled grid
- Stainless steel
- Dimension : 300 x 500 mm
- Stainless steel inner body
- Thermostat
- Volcanic stones
- Maximum nominal power :: 2,400 W
- Power-on lamp indicator



40221815

ED 30 1F

- Electric fryer
- Frontal control knob
- Stainless steel
- Dimension : 300 x 500 mm
- Stainless steel inner body
- Thermostat
- Capacity: 2.300 W
- Maximum nominal power :: 2,300 W
- Power-on lamp indicator
- Cover include




Advantages:



Speed Cooking:

If the metal pot placed on the cooking zone (ground glass), then heat will be distributed directly and quickly by the magnetic field under the glass surface. facilitator extra Power making 35% more cooking time fast.



Save Energy:

Compared with the system others, induction cooker can save 40% power consumption.



Energy Efficiency:

It has a smart system that can automatically identify the size and the diameter of the pot, and distributing energy according to his needs. So there is no energy were wasted and the heat distribution was evenly.



Cleaning:

Due to the use of heat more controlled, then the possibility of overflow or splashes when cooking is very small. so cleaning the stove is very easy.



Safety:

Because the heat is channeled directly to the bottom of the pot, then the base glass in the zone Cooking is not going to be too hot. zone Cooking is also protected from the possibility of heat caused by electrical system. this stove also able to stabilize the voltage up and down thus making it more durable.

function icon / emblem for Hob:



Dryer




TKS1 600 WHITE

- Free standing vented tumble dryer (removable worktop)
- Electronic control
- 11 programmes
- Remaining time led indicator
- Drying time selector (10-60 minutes)
- Balance control system
- Humidity control drying system
- Double direction spinning
- Removable filter with saturation level indicator
- Drying programme for delicate clothing
- 150° door opening
- 38 cm door diameter
- Reversible door
- Adjustable feet
- Energy class, C
- Drying capacity: 6 kg
- Power rate: 2,200 W
- Measurements (h/w/d/in mm): 850 x 600 x 540



40851210



Advantages:



Save Energy

New electronic system to reduce consumption electrical energy. Teka dishwashers able to achieve Class A European standard equipment.



Aquastop

The system is able to prevent the flow of excess water through two electronic valves located within the and water pipes in the tank. The system is capable of detecting water leaks inside dishwasher up 100%



Efficient

Dishwasher more perfect thanks Teka washing system new impulse laundering. This product also has ability to dry quickly due to design repeated washing and dryer space.



The Noise Level

Very low noise levels due to material Silencers are placed on a three-layer A full part in the vibration.

Function icon / symbol for Dishwasher:



Energy Class



Fingerprint Proof



3 in 1 tablets



Half-load programme



Energy Class



Noise Level



Digital Display



Aquastop



Extra Capacity Easy




Fuzzy Logic : Precision Control



40875200

TKX 1000 T


- Free standing washing machine (removable top)
- Electronic control
- 23 programmes
- Automatic water regulation
- Eco programme
- Special programmes for sport and baby clothing
- Balance control system
- Foam control system
- Fast programme (40 minutes)
- Easy ironing and rinse hold button
- Spining speed selector (1.000 Or 600 r.p.m)
- 30 cm wide crystal door
- Function button for : On/Of, rinse hold, selected programed, start-pause and easy ironing
- Energy class (energy/washing): A/A
- Washing capacity:6 kg
- Power rate: 2,200 W
- Measurements (h/w/d/in mm): 850 x 596 x 570



40875060

TKX1 600 T

- Free standing washing machine (removable top)
- Electronic control
- 23 programmes
- Automatic water regulation
- Eco programme
- Special programmes for sport and baby clothing
- Balance control system
- Foam control system
- Fast programme (40 minutes)
- Easy ironing and rinse hold button
- Spining speed selector (1.000 Or 600 r.p.m)
- 30 cm wide crystal door
- Function button for : On/Of, rinse hold, selected programed, start-pause and easy ironing
- Energy class (energy/washing): A/A
- Washing capacity:6 kg
- Power rate: 2,200 W
- Measurements (h/w/d/in mm): 850 x 596 x 570





Hoods

Decorative & Compact

Hood Teka can inhale the smoke and odor eliminating fragrance perfectly of the stove, while creating the fresh air in your kitchen. It does not matter whether your kitchen is quite spacious or narrow, for Teka provide a hood-shaped chimney (chimney) and the slender (slim)



Washing & Dryer




40878050



LSE 1485

- Installation free standing
- Colour white
- Power supply (v) 220-240
- Frequency (hz) 50
- Fuse rating (a) 13
- Plug type schuko
- Max. Nominal power (w) 2,150
- Spinning speeds (all settings) 1400
- Washing capacity (kg) 8
- Drying capacity (kg) 5
- Drum capacity (l)
- Stainless steel drum yes
- Water consumption washing+drying full load (l) 115
- Water consumption only washing full load (l)
- Energy consumption washing+drying full load (kwh/cycle) 5.44
- Energy consumption only washing full load (kwh/cycle) 1.36
- Energy consumption only washing (kwh/kg) 0.17
- Duration of program (for 60°c cotton test)
- Energy efficiency class a
- Washing performance class a
- Spinning/drying performance class a
- Inlet hose length 1500 mm
- Outlet hose length 2000 mm
- Electrical cord length 1600 cm
- Control panel electronic
- Display
- Electronic washing management
- Electronic balance control
- Electronic regulation of water consumption
- 13 Number of washing programs
- 3 Number of drying programs
- Eco program
- Fast program washing+drying 59 minutes
- Fast program only washing (minutes)
- Cold wash
- Pre-wash yes (program)





Washing Machine & Dryer

Cleaning until the last detail


Is your outfit too dirty, stained, or just a little dirty? No need to bother anymore. Therefore, Teka washing machine can work automatically select the washing program You need and your clothes became clean and fresh as new clothes.

Island Hoods



DH 2 Island


- Chimney hood
- Island concept
- Backlit electronic control panel
- Double turbine motor
- Exhaust capacities; maximum in test conditions: 1,200 m³/h, free outlet: 880 m³/h, UNEEN61591: 650 m³/h
- 3 speeds + 1 intensive
- Candle type lamps
- Selected speed illumination
- Metal filters
- Easyclean inside panel
- Stainless steel
- Sound level (UNEEN 60704213): 45 dB(A)
- Optional: recirculation kit



DG 2 Island

- Backlit electronic control
- Selected speed illumination
- Glass wings
- Conventional extraction
- 3 speeds + Intensive
- Stop delay timer
- 4 x 20 W halogen lamps
- Extraction * vs Noise levels**

1st speed	: 240 m ³ /h - 28 dBA
2nd speed	: 340 m ³ /h - 36 dBA
3rd speeds	: 470 m ³ /h - 45 dBA
Intensive speed	: 780 m ³ /h - 56 dBA
- Suitable for kitchens of up to 44 m² ***
- Aluminium filters
- Double turbine motor
- Reduction 150/120 mm included
- European plug included
- Recirculation mode (Optional)






40455202



NC2 90

- Chimney hood
- Wall concept
- Push button control panel
- Glass wing
- Double turbine motor
- Exhaust capacities : maximum in test condition : 800 m³/h
- 3 speeds
- Candle type lamps
- Operating pilot light
- Metal filter
- Telescopic ducting tube
- Stainless steel
- Sound level 46 dB(A)




40485202



DGE 90 CLASS

- Rectangular Push Buttons
- Operating Pilot Light
- Flat glass wings
- Conventional extraction
- 3 speeds
- 2 x 20 W hologen lamps
- Extraction * vs Noise levels**
- 1st speed : 329 m³/h - 44 dBA
- 2nd speed : 380 m³/h - 52 dBA
- 3rd speeds : 405 m³/h - 54 dBA
- Suitable for kitchens of up to 27 m² ***
- 1 Aluminium filters
- Double turbine motor
- Reduction 150/120 mm included
- European plug included
- Optional recirculation mode (SET 1/N)




40484862



DJE 90

- Rectangular Push Buttons
- Operating Pilot Light
- Upper Body of reinforced black glass
- Conventional extraction
- 3 speeds
- 2 x 20 W hologen lamps
- Extraction * vs Noise levels**
- 1st speed : 329 m³/h - 44 dBA
- 2nd speed : 380 m³/h - 52 dBA
- 3rd speeds : 405 m³/h - 54 dBA
- Suitable for kitchens of up to 27 m² ***
- Aluminium filters
- Double turbine motor
- Reduction 150/120 mm included
- European plug included
- Optional recirculation mode (SET 1/N)



Kamarmandiku.com
Indonesia's # 1 Bathroom Website




40460470
40460471
40460472



DBB 60/70/90 INOX

- Chimney hood
- Wall concept
- Push button control panel
- Stainless steel, white or dark
- Double turbine motor
- Exhaust capacities: maximum in test conditions: 800 m³/h, free outlet: 575 m³/h, UNE-EN-61591: 470 m³/h
- Recommended for kitchens up to 27 m²
- 3 speeds
- Incandescent lamps
- Operating pilot light
- Metal filters
- Sound level (UNE-EN 60704-2-13): 45 dBA
- Optional: recirculation kit



Advantages:

Type Hood

There are two types of hood, which is shaped chimney (chimney) and slender (slim). This will determine memudahkananda situasidapur considering your options. If the kitchen you are not available sewer smoke, you canusing the slim type hood with activated carbon as a filter.



Material

Hood Puzzle is made of stainless steel that is easy cleared because the surface flat panel shape without indentation.

function icon / emblem for Hob:



Fingerprint proof



Low Noise



Stop Delay Timer



Halogen Lamps



The noise level

In addition to reliable, suction motors used Teka hood not too noisy, the energy consumption is relatively low, the motor is very effective in removing hisapnya steam and aroma



Motor and suction power

Double turbine motor motors are very reliable. There are two types of motors, namely the capacity of 800 m³ / h and 500 m³ / h. Motor penghisapnya facilities no return airflow flap that prevents air is sucked back more spatial rotation


Sliding & Built-in Hoods



40474330 (TL1 92)
40474211 (TL1 62)

TL1 92

- Pull-out traditional hoods
- Inswing control
- Stainless steel.
- 90 cm model
- Double turbine motor
- Exhaust capacity maximum in test conditions : 756 m³/h
- 2 speeds
- Candle type lamps
- Metal filters
- Removable front panel
- Automatic switch on/off
- Sound level 46 dB(A)



TL1 62


- Same features as TL1 92
- 60 cm model



40446700

GFH 55

- Filter group
- Push button control panel
- Stainless steel.
- Double turbine motor
- Exhaust capacities : maximum in test condition : 756 m³/h
- 3 speeds
- Soft design metal filters
- Integrated halogen lamps
- Operating pilot light
- Built-in installation
- Stainless steel
- Sound level 46 dB(A)




40461501 ST (C 610/1 Motor)
40465501 ST (C 620/2 Motors)



C 610 / C 620

- Traditional hood
- Push button control panel
- Stainless steel front (fingerprint proof)
- C 610 1 motors / C620 2 motors
- Exhaust capacities: maximum in test conditions : 700 m³/h
- 3 speeds
- Soft design metal filters
- Candle type lamps
- Operating pilot light
- Sound level 50 dB (A)




TKI2 145 D



40693000



- Built-under larder
- Mechanical control
- Adjustable thermostat
- Forced ventilation
- Reversible door
- Door on door installation
- Automatic defrost in fridge
- Adjustable safety glass shelves
- Hidden evaporator
- Inner light
- Antibacterial treatment (silver ion coating)
- Energy consumption: 0,323 kWh/24h
- Annual consumption : 118 kWh/year
- 1 compressor R600a (19 gr)
- Noise level: 39 dBA
- Energy class: A+
- Climate class: SN -T
- Total capacity (Gross/Net): 130/128 litres
- Power supply /Frequency: 230 V/50 Hz
- Dimensions:
Larder fridge (H/W/D): 820/598/545 mm
Niche (H/W/D): 820-870 /600 /550 mm




C 920



40466200 ST



- Traditional hood
- Push button control panel
- Stainless steel (fingerprint proof)
90 cm model
- Two motors
- Exhaust capacities ; maximum in test conditions 700 m³/h
- 3 speeds
- Soft design metal filters
- Candle type lamps
- Operating pilot light
- Sound level 50 dB(A)




TFI2 130 1D



40695050



- Built-under refrigerator
- Mechanical control
- Adjustable thermostat
- Reversible door
- Door on door installation
- Forced Ventilation
- Automatic defrost in the fridge
- Adjustable safety glass shelves
- **** freezer
- Hidden evaporator
- Inner light
- Antibacterial treatment (silver ion coating)
- Energy consumption: 0,477 kWh/24h
- Annual consumption : 183 kWh/year
- Freezing capacity: 2 kg/24h
- Autonomy from power failure: 10 hours
- 1 compressor R600a (22 gr)
- Noise level: 39 dBA
- Energy class: A+
- Climate class: SN -T
- Total capacity (gross/net): 125liters
- Refrigerator net capacity: 105 litres
- Freezer net capacity: 18 litres
- Power supply/Frequency: 230 V/50 Hz
- Dimensions:
Refrigerator(h/w/d): 820/598/545 mm
Niche(h/w/d): 820-870 /600 /550 mm




HTB 601 / 602 / 902



846011 (1 motor) (HTB 601)
856021 (HTB 602)
889021 (HTB 902)

- Traditional hood
- Colours: silver
- Exhaust capacities:
HTB 602 : 700 m3/h
- Mechanical slider control panel
- 3 speeds
- Candle type lamps
- Recirculation kit with metal filters




Built-in Refrigerators



40634550

CI2 350 NF

- Built in combi
- Electronic control panel
- Reversible door
- Sliding door installation
- No Frost freezer
- Automatic defrost in the fridge and the freezer
- Adjustable safety glass shelves
- Transparent vegetable drawers
- Conservation zone (0 - 3°C)
- **** freezer
- Hidden evaporator
- Inner light Inner light
- Antibacterial treatment (silver ion coating)
- Energy consumption: 0,723 kWh/24h
- Annual consumption: 264 kWh/year
- Freezing capacity : 2,5 kg/24h
- Autonomy from power failure: 13 hours
- 1 compressor / R600a / 44 gr
- Noise level: 38 dBA
- Energy class: A+
- Climate class: SN T
- Total capacity (gross/ net): 270/237 litres
- Refrigerator net compartment: 193 litres
- Freezer net compartment: 49 litres
- Power supply/Frequency: 230 V/50 Hz
- Dimensions:
- Combi (h/w/d): 1770/ 535/ 540 mm
- Niche(h/w/d): 1776 1789/ 560/ 550 mm




Oven & Microwaves



40698310

TS2 370

- Free standing refrigerator
- Fingerprint proof stainless steel
- Anti bacteria (silver coating)
- Adjustable thermostat
- Conservation zone (Fresh zone 0-3°C)
- Adjustable safety glass shelves
- Chromed bottle rack (5 bottles)
- Transparent groceries drawer
- Easy opening handle
- Reversible doors
- Front feet
- One compressor, R600a Gas 41 gr
- Voltage / Frequency: 230 V / 50 Hz
- Annual Consumption: 163 kWh
- Energy class: A+
- Climate class: SN-T
- Total gross capacity: 370 liters
- Net capacity: 335 liters
- Noise: 38 Db(A)
- Measurements: 1.710 x 605 x 600 mm.




TGF2 270



40698410



- Free standing freezer
- Fingerprint proof stainless steel
- Electronic control with digital temperature display
- Adjustable thermostat
- No Frost freezer
- 4 stars freezer
- Automatic defrost in freezer compartment
- Freezing capacity: 20Kg/24h
- Autonomy: 13 h
- 7 independent compartments
- Ice cube tray
- Easy opening handle
- Reversible doors
- Front feet
- One compressor, R600a Gas, 48 gr
- Voltage / Frequency: 230V / 50 Hz
- Annual Consumption: 304 kWh
- Energy class: A+
- Climate class: SN-T
- Total gross capacity: 265 liters
- Net capacity: 227 liters
- Noise: 40 Db(A)
- Measurements: 1.710 x 605 x 600 mm.



Free Standing Refrigerators & freezer



Oven

Blending simplicity with state of the art technology

Compact, beautiful design, and versatile is the hallmark of Teka oven and can meet standard functions such as: upper heating and bottom heating, or grilling up needs more complex such as defrosting, use for roasting turnspit large. In fact, if you choose an oven that has a programming facility automatically, then you can specify the type of heating, programming time, and has allowed the turbo to prevent mixing of flavors and aromas.




40698110



NFE1 320

- Free standing refrigerator
- Titanium finish (fingerprint proof)
- Full No frost system (freezer and fridge)
- LCD multifunction display
- Automatic defrost in freezer and fridge
- Fuzzy logic temperature control system
- Fast freezing switch
- Clean air system
- Anti bacterial system
- Visual warning alarm
- Chromed bottle holder for 5 bottles
- 2 grocery drawers
- Ice cube tray
- Digital display of temperature in the freezer and fridge
- Indicator pilots for :on/off, fuzzy logic door opening alarm
- Front and back wheels to ease fitting procedure
- Inner light
- Reversible doors
- **** freezer
- Energy efficiency class : A
- Total gross capacity : 320 litres
- Nett capacity : 68 (freezer), 205 (fridge)
- Overall measurements (h/w/d/in mm) : 1.845 x 595 x 600.




Side by Side Refrigerators

Compact & Steam Ovens

NFD 680



- Free standing side by side
- Stainless Steel fingerprint proof finish
- Full No frost system (freezer and fridge)
- LCD multifunction display
- Automatic defrost in freezer and
- 3D cooling system
- Magic cool zone
- Automatic water/ice dispenser
- Automatic ice maker
- Integrated home bar on door
- Nano silver anti bacterial system
- Electronic control panel with display
- Adjustable thermostat
- Adjustable trays and door shelves
- Door alarm
- 6 environment sensors for temp control
- 2 transparent vegetables drawers with humidity control
- Inner light in freezer and cooler
- Twin fan (Freezer and cooler)
- 1 compressor R134a (190 gr gas load)
- Freezing capacity : 10 kg/24 hours
- Autonomy : 5 hours
- Energy class : A
- Climate class : T
- Total gross capacity : 604 litres
- Total net capacity : 520 litres
- Cooler net capacity : 343 litres
- Freezer net capacity : 177 litres
- Overall measurements : height : 1790 mm width : 895 mm depth : 730 mm




40666680

NFD 650



- Free standing side by side
- Stainless steel fingerprint proof finish
- Full No frost : freezer and cooler
- 4-star freezer
- Automatic defrost in freezer
- 3D cooling system
- Magic cool zone
- Automatic water/ice dispenser
- Automatic ice maker
- Nano-silver anti bacterial system
- Electronic control panel with display
- Adjustable thermostat
- Adjustable trays and door shelves
- Door alarm
- 6 environment sensors for temp control
- 2 transparent vegetables drawers with humidity control
- Inner light in freezer and cooler
- Twin fan (freezer and cooler)
- 1 compressor R134a (190 gr gas load)
- Freezing capacity : 10 kg/24 hours
- Autonomy : 5 hours
- Energy efficiency class : A
- Climate Class : T
- Total Gross capacity : 604 litres
- Total nett capacity : 520
- Cooler net capacity : 177 litres
- Overall measurement (h/w/d/in/mm) 1.790 X 895 X 730



40666650


HKL - 840



41591040



- Multifunction oven (TURBO)
- Fingerprint proof stainless steel
- 9 cooking function + hydroclean
- Capacity: 46 litres
- Touch control programmer
- Stainless steel pop in/out knobs
- Triple-glazed door
- Full glazed door
- Energy class: A
- Chromed support with 1 telescopic guide
- Drop down grill
- Cooling fan
- Children safety block option
- Deep tray with Hydroclean enamel
- Reinforced cooking grid
- Hydroclean enamel
- Voltage : 220/240 V
- Frequency : 50/60 Hz
- Dimension mm : 595 x 455 x 562




HKL 970 SC



40589000



- Multifunction Steam Combi
- Fingerprint-resistant stainless steel
- Net capacity: 32 liters
- Multifunction digital display
- Controls hidden (retractable)
- Electronic control panel with time selector and functions
- 5 versions of operation
- Steaming function (40 ° - 80 ° - 100 ° C)
- Temperature and pressure sensors
- Turbo Function, 1,600 W
- Defrost by time
- Grill, 1200 W
- LED water shortage
- Water tank (1.4 liters)
- Guides chrome cooking four heights
- Two stainless steel trays (40 and 20 mm)
- A rectangular grid
- Temperature sensor
- Forced ventilation
- Child safety lock control panel
- Stainless steel interior cavity
- Energy Class A




HKE - 635



41591200



- Multifunction compact oven
- 8 cooking function
- Digital display
- Capacity: 46 litres
- Stainless steel (fingerprint proof)
- Energy class: A
- Multifunction
- Drop-down maxi grill
- Teka family look control knobs
- Cavity with Crystal Clean enamel
- Full glass inner door
- Double glazed door
- Chromed tray guides
- 1 Telescopic tray guide
- 4 cooking levels
- Deep tray (50 mm)
- Cooking grid
- Optional : plate warmer for 60 cm installation



Electric Ovens




41592210



HL 940

- Multifunction oven (TURBO)
- Fingerprint proof stainless steel
- 9 cooking function + hydroclean
- Capacity: 87 litres
- Touch control programmer
- Stainless steel pop in/out knobs
- Triple-glazed door
- Full glazed door
- 5 cooking levels
- Energy class: A
- Chromed support with 1= 1 full extension telescopic grill
- Drop down grill maxi grill
- Double lateral light (2x25 W)
- Cooling fan
- Children safety block option
- Automatic disconnection security system

- 50 mm Deep tray, baking tray and reinforced grid
- Hydroclean enamel
- Voltage : 220/240 V
- Frequency : 50/60 Hz




41595011



HA 45.15

- Multifunction oven
- Touch control panel
- Digital display
- Stainless steel (fingerprint proof)
- Energy class: A
- Upper cavity:
- 9 cooking functions
- Capacity: 46 litres
- Multifunction turbo
- Drop-down maxi grill
- Cavity with Crystal Clean enamel
- Full glass inner door
- Triple glazed door
- 1 telescopic tray guide
- 4 cooking levels
- Express preheating
- Door opening security disconnection
- Children safety block
- Deep tray (50 mm)

- 5 cooking functions (Pizza, Stone, Toast, Upper Grill, Upper+Lower Grill)
- Capacity: 29 litres
- Maxi grill
- Drop-down top and bottom grill
- Double glazed door
- Stainless steel cavity
- Telescopic door guide
- Cooking grid
- Lower cavity




41555610



HL 850

- Multifunction oven (TURBO)
- Fingerprint proof stainless steel
- 9 cooking function + hydroclean
- Capacity: 56 litres
- Touch control programmer
- Stainless steel pop in/out knobs
- Triple-glazed door
- Energy class: A
- Chromed support with 1 telescopic guide
- Drop down grill
- Cooling fan with MCS
- Children safety block option
- Deep and baking tray with hydroclean enamel
- Reinforced cooking grid and grease filter
- Hydroclean enamel with plug
- Voltage : 220/240 V
- Frequency : 50/60 Hz
- Dimension mm : 595 x 595 x 562




40682500



RVI 35 FI


- Built-in wine cooler
- Electronic control panel
- Capacity : 35 bottles
- Antibacterial treatment (silver ion coating)
- Fast cooling button
- Metallic handle
- Glass door
- Electronic control
- 4 wooden shelves
- Chromed bottle rack
- Adjustable feet
- White LED illumination
- Climate Class : SN
- Energy Class : B
- Annual consumption : 180 kWh/year 135 liters total gross capacity
- Reversible door
- Noise level : 38 dB(A)
- Over temperature alarm (led)
- Temperature adjustable between 5 and 16° C
- Dimension : 865 x 540 x 525 mm



40682003

RV 51


- Free standing wine fridge
- 51 bottles capacity
- Stainless steel handle
- Double glazed glass door
- Electronic control panel
- Adjustable temperature for red or white wines
- Wooden wine racks
- Overall measurement (h/w/d in mm) : 1.280 x 500 x 595.



40682002

RV 26

- Free standing wine cooler
- 26 bottles capacity
- Stainless steel handle
- Double glazed glass door
- Electronic control panel
- Adjustable temperature for red or white wines
- Wooden wine racks
- Overall measurement (h/w/d in mm) : 780 x 506 x 550.





Wine Coolers

A sip of pleasure

Wine is as a form of art. An expression of beauty that offers an endless world of bouquets and shades. To enjoy these moment of pleasure. Teka wine coolers provide the ideal conditions of humadity and temperature, sowhen the moment arrives. all the personality of a vintage wine reaches its summitt. At the right time, at the time you dicide.




41557310



HL 835


- Multifunction compact oven (strip oven)
- Fingerprint proof stainless steel
- 8 cooking function
- Capacity: 56 litres
- Touch control programmer
- Stainless steel pop in/out knobs
- Energy class: A
- Chromed support
- Dynamic cooling fan
- Children safety block option
- Deep and baking tray with crystal clean
- Full glass inner door
- Double glazed door
- Enamel
- Reinforced cooking grid
- Crystal clean enamel with plug
- Voltage : 220/240 V
- Frequency : 50/60 Hz
- Dimension mm : 595 x 595 x 562



41516710

HE 615

- Multifunction oven
- 5 cooking functions
- Capacity: 56 litres
- Stainless steel (fingerprint proof)
- Energy class: A
- Teka family look control knobs
- Cavity with Crystal Clean enamel
- Double glazed door
- 5 cooking levels
- Chromed tray guides
- Dynamic cooling system
- Deep tray (50 mm)
- Cooking grid



Advantages:



Cooking functions:
Static oven if it works for the upper heating and bottom heating, roasting (grill), and lower heating. Basic multifunction oven besides having the basic functions, also has additional facilities like maxi grill, ventilation, defrosting, and turnspit. While total multifunction ovenpembersihan pirolitic, cool door and fume extractor system.



Cleaning:
Panels coated with crystal clean enamel (ECC), a porous layer of slippery, do not make sticky, and able to absorb grease, cleaning cooking trays and the inside of the oven to very easy. Cleaning can be done a self-cleaning oven with heating Maximum temperatures 2500C. If there is still leftovers, the panel with easy to clean with soapy water.



Save Energy:
Techno Clean Oven Teka has inner door able to save energy, which only consumes 800 watts. Cold door system consists of two or three layers of glass, with one or two panels which prevents the release of heat from the inside out of the oven.



Mix Chamber System:
room where the mixing of cold air from the outside and hot air from the oven. system mix chamber reduce the flow of air out the oven at the same time prevent heating handle and the front oven. The system also prevents condensation and aroma.




41597100




FGE 730

- Gas oven with gas Grill
- Colours : Inox / White / Black
- 2 cooking functions
- Capacity: 56 litres
- Automatic gas oven ignition
- Gas grill
- Safety device
- Cooling fan
- Mechanic timer with stop programmer
- Adjustable thermostat
- Chromed guides, 5 cooking levels
- Double glazed door
- Side catalytic panels.
- Baking tray and chromed grid
- Crystal Clean enamel AA class
- Voltage : 230 V
- Frequency : 50/60 Hz
- Dimension mm : 595 x 595 x 562



Function icon / symbol for the Oven:

	Traditional		Grill + Turnspit		Grill		Maxi Grill
	Grill + Bottom Heating Element		Bottom Heating Element		Maxi Grill + Turnspit		Fan with bottom element
	Fan Traditional Cooking		Fan Grilling		Fan Maxi Grilling		Turbo
	Cooking Memories		Defrost		Express Preheating		Pyrolysis





Microwaves

The way to keep food fresh


Microwave oven is a cooking device that is safe, energy efficient and supporting healthy lifestyle because it destroys vitamins, or minerals and eliminate content nutrients in food. This product has touch buttons are easy to operate with a variety of menu choices.



41598020

CM 45


- Coffee machine
- Electronic touch control
- Espresso, regular, steam, and hot water function
- Adjustable coffee outlet
- Internal grinder
- 200 gr coffee beans box
- 2,5 litres water tank
- 2 heaters coffee/steam
- Indicator pilots for : Full use coffee tank, lack of water lack of coffee beans
- Possibility to adjust the texture of ground coffee
- 1 cup
- 1 litres
- Telescopic guides for easy water and beans refill



40589510

CML 45 INOX

- Electro- mechanical Control Panel
- Fingerprint-proof Stainless Steel
- 30 automatic programmes
- Capacity: 2 cups
- Adjustable coffee dispenser
- Retractable pipe for steam and hot water
- Integrated coffee grinder
- Grinding coarseness regulator: 13 positions
- Coffee beans deposit: 200 gr
- Preground coffee deposit: 14 single/ 7 double
- Water tank: 1,8 litres
- Easy extractable drawer for used coffee
- Self-cleaning function beginning/end of cycle
- Automatic descaling function
- Capacity to regulate:
 - Intensity of coffee: extra-strong, strong, medium, light, extra-light
 - Quantity of coffee: large, medium, small
 - 3 coffee temperatures
- Accesories included:
 - Telescopic guides
 - Decalcifier
 - Measuring strip for water hardness
 - Instruction manual in 11 languages
- Lamp
- External dimensions(wxd): 595x 455 x 420
- Cavity dimensions(wxd): 560x 450 x 550





Coffee Machine

Espresso now only one touch away

If you are a fan of real and personal bustling coffee, Coffee Machine Teka is the right choice. Practical, modern design and advanced technology. Only with panel digital touch, you can enjoy your coffee as you want:

Compact & Grill Microwaves




40587000



MC 32 BIS

- Compact combi microwave
- Full built-in concept
- Electronic control panel
- 6 cooking functions
- Grill power (1,500 W)
- Stainless steel (fingerprint proof)
- Multifunction turbo
- Capacity (gross/net): 38/32 litres
- Drop-down door
- Drop-down grill
- 6 microwave power levels (1,000 W)
- 3 cooking memories
- Forced ventilation
- Automatic defrost by time and weight
- Children safety block
- 320 mm integrated rotary turntable

- Stainless steel inner cavity
- Turntable stop function
- Triple glass door
- 2 cooking heights
- 1 rectangular glass tray
- 1 rectangular rack
- Browning plate




40586510



MW 32 BIT

- Compact microwave
- Full built-in concept
- Digital touch control panel
- 3 cooking functions
- Grill power (1,500 W)
- Stainless steel (fingerprint proof)
- Capacity (gross/net): 39/32 litres
- Drop-down door
- Drop-down grill
- 6 microwave power levels (1,000 W)
- 3 cooking memories
- Forced ventilation
- Automatic defrost by time and weight
- Children safety block
- 320 mm integrated rotary turntable
- Stainless steel inner cavity
- Turntable stop function

- Double glass door
- 2 cooking heights
- 2 round grids
- Browning plate






40582301

MWL 22 EGL


- Microwave + Grill
 - Fingerprint-proof Stainless Steel
 - Pop in-out buttons
 - Touch control panel with digital display
 - Drop down grill, 1200 W
 - Five power levels, 850 W
 - Capacity: 22 litres
 - Double glass door
 - Ceramic base
 - Three cooking functions
 - Three auto-cook menus
 - Quick start + 1 minute
 - Timer 0-90 minutes
 - Defrost by time and weight
 - Stainless steel cavity
 - Children's safety block
- Electronic door opening
 - Door opening LEFT (EGL- Left Hinge) or
 - Door opening RIGHT (EGR- Right Hinge)
 - Standard accessory: Rectangular grid



40578010

TMW 20.2 BI


- Builtin concept
- Mechanical control panel
- Quartz grill power (1,000 W)
- Stainless steel (fingerprint proof)
- Teka family look control knobs
- Capacity: 18 litres
- 5 microwave power levels (800 W)
- Forced air ventilation
- Minute minder, maximum 60 minutes
- Automatic defrost by time
- Integrated rotary turntable
- Stainless steel inner cavity
- Builtin frame included



40578800

TMW 20.2 BIT


- Built-in concept
- Digital touch control panel
- Quartz grill power (1,000 W.)
- Colours: Stainless steel (Finger print proof)
- Capacity: 18 liters
- Five microwave power levels (800 W.)
- 3 cooking memories
- Forced air ventilation
- Digital timer, maximum 90 min.
- + 1 minute button
- Retractable buttons
- Automatic defrost by time and weight
- Children safety block option
- Integrated rotary turntable
- Stainless steel inner cavity
- Built-in frame included
- Overall measurements (w/h/d : 595, 390, 320 mm)



40578550

TMW 20.2 BIS

- Electronic control panel
- Quartz grill power (1,000 W.)
- Colours: Stainless steel (Finger print proof)
- Capacity: 18 liters
- Five microwave power levels (800 W.)
- 3 cooking memories
- Forced air ventilation
- Digital timer, maximum 90 min.
- Automatic defrost by time and weight
- Children safety block option
- Integrated rotary turntable
- Stainless steel inner cavity
- Built-in frame included
- Overall measurements (w/h/d): 595, 390, 320 mm.



Advantages:



Built-in concept

Allows you to create an exciting atmosphere of the kitchen by combining the oven and microwave oven one column



Cooking functions

Has the touch buttons are easy to operate with various menu options such as heat, boiling and grill or a combination of both. This product also serves to burn and fry on the browning plate without having to flipping food ingredients, so it is well suited for frying bacon, eggs, sausage, hamburger, and so on.



Defrost

Defrostnya very fast process, so as to prevent bacteria to breed.



Children Safety

Safety block option specifically designed to provide assurance for users especially children. This option can be activated by using the "STOP" for three seconds, before beeo end sound. To reactivate, simply press the "start" for three seconds



Quartz Grill Power

Is a mineral that produces an electric current when given pressure. Quartz Grill Teka together on an oven at a memungkinkan grid oven cook faster than with a standard grill. More quickly reach temperatures required, making it more energy efficient. with quartz Teka oven grill safer and easier to clean the self-cleaning due to the high temperatures at the grill can be vaporize grease and food debris.