

Fresh



Kamarmandiku.com
Indonesia's #1 Bathroom Website



MODENA





What's New

MODENA is inspired by the way you perform your daily activities. We look to you as we innovate and create new and exciting products. Discover our latest line-up, which includes bottom loading water dispenser, inverter microwave, downdraft hood and many more. Our new MODENA Professional series is another recent breakthrough. Designed to cater to the specific needs of culinary professionals, the MODENA Professional series delivers power and precision for the country's finest talents.

At MODENA, we continually strive to earn your trust and loyalty through constant innovation and reinvention. We believe in moving forward, challenging ourselves to be better. As an expression of our commitment, our brand new catalogue is initiated and designed to deliver streamlined information and user-friendly experience. Explore our comprehensive range of products at your convenience, learn about their impressive features, and should you require a more hands-on experience, feel free to visit MODENA Experience Center. The freshly established MODENA Experience Center facilitates you the opportunity to interact with our products directly, highlighting not only cooking products, but also cooling and cleaning products. More than a showroom, MODENA Experience Center also hosts cooking classes that enable you to understand the fundamentals of cooking better and instill a love of cooking in you.



Beauty

We fully understand that good design is thoughtful design and beauty is not just to be marveled at from afar, it should be enjoyed and experienced. Thus our products are designed not only to look good but also to serve a purpose. While we look worldwide for design inspiration, we involve relevant experts to lend a special touch.

Combined with the use of high-quality materials, our versatile range of styles will easily complement your individual preference. To illustrate our commitment through good design, we have consistently collaborated with some of the best talents to offer one-of-a-kind products with added value. Discover our limited edition hobs designed in partnership with Indonesia's very own fashion legend BIYAN, as well as Maestro Chefs Bara Pattiradjawane and Rinrin Marinka.



Practical

In this day and age, time is of the essence as things become increasingly practical. With all the hustle and bustle of modern urban life, the one thing we ultimately crave for is peace of mind. All of our products come with built-in features designed to deliver comfort and convenience. Our breakthrough Portable Induction Cooker, for example, comes with a compact design for enhanced mobility so you can cook anywhere you are pleased. Most importantly, our foolproof safety features ensure the highest safety and hygiene levels.





Professional

The culinary industry has undoubtedly experienced a significant growth over recent years. MODENA Professional series aims to provide a solution for this robust industry with our heavy-duty equipments in both the cooking and cooling categories. Designed in compliance with the highest industry standards, it delivers power and precision to the cater to the particular needs of culinary professionals and commercial establishments. A professional kitchen facility has been installed in our MODENA Experience Center to enable professionals to test and experience first hand our products. To further assure customer satisfaction in this demanding industry, a network of post-sales service centers are now in operation in various cities across Indonesia.





Timeless

While adhering to the latest trends, MODENA is also committed to provide products that are timeless. We want our products to be a part of your everyday lives. Both of our home appliances and professional kitchen equipments are created with durability and longevity in mind so you can pass them down to future generations. The combination of our timeless design aesthetic and high quality materials result in superior products that will not only remain relevant but also relatively easy to maintain for improved longevity.



Index

Home Appliance	
Hob	17
Freestanding Cooker	29
Oven	35
Microwave Oven	41
Hood	47
Sink & Tap	57
Refrigerator & Wine Cellar	67
Water Dispenser	73
Laundry & Dishwasher	79
Water Heater	85
Vacuum Cleaner	93
Professional Equipment	
Professional Cooking	101
Professional Cooling	109
Customer Care	
Warranty & Services	127

Home Appliance



Hob



Highlights



Gas Safety Technology
Ensures the safety of the cooker, as the thermocouple sensor immediately shuts off the gas flow once the cooking flame is extinguished.



Strong Burner
Burners are made of long lasting brass material, for better durability and heating performance.



EcoFlame
This energy-efficient low flame is useful for slow cooking or warming up food.



3-Ring Burner
Distributes heat optimally across the entire cooking surface for evenly cooked meals.



Triple Flow Burner
The Triple Flow Burner with two burner rings delivers a wide range of heat, from low heat for warming food to multiple flames with high heat of up to 5 kW.



Tempered Crystal
Take the appearance of the cooker to another level with an elegant and durable luxury finish, which is also heat-resistant and can withstand heavy weights.



Flush Design
The stove is designed to fit flush with table surface, making it easy to move cooking utensils and creating a streamlined modern look for the kitchen.



Induction Technology
A faster and more efficient cooking process using electromagnetic waves to heat up cooking utensils through direct induction.



8-Auto Cooking Program
Cooking has never been easier, by selecting the preferred option of accordance with the chosen menu, thanks to the 8-automated cooking programs.



Slide Touch Control
Set and operate the cooker easily with its slide touch control, and enjoy its ultra-modern appearance.



Digital Timer
Set the desired cooking time according to the dish that is being cooked.



Free Pan
Complimentary elegantly designed induction pan made of food-grade stainless steel for long lasting use.

BUILT-IN INDUCTION

★



MAGNE - BI 1931

★



MAGNE - BI 1721

★



MAGNE - BI 1321

PORTABLE INDUCTION



ESENTE - PI 1317 L



ESENTE - PI 1310
AVAILABLE IN VARIOUS COLORS

	MAGNE - BI 1931
PRODUCT DIMENSION	900 X 350 X 75 MM
CUT-OUT DIMENSION	880 X 330 MM
MATERIAL	CERAMIC GLASS WITH BEVELED EDGE
COLOR	DIAMOND BLACK
QUANTITY OF ZONES	3
Ø 200 MM	2 X 2300 W
Ø 180 MM	—
Ø 160 MM	1 X 1400 W
Ø 140 MM	—
Ø 110 MM	—
COOKING LEVELS	9
CONTROL SYSTEM	TOUCH
INDUCTION TECHNOLOGY	✓
AUTOMATIC SHUT-OFF	✓
DIGITAL TIMER	✓
COOLING FAN	✓
RESIDUAL HEAT INDICATOR	✓
LOCK	✓

	MAGNE - BI 1721	MAGNE - BI 1321
PRODUCT DIMENSION	730 X 420 X 75 MM	290 X 510 X 65 MM
CUT-OUT DIMENSION	718 X 398 MM	270 X 490 MM
MATERIAL	CERAMIC GLASS WITH BEVELED EDGE	CERAMIC GLASS WITH BEVELED EDGE
COLOR	DIAMOND BLACK	DIAMOND BLACK
QUANTITY OF ZONES	2	2
Ø 200 MM	2 X 2300 W	1 X 2300 W
Ø 180 MM	—	—
Ø 160 MM	—	1 X 1400 W
Ø 140 MM	—	—
Ø 110 MM	—	—
COOKING LEVELS	9	9
CONTROL SYSTEM	TOUCH	TOUCH
INDUCTION TECHNOLOGY	✓	✓
AUTOMATIC SHUT-OFF	✓	✓
DIGITAL TIMER	✓	✓
COOLING FAN	✓	✓
RESIDUAL HEAT INDICATOR	✓	✓
LOCK	✓	✓

	ESENTE - PI 1317 L	ESENTE - PI 1310
PRODUCT DIMENSION	300 X 360 X 60 MM	310 X 310 X 65 MM
MATERIAL	CERAMIC GLASS WITH PLASTIC FRAME	CERAMIC GLASS WITH PLASTIC FRAME
COLOR	WHITE & BLACK	SILVER & BLACK, GOLD & BLACK (D) RED & BLACK (R), WHITE & BLACK (W)
QUANTITY OF ZONES	1	1
Ø 200 MM	1 X 900-2000 W	1 X 850-2000 W
POWER CONSUMPTION	120-2000 W	120-2000 W
COOKING LEVELS	10	9
CONTROL SYSTEM	SLIDE TOUCH PANEL	TOUCH PANEL & KNOB
AUTO COOKING PROGRAM	8	—
INDUCTION TECHNOLOGY	✓	✓
AUTOMATIC SHUT-OFF	✓	✓
DIGITAL TIMER	✓	✓
COOLING FAN	✓	✓
RESIDUAL HEAT INDICATOR	✓	✓
EXTRA PAN	✓	✓

	VETRO - BC 1931
PRODUCT DIMENSION	900 X 350 X 75 MM
CUT-OUT DIMENSION	880 X 330 MM
MATERIAL	CERAMIC GLASS WITH BEVELED EDGE
COLOR	DIAMOND BLACK
QUANTITY OF ZONES	3
Ø 140-210 MM	1000-2200 W
Ø 120-180 MM	700-1700 W
Ø 160 MM	—
Ø 140 MM	1200 W
Ø 110 MM	—
COOKING LEVELS	9
CONTROL SYSTEM	TOUCH
INFRARED TECHNOLOGY	✓
AUTOMATIC SHUT-OFF	✓
DIGITAL TIMER	✓
SECURITY BLOCKING SYSTEM	✓
RESIDUAL HEAT INDICATOR	✓
LOCK	✓

	VETRO - BC 1721	VETRO - BC 1321
PRODUCT DIMENSION	730 X 420 X 75 MM	290 X 510 X 65 MM
CUT-OUT DIMENSION	718 X 398 MM	270 X 490 MM
MATERIAL	CERAMIC GLASS WITH BEVELED EDGE	CERAMIC GLASS WITH BEVELED EDGE
COLOR	DIAMOND BLACK	DIAMOND BLACK
QUANTITY OF ZONES	2	2
Ø 140-210 MM	1000-2200 W	—
Ø 120-180 MM	700-1700 W	700-1700 W
Ø 160 MM	—	—
Ø 140 MM	—	1200 W
Ø 110 MM	—	—
COOKING LEVELS	9	9
CONTROL SYSTEM	TOUCH	TOUCH
INFRARED TECHNOLOGY	✓	✓
AUTOMATIC SHUT-OFF	✓	✓
DIGITAL TIMER	✓	✓
SECURITY BLOCKING SYSTEM	✓	✓
RESIDUAL HEAT INDICATOR	✓	✓
LOCK	✓	✓

	CRISTA - BE 1325	SATINA - BE 1320
PRODUCT DIMENSION	300 X 510 X 95 MM	290 X 500 X 95 MM
CUT-OUT DIMENSION	270 X 480 MM	270 X 480 MM
MATERIAL	TEMPERED GLASS WITH BEVELED EDGE	STAINLESS STEEL
COLOR	DIAMOND BLACK	STAINLESS
QUANTITY OF ZONES	2	2
Ø 200 MM	1 X 2000 W	1 X 2000 W
Ø 180 MM	—	—
Ø 160 MM	—	—
Ø 140 MM	—	1 X 1100 W
Ø 110 MM	1 X 600 W	—
COOKING LEVELS	6	6
CONTROL SYSTEM	MECHANICAL KNOB	MECHANICAL KNOB
HEATING PLATE TECHNOLOGY	✓	✓
AUTOMATIC SHUT-OFF	—	—
DIGITAL TIMER	—	—
COOLING FAN	—	—
RESIDUAL HEAT INDICATOR	✓	✓
LOCK	—	—


BUILT-IN VITROCERAMIC



BUILT-IN ELECTRIC




BUILT-IN GAS



PLANO - BH 3940




PLANO - BH 3930



POSENTE - BH 3945



POSENTE - BH 3935



POSENTE - BH 3725




POSENTE - BH 3325

	PLANO - BH 3940	PLANO - BH 3930
PRODUCT DIMENSION	870 X 500 X 120 MM	870 X 500 X 120 MM
CUT-OUT DIMENSION	850 X 480 MM	850 X 480 MM
MATERIAL	STAINLESS STEEL	STAINLESS STEEL
COLOR	STAINLESS	STAINLESS
QUANTITY OF BURNERS	4	3
3-RING BURNER	1 X 3400 W	2 X 3400 W
LARGE BURNER	1 X 2400 W	—
MEDIUM BURNER	2 X 1880 W	1 X 1880 W
SMALL BURNER	—	—
FLUSH DESIGN	✓	✓
GAS SAFETY TECHNOLOGY	✓	✓
ONE HAND IGNITION	✓	✓
ECOGAS SYSTEM	✓	✓
CAST IRON GRID	✓	✓
WOK ADAPTER	✓	✓
NOZZLE FOR NATURAL GAS	✓	✓
ANTI SLIP FEET	—	—

	POSENTE - BH 3945	POSENTE - BH 3935
PRODUCT DIMENSION	860 X 500 X 95 MM	860 X 500 X 120 MM
CUT-OUT DIMENSION	830 X 473 MM	722 X 428 MM
MATERIAL	STAINLESS STEEL	STAINLESS STEEL
COLOR	STAINLESS	STAINLESS
QUANTITY OF BURNERS	4	3
3-RING BURNER	1 X 3400 W	2 X 3400 W
LARGE BURNER	1 X 2400 W	—
MEDIUM BURNER	1 X 1880 W	1 X 1880 W
SMALL BURNER	1 X 1000 W	—
FLUSH DESIGN	—	—
GAS SAFETY TECHNOLOGY	✓	✓
ONE HAND IGNITION	✓	✓
ECOGAS SYSTEM	✓	✓
CAST IRON GRID	✓	✓
WOK ADAPTER	✓	✓
NOZZLE FOR NATURAL GAS	✓	✓
ANTI SLIP FEET	—	✓

	POSENTE - BH 3725	POSENTE - BH 3325
PRODUCT DIMENSION	730 X 420 X 120 MM	290 X 500 X 95 MM
CUT-OUT DIMENSION	660 X 360 MM	266 X 478 MM
MATERIAL	STAINLESS STEEL	STAINLESS STEEL
COLOR	STAINLESS	STAINLESS
QUANTITY OF BURNERS	2	2
3-RING BURNER	2 X 3400 W	1 X 3400 W
LARGE BURNER	—	—
MEDIUM BURNER	—	1 X 1880 W
SMALL BURNER	—	—
FLUSH DESIGN	—	—
GAS SAFETY TECHNOLOGY	✓	✓
ONE HAND IGNITION	✓	✓
ECOGAS SYSTEM	✓	✓
CAST IRON GRID	✓	✓
WOK ADAPTER	✓	✓
NOZZLE FOR NATURAL GAS	✓	✓
ANTI SLIP FEET	✓	—

	ESPERTO - BH 3944	ESPERTO - BH 3934
PRODUCT DIMENSION	860 X 500 X 95 MM	860 X 500 X 95 MM
CUT-OUT DIMENSION	827 X 470 MM	722 X 428 MM
MATERIAL	STAINLESS STEEL	STAINLESS STEEL
COLOR	STAINLESS	STAINLESS
QUANTITY OF BURNERS	4	3
3-RING BURNER	1 X 3400 W	2 X 3400 W
LARGE BURNER	1 X 2400 W	—
MEDIUM BURNER	1 X 1880 W	1 X 1880 W
SMALL BURNER	1 X 1000 W	—
FLUSH DESIGN	—	—
GAS SAFETY TECHNOLOGY	✓	✓
ONE HAND IGNITION	✓	✓
ECOGAS SYSTEM	✓	✓
CAST IRON GRID	✓	✓
WOK ADAPTER	✓	✓
NOZZLE FOR NATURAL GAS	✓	✓
ANTI SLIP FEET	—	—



ESPERTO - BH 3944



ESPERTO - BH 3934

	ESPERTO - BH 3734	ESPERTO - BH 3724
PRODUCT DIMENSION	730 X 420 X 120 MM	730 X 420 X 120 MM
CUT-OUT DIMENSION	660 X 360 MM	660 X 360 MM
MATERIAL	STAINLAESS STEEL	STAINLESS STEEL
COLOR	STAINLESS	STAINLESS
QUANTITY OF BURNERS	3	2
3-RING BURNER	1 X 3400 W	2 X 3400 W
LARGE BURNER	1 X 2400 W	—
MEDIUM BURNER	1 X 1880 W	—
SMALL BURNER	—	—
FLUSH DESIGN	—	—
GAS SAFETY TECHNOLOGY	✓	✓
ONE HAND IGNITION	✓	✓
ECOGAS SYSTEM	✓	✓
CAST IRON GRID	✓	✓
WOK ADAPTER	✓	✓
NOZZLE FOR NATURAL GAS	✓	✓
ANTI SLIP FEET	✓	✓




ESPERTO - BH 3734



ESPERTO - BH 3724

	ESPERTO - BH 3644	POSSENTE - BH 3324
PRODUCT DIMENSION	620 X 500 X 95 MM	290 X 500 X 95 MM
CUT-OUT DIMENSION	555 X 473 MM	266 X 478 MM
MATERIAL	STAINLESS STEEL	STAINLESS STEEL
COLOR	STAINLESS	STAINLESS
QUANTITY OF BURNERS	4	2
3-RING BURNER	1 X 3400 W	1 X 3400 W
LARGE BURNER	1 X 2400 W	—
MEDIUM BURNER	1 X 1880 W	1 X 1880 W
SMALL BURNER	1 X 1000 W	—
FLUSH DESIGN	—	—
GAS SAFETY TECHNOLOGY	✓	✓
ONE HAND IGNITION	✓	✓
ECOGAS SYSTEM	✓	✓
CAST IRON GRID	✓	✓
WOK ADAPTER	✓	✓
NOZZLE FOR NATURAL GAS	✓	✓
ANTI SLIP FEET	—	—




ESPERTO - BH 3644



ESPERTO - BH 3324


BUILT-IN GAS



MASSIMO - BH 4944



MASSIMO - BH 4934



MASSIMO - BH 4724



MASSIMO - BH 4324

	MASSIMO - BH 4944	MASSIMO - BH 4934
PRODUCT DIMENSION	865 X 510 X 100 MM	865 X 510 X 100 MM
CUT-OUT DIMENSION	827 X 470 MM	827 X 470 MM
MATERIAL	TEMPERED GLASS	TEMPERED GLASS
COLOR	DIAMOND BLACK	DIAMOND BLACK
QUANTITY OF BURNERS	4	3
TRIPLE FLOW BURNER	1 X 4700 W	2 X 4700 W
LARGE BURNER	1 X 2400 W	—
MEDIUM BURNER	1 X 1880 W	1 X 1880 W
SMALL BURNER	1 X 1000 W	—
FLUSH DESIGN	—	—
GAS SAFETY TECHNOLOGY	✓	✓
ONE HAND IGNITION	✓	✓
ECOGAS SYSTEM	—	—
CAST IRON GRID	✓	✓
WOK ADAPTER	—	—
NOZZLE FOR NATURAL GAS	—	—
ANTI SLIP FEET	—	—

	MASSIMO - BH 4724	MASSIMO - BH 4324
PRODUCT DIMENSION	750 X 450 X 100 MM	295 X 510 X 100 MM
CUT-OUT DIMENSION	660 X 360 MM, R35	266 X 478 MM
MATERIAL	TEMPERED GLASS	TEMPERED GLASS
COLOR	DIAMOND BLACK	DIAMOND BLACK
QUANTITY OF BURNERS	2	2
TRIPLE FLOW BURNER	2 X 4700 W	1 X 4700 W
LARGE BURNER	—	—
MEDIUM BURNER	—	1 X 1880 W
SMALL BURNER	—	—
FLUSH DESIGN	—	—
GAS SAFETY TECHNOLOGY	✓	✓
ONE HAND IGNITION	✓	✓
ECOGAS SYSTEM	—	—
CAST IRON GRID	✓	✓
WOK ADAPTER	—	—
NOZZLE FOR NATURAL GAS	—	—
ANTI SLIP FEET	✓	—

	FORZA - BH 2944	FORZA - BH 2934
PRODUCT DIMENSION	865 X 510 X 100 MM	865 X 510 X 100 MM
CUT-OUT DIMENSION	827 X 470 MM	827 X 470 MM
MATERIAL	TEMPERED GLASS	TEMPERED GLASS
COLOR	DIAMOND BLACK	DIAMOND BLACK
QUANTITY OF BURNERS	4	3
3-RING BURNER	1 X 3400 W	2 X 3400 W
LARGE BURNER	1 X 2400 W	—
MEDIUM BURNER	1 X 1880 W	1 X 1880 W
SMALL BURNER	1 X 1000 W	—
FLUSH DESIGN	—	—
GAS SAFETY TECHNOLOGY	✓	✓
ONE HAND IGNITION	✓	✓
ECOGAS SYSTEM	✓	✓
CAST IRON GRID	✓	✓
WOK ADAPTER	✓	✓
NOZZLE FOR NATURAL GAS	✓	✓
ANTI SLIP FEET	—	—

	FORZA - BH 2734	FORZA - BH 2724
PRODUCT DIMENSION	730 X 420 X 120 MM	730 X 420 X 120 MM
CUT-OUT DIMENSION	660 X 360 MM, R35	660 X 360 MM, R35
MATERIAL	TEMPERED GLASS	TEMPERED GLASS
COLOR	DIAMOND BLACK	DIAMOND BLACK
QUANTITY OF BURNERS	3	2
3-RING BURNER	1 X 3400 W	2 X 3400 W
LARGE BURNER	1 X 2400 W	—
MEDIUM BURNER	1 X 1880 W	—
SMALL BURNER	—	—
FLUSH DESIGN	—	—
GAS SAFETY TECHNOLOGY	✓	✓
ONE HAND IGNITION	✓	✓
ECOGAS SYSTEM	✓	✓
CAST IRON GRID	✓	✓
WOK ADAPTER	✓	✓
NOZZLE FOR NATURAL GAS	✓	✓
ANTI SLIP FEET	✓	✓


	FORZA - BH 2644	FORZA - BH 2324	FORZA - BH 2314
PRODUCT DIMENSION	620 X 510 X 100 MM	295 X 510 X 100 MM	295 X 510 X 100 MM
CUT-OUT DIMENSION	555 X 473 MM	266 X 478 MM	266 X 478 MM
MATERIAL	TEMPERED GLASS	TEMPERED GLASS	TEMPERED GLASS
COLOR	DIAMOND BLACK	DIAMOND BLACK	DIAMOND BLACK
QUANTITY OF BURNERS	4	2	1
3-RING BURNER	1 X 3400 W	1 X 3400 W	1 X 3400 W
LARGE BURNER	1 X 2400 W	—	—
MEDIUM BURNER	1 X 1880 W	1 X 1880 W	—
SMALL BURNER	1 X 1000 W	—	—
FLUSH DESIGN	—	—	—
GAS SAFETY TECHNOLOGY	✓	✓	✓
ONE HAND IGNITION	✓	✓	✓
ECOGAS SYSTEM	✓	✓	✓
CAST IRON GRID	✓	✓	✓
WOK ADAPTER	✓	✓	✓
NOZZLE FOR NATURAL GAS	✓	✓	✓
ANTI SLIP FEET	—	—	—



FORZA - BH 2944



FORZA - BH 2934



FORZA - BH 2734



FORZA - BH 2724



FORZA - BH 2644



FORZA - BH 2324



FORZA - BH 2314

BUILT-IN GAS



CRISTA - BH 1945
MISTO - BH 1945 LA



CRISTA - BH 1935
MISTO - BH 1935 LA
CRISTA - BH 1935 W
MISTO - BH 1935 WA



CRISTA - BH 1735
MISTO - BH 1735 LA



CRISTA - BH 1725
MISTO - BH 1725 LA
CRISTA - BH 1725 W
MISTO - BH 1725 WA



CRISTA - BH 1645
MISTO - BH 1645 LA



CRISTA - BH 1325
MISTO - BH 1325 LA



CRISTA - BH 1315
MISTO - BH 1315 LA

	CRISTA - BH 1945 MISTO - BH 1945 LA	CRISTA - BH 1935 MISTO - BH 1935 LA	CRISTA - BH 1935 W MISTO - BH 1935 WA
PRODUCT DIMENSION	865 X 510 X 100 MM	865 X 510 X 100 MM	865 X 510 X 100 MM
CUT-OUT DIMENSION	827 X 470 MM	827 X 470 MM	827 X 470 MM
MATERIAL	TEMPERED GLASS	TEMPERED GLASS	TEMPERED GLASS
COLOR	DIAMOND BLACK	DIAMOND BLACK	PEARL WHITE
QUANTITY OF BURNERS	4	3	3
3-RING BURNER	1 X 3400 W	2 X 3400 W	2 X 3400 W
LARGE BURNER	1 X 2400 W	—	—
MEDIUM BURNER	1 X 1880 W	1 X 1880 W	1 X 1880 W
SMALL BURNER	1 X 1000 W	—	—
BRASS & ALUMINUM BURNER	LA ONLY	LA ONLY	WA ONLY
FLUSH DESIGN	—	—	—
GAS SAFETY TECHNOLOGY	✓	✓	✓
ONE HAND IGNITION	✓	✓	✓
ECOGAS SYSTEM	✓	✓	✓
CAST IRON GRID	✓	✓	✓
WOK ADAPTER	✓	✓	✓
NOZZLE FOR NATURAL GAS	✓	✓	✓
ANTI SLIP FEET	—	—	—

	CRISTA - BH 1735 MISTO - BH 1735 LA	CRISTA - BH 1725 MISTO - BH 1725 LA	CRISTA - BH 1725 W MISTO - BH 1725 WA
PRODUCT DIMENSION	730 X 420 X 120 MM	730 X 420 X 120 MM	730 X 420 X 120 MM
CUT-OUT DIMENSION	660 X 360 MM, R35	660 X 360 MM, R35	660 X 360 MM, R35
MATERIAL	TEMPERED GLASS	TEMPERED GLASS	TEMPERED GLASS
COLOR	DIAMOND BLACK	DIAMOND BLACK	PEARL WHITE
QUANTITY OF BURNERS	3	2	2
3-RING BURNER	1 X 3400 W	2 X 3400 W	2 X 3400 W
LARGE BURNER	1 X 2400 W	—	—
MEDIUM BURNER	1 X 1880 W	—	—
SMALL BURNER	—	—	—
BRASS & ALUMINUM BURNER	LA ONLY	LA ONLY	WA ONLY
FLUSH DESIGN	—	—	—
GAS SAFETY TECHNOLOGY	✓	✓	✓
ONE HAND IGNITION	✓	✓	✓
ECOGAS SYSTEM	✓	✓	✓
CAST IRON GRID	✓	✓	✓
WOK ADAPTER	✓	✓	✓
NOZZLE FOR NATURAL GAS	✓	✓	✓
ANTI SLIP FEET	✓	✓	✓

	CRISTA - BH 1645 MISTO - BH 1645 LA	CRISTA - BH 1325 MISTO - BH 1325 LA	CRISTA - BH 1315 MISTO - BH 1315 LA
PRODUCT DIMENSION	620 X 510 X 100 MM	295 X 510 X 100 MM	295 X 510 X 100 MM
CUT-OUT DIMENSION	555 X 473 MM	266 X 478 MM	266 X 478 MM
MATERIAL	TEMPERED GLASS	TEMPERED GLASS	TEMPERED GLASS
COLOR	DIAMOND BLACK	DIAMOND BLACK	DIAMOND BLACK
QUANTITY OF BURNERS	4	2	1
3-RING BURNER	1 X 3400 W	1 X 3400 W	1 X 3400 W
LARGE BURNER	1 X 2400 W	—	—
MEDIUM BURNER	1 X 1880 W	1 X 1880 W	—
SMALL BURNER	1 X 1000 W	—	—
BRASS & ALUMINUM BURNER	LA ONLY	LA ONLY	LA ONLY
FLUSH DESIGN	—	—	—
GAS SAFETY TECHNOLOGY	✓	✓	✓
ONE HAND IGNITION	✓	✓	✓
ECOGAS SYSTEM	✓	✓	✓
CAST IRON GRID	✓	✓	✓
WOK ADAPTER	✓	✓	✓
NOZZLE FOR NATURAL GAS	✓	✓	✓
ANTI SLIP FEET	—	—	—

	CLASSICO - BH 2935	CLASSICO - BH 2725
PRODUCT DIMENSION	865 X 510 X 100 MM	730 X 420 X 120 MM
CUT-OUT DIMENSION	827 X 470 MM	660 X 360 MM, R25
MATERIAL	TEMPERED GLASS	TEMPERED GLASS
COLOR	DIAMOND BLACK	DIAMOND BLACK
QUANTITY OF BURNERS	3	2
3-RING BURNER	2 X 3400 W	2 X 3400 W
LARGE BURNER	—	—
MEDIUM BURNER	1 X 1880 W	—
SMALL BURNER	—	—
FLUSH DESIGN	—	—
GAS SAFETY TECHNOLOGY	✓	✓
ONE HAND IGNITION	✓	✓
ECOGAS SYSTEM	✓	✓
CAST IRON GRID	✓	✓
ENAMELED GRID	—	—
WOK ADAPTER	✓	✓
NOZZLE FOR NATURAL GAS	✓	✓
ANTI SLIP FEET	—	✓

	CRISTA - BH 1725 BIYAN	MAESTRO - BH 1725 MC
PRODUCT DIMENSION	730 X 420 X 120 MM	730 X 420 X 120 MM
CUT-OUT DIMENSION	660 X 360 MM, R35	660 X 360 MM, R35
MATERIAL	TEMPERED GLASS WITH BEVELED EDGE	TEMPERED GLASS WITH BEVELED EDGE
COLOR	SPECIAL DESIGN BY BIYAN	DIAMOND BLACK SIGNED BY MAESTRO CHEFS
QUANTITY OF BURNERS	2	2
3-RING BURNER	2 X 3400 W	2 X 3400 W
LARGE BURNER	—	—
MEDIUM BURNER	—	—
SMALL BURNER	—	—
FLUSH DESIGN	—	—
GAS SAFETY TECHNOLOGY	✓	✓
ONE HAND IGNITION	✓	✓
ECOGAS SYSTEM	✓	✓
CAST IRON GRID	✓	✓
ENAMELED GRID	—	—
WOK ADAPTER	✓	✓
NOZZLE FOR NATURAL GAS	✓	✓
ANTI SLIP FEET	✓	✓

	LISCIO - BH 0935	LISCIO - BH 0725	LISCIO - BH 0325
PRODUCT DIMENSION	865 X 510 X 100 MM	730 X 420 X 120 MM	295 X 510 X 100 MM
CUT-OUT DIMENSION	827 X 470 MM	660 X 360 MM, R35	266 X 478 MM
MATERIAL	TEMPERED GLASS	TEMPERED GLASS	TEMPERED GLASS
COLOR	DIAMOND BLACK	DIAMOND BLACK	DIAMOND BLACK
QUANTITY OF BURNERS	3	2	2
3-RING BURNER	2 X 3400 W	2 X 3400 W	1 X 3400 W
LARGE BURNER	—	—	—
MEDIUM BURNER	1 X 1880 W	—	1 X 1880 W
SMALL BURNER	—	—	—
FLUSH DESIGN	—	—	—
GAS SAFETY TECHNOLOGY	—	—	—
ONE HAND IGNITION	✓	✓	✓
ECOGAS SYSTEM	✓	✓	✓
CAST IRON GRID	—	—	—
ENAMELED GRID	✓	✓	✓
WOK ADAPTER	✓	✓	✓
NOZZLE FOR NATURAL GAS	✓	✓	✓
ANTI SLIP FEET	—	✓	—



CLASSICO - BH 2935



CLASSICO - BH 2725



CRISTA - BH 1725 BIYAN



MAESTRO - BH 1725 MC



LISCIO - BH 0935



LISCIO - BH 0725



LISCIO - BH 0325

Freestanding Cooker



Highlights



Gas Safety Technology
Ensures burner and oven safety, as the thermocouple sensor shuts off the gas flow as soon as the flame is extinguished.



Ecogas System
Improves oxygen circulation for a strong, stable blue flame and more efficient energy usage.



Long Burner
This burner easily accommodates long cooking utensils, distributing heat across the entire surface, which is ideal for grilling fish, meat and satay.



Twin Flames
Use multi-directional heat (top and bottom burners simultaneously on) to cook your food perfectly to the inner side.



Multifunction Gas Oven with Fan
The multifunction programs and optional fan function allows you to cook different types of food at the same time, saving valuable time and energy.



Pyrographite
The oven cavity is coated with a layer of light-colored, easy-to-clean pyrographite that reflects heat and helps the oven heat up faster.



ConveTech
Great for baking cookies and biscuits, as the convection fan distributes heat evenly throughout the entire oven.



Tangential Cooling Fan
This fan automatically starts a few minutes after the oven turns on, keeping the outside cool and preventing cooking tools from over heating.



Closed Oven & Grill
Grill or bake safely and practically, by closing fully the oven door.



One Hand Ignition
Easy ignition with a single turn of the knob.



Independent Light Knob
The separate light knob allows you to turn it on even when the oven is not in use.



Timer
Equipped with a 60-minute timer for handy reminders while cooking.



MUSEO - FC 3052



URBANA - FC 3955



URBANA - FC 3952

	MUSEO - FC 3052
PRODUCT	1000 X 600 X 890-940 MM
COLOR	STAINLESS STEEL
CRYSTAL LID	✓
GLASS BOTTLE COMPARTMENT	✓
FEET	ADJUSTABLE
QUANTITY OF BURNERS	5
3-RING BURNER	1 X 3600 W
LONG BURNER	—
LARGE BURNER	1 X 3000 W
MEDIUM BURNER	2 X 1750 W
SMALL BURNER	1 X 1000 W
COOKTOP IGNITION	ONE-HAND
GAS SAFETY TECHNOLOGY	✓
BURNER MATERIAL	CAST IRON
WOK ADAPTER	✓
OVEN CAPACITY	65 L
GAS OVEN & GRILL BURNER	2650 W & 2000 W
CONVECTION OVEN	✓
OVEN IGNITION	ONE-HAND
GAS SAFETY TECHNOLOGY	✓
TWIN FLAMES	✓
GRILL TURNSPIT	✓
CAVITY	TITANIUM GREY ENAMEL
DOUBLE OVEN DOOR GLASS	✓
TANGENTIAL COOLING FAN	✓
OVEN LIGHT & THERMOSTAT	✓
TIMER	✓
OVEN TRAY & RACK	✓

	URBANA - FC 3955	URBANA - FC 3952
PRODUCT	900 X 600 X 850-900 MM	900 X 600 X 890-940 MM
COLOR	STAINLESS STEEL	STAINLESS STEEL
CRYSTAL LID	✓	✓
GLASS BOTTLE COMPARTMENT	—	✓
FEET	ADJUSTABLE	ADJUSTABLE
QUANTITY OF BURNERS	5	5
3-RING BURNER	1 X 3600 W	1 X 3600 W
LONG BURNER	1 X 2900 W	1 X 2900 W
LARGE BURNER	1 X 3000 W	1 X 3000 W
MEDIUM BURNER	2 X 1750 W	2 X 1750 W
SMALL BURNER	1 X 1000 W	1 X 1000 W
COOKTOP IGNITION	ONE-HAND	ONE-HAND
GAS SAFETY TECHNOLOGY	✓	✓
BURNER MATERIAL	CAST IRON	CAST IRON
WOK ADAPTER	✓	✓
OVEN CAPACITY	111 L	65 L
GAS OVEN & GRILL BURNER	3800 W & 4200 W	2650 W & 2000 W
CONVECTION OVEN	✓	✓
OVEN IGNITION	ONE-HAND	ONE-HAND
GAS SAFETY TECHNOLOGY	✓	✓
TWIN FLAMES	✓	✓
GRILL TURNSPIT	✓	✓
CAVITY	TITANIUM GREY ENAMEL	TITANIUM GREY ENAMEL
DOUBLE OVEN DOOR GLASS	✓	✓
TANGENTIAL COOLING FAN	—	—
OVEN LIGHT & THERMOSTAT	✓	✓
TIMER	✓	✓
OVEN TRAY & RACK	✓	✓

	CARRARA - FC 5941 L	CARRARA - FC 5941	CARRARA - FC 5641
PRODUCT	900 X 600 X 890-940 MM	900 X 600 X 890-940 MM	600 X 600 X 850-900 MM
COLOR	BLACK	STAINLESS	STAINLESS
CRYSTAL LID	✓	✓	✓
GLASS BOTTLE COMPARTMENT	✓	✓	—
FEET	ADJUSTABLE	ADJUSTABLE	ADJUSTABLE
3-RING BURNER	1 X 3600 W	1 X 3600 W	1 X 3600 W
LARGE BURNER	1 X 3000 W	1 X 3000 W	1 X 3000 W
MEDIUM BURNER	1 X 1750 W	1 X 1750 W	1 X 1750 W
SMALL BURNER	1 X 1000 W	1 X 1000 W	1 X 1000 W
COOKTOP IGNITION	ONE-HAND	ONE-HAND	ONE-HAND
GAS SAFETY TECHNOLOGY	—	—	—
BURNER MATERIAL	SEMI CAST IRON	SEMI CAST IRON	SEMI CAST IRON
WOK ADAPTER	✓	✓	—
OVEN CAPACITY	67 L	67 L	70 L
GAS OVEN & GRILL BURNER	2650 W & 2000 W	2650 W & 2000 W	2650 W & 2000 W
OVEN IGNITION	ONE-HAND	ONE-HAND	ONE-HAND
GAS SAFETY TECHNOLOGY	✓	✓	✓
TWIN FLAMES	✓	✓	✓
GRILL TURNSPIT	✓	✓	✓
CAVITY	TITANIUM GREY ENAMEL	TITANIUM GREY ENAMEL	TITANIUM GREY ENAMEL
DOUBLE OVEN DOOR GLASS	✓	✓	✓
OVEN LIGHT & THERMOSTAT	✓	✓	✓
TIMER	✓	✓	—
OVEN TRAY & RACK	✓	✓	✓

	PRIMA - FC 7953 S	PRIMA - FC 7943 S
PRODUCT	900 X 600 X 850 MM	900 X 600 X 850 MM
CRYSTAL LID	✓	✓
GLASS BOTTLE COMPARTMENT	✓	✓
FEET	FIXED	FIXED
3-RING BURNER	1 X 4000 W	—
LARGE BURNER	2 X 2800 W	2 X 2800 W
MEDIUM BURNER	1 X 1650 W	1 X 1650 W
SMALL BURNER	1 X 1000 W	1 X 1000 W
COOKTOP IGNITION	AUTOMATIC	AUTOMATIC
GAS SAFETY TECHNOLOGY	—	—
BURNER MATERIAL	ENAMEL COATED	ENAMEL COATED
WOK ADAPTER	✓	✓
OVEN CAPACITY	52 L	52 L
GAS OVEN & GRILL BURNER	3000 W & 2000 W	3000 W & 2000 W
OVEN IGNITION	AUTOMATIC	AUTOMATIC
GAS SAFETY TECHNOLOGY	✓	✓
TWIN FLAMES	✓	✓
GRILL TURNSPIT	✓	—
CAVITY	BLACK ENAMEL	BLACK ENAMEL
DOUBLE OVEN DOOR GLASS	✓	✓
OVEN LIGHT & THERMOSTAT	✓	✓
TIMER	✓	—
OVEN TRAY & RACK	✓	✓

	PRIMA - FC 7643 S	PRIMA - FC 7943 W
PRODUCT	600 X 600 X 850 MM	900 X 600 X 850 MM
CRYSTAL LID	✓	✓
GLASS BOTTLE COMPARTMENT	—	✓
FEET	FIXED	FIXED
3-RING BURNER	—	—
LARGE BURNER	2 X 2800 W	2 X 2800 W
MEDIUM BURNER	1 X 1650 W	1 X 1650 W
SMALL BURNER	1 X 1000 W	1 X 1000 W
COOKTOP IGNITION	AUTOMATIC	AUTOMATIC
GAS SAFETY TECHNOLOGY	—	—
BURNER MATERIAL	ENAMEL COATED	ENAMEL COATED
WOK ADAPTER	✓	✓
OVEN CAPACITY	72 L	52 L
GAS OVEN & GRILL BURNER	3000 W & 1800 W	3000 W & 2000 W
OVEN IGNITION	AUTOMATIC	AUTOMATIC
GAS SAFETY TECHNOLOGY	✓	✓
TWIN FLAMES	✓	✓
GRILL TURNSPIT	—	—
CAVITY	BLACK ENAMEL	BLACK ENAMEL
DOUBLE OVEN DOOR GLASS	✓	✓
OVEN LIGHT & THERMOSTAT	✓	✓
TIMER	—	—
OVEN TRAY & RACK	✓	✓



CARRARA - FC 5941 L



CARRARA - FC 5941



CARRARA - FC 5641



PRIMA - FC 7953 S



PRIMA - FC 7943 S




PRIMA - FC 7643 S



PRIMA - FC 7943 W

Oven



Highlights



Combi Function
The combi function allows the heating and microwave functions to operate simultaneously, resulting in meals that are cooked just right.



Combi Oven (Microwave + Electric)
This multifunction oven offers convenience to choose between the microwave, grill or convection oven function, depending on the meal that is being cooked.



Auto Cooking Programs
Cooking a wide variety of dishes is easier than ever, with 12 automatic cooking program settings.



10-Heating Levels
10 different adjustable microwave heat levels to suit the cooking preference.



8-Multifunction
8 different cooking functions with top, bottom, back heatings and its various combination, adjustable in accordance with the dish that is being cooked.



Ultraflow Technology
Prevents heat from reaching the outside surface of the oven, by automatically switching on the cooling system when the oven turns on.



Convection Function
The convection oven function uses a fan to distribute heat throughout the oven cavity, resulting in evenly cooked food.



Steam Function
Use the adjustable temperature steam function for healthy, oil-free cooking.



Stainless Steel Cavity
The oven cavity is made from food-grade stainless steel to ensure the food is safe from corrosion contamination.



Pyrographite
The oven cavity is coated with a layer of light-colored, easy-to-clean pyrographite that reflects heat and helps the oven to heat up faster.




Extra Large Capacity
The generous 70 liter oven capacity accommodates large items or quantities with ease.



Triple Glass Door
A sturdy triple glass oven door ensures that the outer oven door surface stays cool.


BUILT-IN COMPACT

★




VICINO - BO 3435

★




VICINO - BV 3435

★




VICINO - BT 3435


BUILT-IN GAS




ALBA - BO 4660



RASO - BO 3660



SPIRITO - BO 2664



PROFILO - BO 2663

	VICINO - BO 3435	VICINO - BV 3435	VICINO - BT 3435
MAIN FUNCTION	ELECTRIC OVEN	MICROWAVE OVEN	STEAM OVEN WITH GRILL
PRODUCT DIMENSION	595 X 610 X 455 MM	595 X 610 X 455 MM	595 X 475 X 455 MM
CUT-OUT DIMENSION	595 X 550 X 450 MM	595 X 550 X 450 MM	595 X 550 X 450 MM
CAPACITY	43 L	43 L	32 L
WATER TANK CAPACITY	—	—	1.2 L
LOWER HEATER	1000 W	1000 W	2180 W
BACK HEATER (CONVECTION)	1460 W	1460 W	—
UPPER HEATER (GRILL)	1090 W	1090 W	1090 W
MICROWAVE POWER	—	1000 W	—
WATER TEMPERATURE	—	—	40°C TO 100°C
INSTALLATION TYPE	BUILT-IN	BUILT-IN	BUILT-IN
CONTROL SYSTEM	TOUCH	TOUCH	TOUCH
UNIVERSAL / MULTI FUNCTION	8	8	—
AUTO COOKING PROGRAM	—	13	—
MICROWAVE PROGRAM	—	5	—
LAYERS OF DOOR GLASS	3	2	2
CONVECTION FAN	✓	✓	—
TIMER	✓	✓	✓
ULTRAFLOW TECHNOLOGY	✓	✓	—
STAINLESS STEEL CAVITY	✓	✓	✓
CHROME SHELVES RAILING	✓	✓	✓
OVEN TRAY & SHELVES	✓	✓	✓
OVEN LAMP	✓	✓	✓
TURNSPIT	✓	—	—

	ALBA - BO 4660	RASO - BO 3660
MAIN FUNCTION	GAS OVEN	GAS OVEN
PRODUCT DIMENSION	595 X 610 X 595 MM	595 X 610 X 595 MM
CUT-OUT DIMENSION	560 X 570 X 580 MM	560 X 570 X 580 MM
COLOR	SATIN STAINLESS	SATIN STAINLESS
CAPACITY	56 L	56 L
LOWER HEATER	1810 W (LPG)	1810 W (LPG)
UPPER HEATER (GRILL)	2590 W (LPG)	2590 W (LPG)
INSTALLATION TYPE	BUILT-IN	BUILT-IN
CONTROL SYSTEM	ELECTRIC BUTTON & KNOB	MECHANICAL KNOB
COOKING FUNCTION	6	6
LAYERS OF DOOR GLASS	3	3
GAS SAFETY TECHNOLOGY	✓	✓
ONE HAND IGNITION	✓	✓
CONVECTION FAN	✓	✓
ULTRAFLOW TECHNOLOGY	✓	✓
PYROGRAPHITE CAVITY	✓	✓
CHROME SHELVES RAILING	✓	✓
OVEN TRAY & SHELVES	✓	✓
OVEN LAMP	✓	✓
TURNSPIT	✓	✓
NOZZLE FOR NATURAL GAS	✓	✓
TIMER	✓	✓

	SPIRITO - BO 2664	PROFILO - BO 2663
MAIN FUNCTION	GAS OVEN	GAS OVEN
PRODUCT DIMENSION	595 X 610 X 595 MM	595 X 610 X 595 MM
CUT-OUT DIMENSION	560 X 570 X 580 MM	560 X 570 X 580 MM
COLOR	BRILLIANT STAINLESS	DIAMOND BLACK
CAPACITY	56 L	56 L
LOWER HEATER	1810 W (LPG)	1810 W (LPG)
UPPER HEATER (GRILL)	2590 W (LPG)	2590 W (LPG)
INSTALLATION TYPE	BUILT-IN	BUILT-IN
CONTROL SYSTEM	MECHANICAL KNOB	MECHANICAL KNOB
COOKING FUNCTION	4	4
LAYERS OF DOOR GLASS	3	3
GAS SAFETY TECHNOLOGY	✓	✓
ONE HAND IGNITION	✓	✓
CONVECTION FAN	—	—
ULTRAFLOW TECHNOLOGY	✓	✓
PYROGRAPHITE CAVITY	✓	✓
CHROME SHELVES RAILING	✓	✓
OVEN TRAY & SHELVES	✓	✓
OVEN LAMP	✓	✓
TURNSPIT	✓	✓
NOZZLE FOR NATURAL GAS	✓	✓
TIMER	✓	✓

	BRAVO - BO 3632	MAGNO - BO 2733
MAIN FUNCTION	ELECTRIC OVEN	ELECTRIC OVEN
PRODUCT DIMENSION	595 X 610 X 595 MM	595 X 610 X 595 MM
CUT-OUT DIMENSION	560 X 550 X 585 MM	560 X 550 X 585 MM
COLOR	DIAMOND BLACK	DIAMOND BLACK
CAPACITY	56 L	70 L
LOWER HEATER	1200 W	1200 W
BACK HEATER (CONVECTION)	2100 W	2100 W
UPPER HEATER (GRILL)	1000 W & 1900 W	1000 W & 1900 W
INSTALLATION TYPE	BUILT-IN	BUILT-IN
CONTROL SYSTEM	TOUCH	MECHANICAL KNOB
COOKING FUNCTION	8	8
LAYERS OF DOOR GLASS	3	3
CONVECTION FAN	✓	✓
ULTRAFLW TECHNOLOGY	✓	✓
CHROME SHELVES RAILING	✓	✓
PYROGRAPHITE CAVITY	✓	✓
OVEN TRAY & SHELVES	✓	✓
OVEN LAMP	✓	✓
ROTISSERIE / TURNSPIT	✓	✓
TIMER	✓	✓

	ALBA - BO 4630	RASO - BO 3630
MAIN FUNCTION	ELECTRIC OVEN	ELECTRIC OVEN
PRODUCT DIMENSION	595 X 610 X 595 MM	595 X 610 X 595 MM
CUT-OUT DIMENSION	560 X 550 X 585 MM	560 X 550 X 585 MM
COLOR	SATIN STAINLESS	SATIN STAINLESS
CAPACITY	56 L	56 L
LOWER HEATER	1200 W	1200 W
BACK HEATER (CONVECTION)	2100 W	2100 W
UPPER HEATER (GRILL)	1000 & 1900 W	1000 W & 1900 W
INSTALLATION TYPE	BUILT-IN	BUILT-IN
CONTROL SYSTEM	ELECTRIC BUTTON & KNOB	MECHANICAL KNOB
COOKING FUNCTION	8	8
LAYERS OF DOOR GLASS	3	3
CONVECTION FAN	✓	✓
ULTRAFLW TECHNOLOGY	✓	✓
CHROME SHELVES RAILING	✓	✓
PYROGRAPHITE CAVITY	✓	✓
OVEN TRAY & SHELVES	✓	✓
OVEN LAMP	✓	✓
TURNSPIT	✓	✓
TIMER	✓	✓

	SPIRITO - BO 2634	PROFILO - BO 2633	PROFILO - BO 2433
MAIN FUNCTION	ELECTRIC OVEN	ELECTRIC OVEN	ELECTRIC OVEN
PRODUCT DIMENSION	595 X 610 X 595 MM	595 X 610 X 595 MM	595 X 610 X 455 MM
CUT-OUT DIMENSION	560 X 550 X 585 MM	560 X 550 X 585 MM	560 X 550 X 448 MM
COLOR	BRILLIANT STAINLESS	DIAMOND BLACK	DIAMOND BLACK
CAPACITY	56 L	56 L	40 L
LOWER HEATER	1200 W	1200 W	1050 W
BACK HEATER (CONVECTION)	2100 W	2100 W	1460 W
UPPER HEATER (GRILL)	1000 W & 1900 W	1000 W & 1900 W	1090 W
INSTALLATION TYPE	BUILT-IN	BUILT-IN	BUILT-IN
CONTROL SYSTEM	MECHANICAL KNOB	MECHANICAL KNOB	MECHANICAL KNOB
COOKING FUNCTION	8	8	8
LAYERS OF DOOR GLASS	3	3	3
CONVECTION FAN	✓	✓	✓
ULTRAFLW TECHNOLOGY	✓	✓	—
CHROME SHELVES RAILING	✓	✓	✓
PYROGRAPHITE CAVITY	✓	✓	✓
OVEN TRAY & SHELVES	✓	✓	✓
OVEN LAMP	✓	✓	✓
TURNSPIT	✓	✓	✓
TIMER	✓	✓	✓

BUILT-IN ELECTRIC



BRAVO - BO 3632



MAGNO - BO 2733



ALBA - BO 4630



RASO - BO 3630



SPIRITO - BO 2634




PROFILO - BO 2633




PROFILO - BO 2433

Microwave Oven



Highlights



Smart Inverter
Smart inverter technology ensures a faster and more energy-efficient cooking process for perfectly cooked meals despite uneven electric current.



Convection Function
The convection function turns on a fan to distribute heat all through the oven cavity, for evenly cooked food.



Combi Function
The combi function enables the heating and microwave functions to operate simultaneously, resulting in meals that are cooked just right.



Combi Oven (Microwave + Electric)
This multifunction oven offers convenience to choose between the microwave, grill or convection oven function, depending on the meal that is being cooked.



Auto Cooking Program
This automated cooking program makes cooking special meals easier than ever.



Memory Program
Prepare favorite family meals with ease thanks to the memory feature, which has the capacity to save up to 3 cooking programs.



10-Heating Levels
The microwave has 10 heating levels, which can be adjusted in accordance with the cooking needs.



5-Heating Levels
The microwave has 5 heating levels, which can be adjusted in accordance with the cooking needs.



Stainless Steel Cavity
The oven cavity is made of food-grade stainless steel to ensure the food is safe from corrosion contamination.



Touch Control System
Operate and set the microwave with ease through its touch control system, and enjoy its modern streamlined appearance.



Touch System Door Opening
The door automatically swings open at a touch, for easy opening.



Freestanding or Built-in Installation
Allows flexibility with two installation options: freestanding position on the counter or built-in cabinet installation.

BUILT-IN



VICINO - BV 3435

BUILT-IN / FREESTANDING



BUONO - MV 3002



BUONO - MG 3112



BUONO - MG 2502



BUONO - MO 2002

	VICINO - BV 3435
PRODUCT DIMENSION	595 X 610 X 455 MM
CUT-OUT DIMENSION	595 X 550 X 455 MM
FRAME DIMENSION	—
CAPACITY	40 L
LOWER HEATER	1000 W
BACK HEATER (CONVECTION)	1500 W
UPPER HEATER (GRILL)	1400 W
MICROWAVE POWER	1000 W
INSTALLATION TYPE	BUILT-IN
CONTROL SYSTEM	TOUCH
POWER LEVEL	10
UNIVERSAL PROGRAM	8
MICROWAVE PROGRAM	5
AUTO COOKING PROGRAM	13
CAVITY MATERIAL	STAINLESS
INVERTER TECHNOLOGY	—
CONVECTION FUNCTION	✓
COMBINATION FUNCTION	✓
PROGRAM MEMORY	—
COOKING TIMER	✓
DEFROST FUNCTION	✓
CHILD LOCK	✓

	BUONO - MV 3002	BUONO - MG 3112
PRODUCT DIMENSION	520 X 530 X 300 MM	520 X 530 X 300 MM
CUT-OUT DIMENSION	566 X 550 X 366 MM	566 X 550 X 366 MM
FRAME DIMENSION	592 X 20 X 376 MM	592 X 20 X 376 MM
CAPACITY	31 L	31 L
LOWER HEATER	—	—
BACK HEATER (CONVECTION)	1350 W	—
UPPER HEATER (GRILL)	1200 W	1200 W
MICROWAVE POWER	900 W	900 W
INSTALLATION TYPE	BUILT-IN OR FREESTANDING	BUILT-IN OR FREESTANDING
CONTROL SYSTEM	SOFT BUTTON & KNOB	SOFT BUTTON
POWER LEVEL	5	10
UNIVERSAL PROGRAM	—	—
MICROWAVE PROGRAM	—	—
AUTO COOKING PROGRAM	6	6
CAVITY MATERIAL	STAINLESS	STAINLESS
INVERTER TECHNOLOGY	—	—
CONVECTION FUNCTION	✓	—
COMBINATION FUNCTION	✓	✓
PROGRAM MEMORY	—	✓
COOKING TIMER	✓	✓
DEFROST FUNCTION	✓	✓
CHILD LOCK	✓	✓

	BUONO - MG 2502	BUONO - MO 2002
PRODUCT DIMENSION	510 X 390 X 300 MM	470 X 380 X 280 MM
CUT-OUT DIMENSION	566 X 550 X 366 MM	566 X 550 X 366 MM
FRAME DIMENSION	592 X 20 X 376 MM	592 X 20 X 376 MM
CAPACITY	25 L	22 L
LOWER HEATER	—	—
BACK HEATER (CONVECTION)	—	—
UPPER HEATER (GRILL)	1200 W	—
MICROWAVE POWER	900 W	800 W
INSTALLATION TYPE	BUILT-IN OR FREESTANDING	BUILT-IN OR FREESTANDING
CONTROL SYSTEM	TOUCH	SOFT BUTTON
POWER LEVEL	5	5
UNIVERSAL PROGRAM	—	—
MICROWAVE PROGRAM	—	—
AUTO COOKING PROGRAM	6	6
CAVITY MATERIAL	STAINLESS	STAINLESS
INVERTER TECHNOLOGY	—	—
CONVECTION FUNCTION	—	—
COMBINATION FUNCTION	✓	—
PROGRAM MEMORY	—	—
COOKING TIMER	✓	✓
DEFROST FUNCTION	✓	✓
CHILD LOCK	✓	✓

	PALAZZO - MG 3103	PALAZZO - MK 2203
PRODUCT DIMENSION	520 X 530 X 300 MM	470 X 380 X 280 MM
CUT-OUT DIMENSION	566 X 550 X 366 MM	566 X 550 X 366 MM
FRAME DIMENSION	592 X 20 X 376 MM	592 X 20 X 376 MM
CAPACITY	31 L	22 L
LOWER HEATER	—	—
BACK HEATER (CONVECTION)	—	—
UPPER HEATER (GRILL)	1200 W	—
MICROWAVE POWER	900 W	800 W
INSTALLATION TYPE	BUILT-IN OR FREESTANDING	BUILT-IN OR FREESTANDING
CONTROL SYSTEM	TOUCH	KNOB
POWER LEVEL	5	5
UNIVERSAL PROGRAM	—	—
MICROWAVE PROGRAM	—	—
AUTO COOKING PROGRAM	6	—
CAVITY MATERIAL	STAINLESS	PYROGRAPHITE
INVERTER TECHNOLOGY	—	—
CONVECTION FUNCTION	—	—
COMBINATION FUNCTION	✓	—
PROGRAM MEMORY	—	—
COOKING TIMER	✓	✓
DEFROST FUNCTION	✓	✓
CHILD LOCK	✓	✓

	ESPORRE - MG 2555	AGIATO - MO 2004	AGIATO - MK 2004
PRODUCT DIMENSION	512 X 504 X 305 MM	440 X 356 X 258 MM	440 X 356 X 258 MM
CUT-OUT DIMENSION	—	—	—
FRAME DIMENSION	—	—	—
CAPACITY	25 L	20 L	20 L
LOWER HEATER	—	—	—
BACK HEATER (CONVECTION)	—	—	—
UPPER HEATER (GRILL)	1000 W	—	—
MICROWAVE POWER	900 W	700 W	700 W
INSTALLATION TYPE	FREESTANDING	FREESTANDING	FREESTANDING
CONTROL SYSTEM	TOUCH	SOFT BUTTON	KNOB
POWER LEVEL	5	10	5
UNIVERSAL PROGRAM	—	—	—
MICROWAVE PROGRAM	—	—	—
AUTO COOKING PROGRAM	8	6	—
CAVITY MATERIAL	STAINLESS	PYROGRAPHITE	PYROGRAPHITE
INVERTER TECHNOLOGY	✓	—	—
CONVECTION FUNCTION	—	—	—
COMBINATION FUNCTION	✓	—	—
PROGRAM MEMORY	✓	—	—
COOKING TIMER	✓	✓	✓
DEFROST FUNCTION	✓	✓	✓
CHILD LOCK	✓	✓	✓

	FM 3000 / 2500 / 2000	FM 3000 L / 2000 L
FRAME DIMENSION	592 X 20 X 376 MM	592 X 20 X 376 MM
CUT-OUT DIMENSION	566 X 550 X 366 MM	566 X 550 X 366 MM
MATERIAL	STAINLESS STEEL	STAINLESS STEEL & BLACK GLASS
COLOR	STAINLESS	DIAMOND BLACK
FM 3000 & FM 3000 L	MG 3002	MG 3002
USABLE FOR	MV 3112	MV 3112
	MG 3103	MG 3103
FM 2500 USABLE FOR	MG 2502	—
FM 2000 & 2000 L	MO 2002	MO 2002
USABLE FOR	MK 2203	MK 2203



PALAZZO - MG 3103



PALAZZO - MK 2203

FREESTANDING



ESPORRE - MG 2555




AGIATO - MO 2004




AGIATO - MK 2004

BUILT-IN FRAME



FM 3000 / 2500 / 2000



FM 3000 L / 2000 L


Hood



Highlights



Downdraft Hood
This downdraft hood lifts up during use but is otherwise hidden below the kitchen work surface, keeping the cooking area clear for a modern streamlined look.



Peritraction System
A more focused air suction design for faster ventilation, keeping the kitchen clean and smoke-free while you cook.



Smart Reminder
The smart reminder feature tells you when it is time to clean or change the carbon filter, for optimal hood performance.



Oil Collector
Keeps the inside of the hood clean and makes maintenance easier by collecting the grease carried by the vapor in a special container.



LED Lamp
Warm, energy-efficient lighting for optimal illumination in the kitchen.



Aluminum Cassette Filter
This grease filter system consists of five aluminum layers, for optimal filtration resulting in clean air.



Germinator System
The germinator system distributes active ions that effectively eliminate germs and bacteria as well as cleans dirty air.



Vit-C Filter
A filter made of special materials impregnated with vitamin C, resulting in fresh and clean kitchen air.



Carbon Active Filter
The filter contains active carbon particles that absorb smoke and neutralize unpleasant odors.



Touch Control System
Set and operate your hood with ease through this touch control system, and enjoy a modern and streamlined look kitchen.



Digital Timer
Set the digital timer to automatically turn the hood off, for maximum convenience when cooking.



Exhaust or Recirculation System
A dual system that can be adjusted to your kitchen installation method, using either an exhaust or recirculation system.

DOWNDRAFT



	AVANZARE - DX 9907
PRODUCT DIMENSION	880 X 380 X 736-1200 MM
CUT-OUT DIMENSION	868 X 98 X 736 MM
MATERIAL	STAINLESS STEEL & TEMPERED GLASS
COLOR	DIAMOND BLACK
AIRFLOW	1200 M³/HR
TURBO MOTOR POWER	1 X 320 W
LAMP TYPE	LED
LAMP POWER	2 X 1.5 W
OUTLET DIAMETER	150 MM
SPEED LEVELS	4
CONTROL SYSTEM	TOUCH
DISPLAY SCREEN	LED
GERMINATOR TECHNOLOGY	—
VITAMIN C FILTER	—
CLEANING REMINDER	—
CASSETTE ALUMINUM FILTER	✓
CARBON FILTER	✓
CLOCK DISPLAY	✓
SHUT-OFF TIMER	✓
CHIMNEY	—
EXTRA EXTENSIBLE HOSE	✓

ISLAND CHIMNEY



	FAENZA ISOLA - IX 9306	DIVA ISOLA - IX 9330
PRODUCT DIMENSION	895 X 600 X 670-1250 MM	900 X 600 X 680-1260 MM
CUT-OUT DIMENSION	—	—
MATERIAL	STAINLESS STEEL & TEMPERED GLASS	STAINLESS STEEL & TEMPERED GLASS
COLOR	DIAMOND BLACK	STAINLESS
AIRFLOW	1000 M³/HR	900 M³/HR
TURBO MOTOR POWER	1 X 210 W	1 X 190 W
LAMP TYPE	LED	LED
LAMP POWER	4 X 1.5 W	4 X 1.5 W
OUTLET DIAMETER	150 MM	150 MM
SPEED LEVELS	3	3
CONTROL SYSTEM	TOUCH	ELECTRONIC BUTTON
DISPLAY SCREEN	LCD	—
GERMINATOR TECHNOLOGY	✓	✓
VITAMIN C FILTER	✓	✓
CLEANING REMINDER	—	—
CASSETTE ALUMINUM FILTER	✓	✓
CARBON FILTER	—	✓
CLOCK DISPLAY	✓	—
SHUT-OFF TIMER	✓	✓
CHIMNEY	2 PCS	2 PCS
EXTRA EXTENSIBLE HOSE	✓	✓



	SVOLTA ISOLA - IX 9107	CESENA ISOLA - IX 9106	PIAZZA ISOLA - IX 9150
PRODUCT DIMENSION	900 X 600 X 800-1165 MM	910 X 610 X 670-1250 MM	900 X 600 X 650-1230 MM
CUT-OUT DIMENSION	—	—	—
MATERIAL	STAINLESS STEEL & TEMPERED GLASS	STAINLESS STEEL & TEMPERED GLASS	STAINLESS STEEL
COLOR	DIAMOND BLACK	DIAMOND BLACK	STAINLESS
AIRFLOW	1200 M³/HR	1000 M³/HR	900 M³/HR
TURBO MOTOR POWER	1 X 320 W	1 X 210 W	1 X 190 W
LAMP TYPE	LED	LED	LED
LAMP POWER	4 X 1.0 W	4 X 1.5 W	4 X 1.5 W
OUTLET DIAMETER	150 MM	150 MM	150 MM
SPEED LEVELS	4	3	3
CONTROL SYSTEM	TOUCH	TOUCH	TOUCH
DISPLAY SCREEN	LED	LCD	LCD
GERMINATOR TECHNOLOGY	—	✓	✓
VITAMIN C FILTER	—	✓	✓
CLEANING REMINDER	—	✓	✓
CASSETTE ALUMINUM FILTER	✓	✓	✓
CARBON FILTER	✓	✓	✓
CLOCK DISPLAY	✓	✓	✓
SHUT-OFF TIMER	✓	✓	✓
CHIMNEY	2 PCS	2 PCS	2 PCS
EXTRA EXTENSIBLE HOSE	✓	✓	✓

	FAENZA - CX 9306	IMOLA - CX 7310 L
PRODUCT DIMENSION	895 X 500 X 570-1050 MM	695 X 278 X 680-1010 CM
CUT-OUT DIMENSION	—	—
MATERIAL	STAINLESS STEEL & TEMPERED GLASS	METAL & GLASS
COLOR	DIAMOND BLACK	BLACK
AIRFLOW	1000 M³/HR	700 M³/HR
TURBO MOTOR POWER	1 X 210 W	1 X 170 W
LAMP TYPE	LED	LED
LAMP POWER	2 X 2 W	2 X 2 W
OUTLET DIAMETER	150 MM	—
SPEED LEVELS	3	3
CONTROL SYSTEM	TOUCH	PUSH BUTTON
DISPLAY SCREEN	LCD	—
GERMINATOR TECHNOLOGY	✓	—
VITAMIN C FILTER	✓	—
CLEANING REMINDER	✓	—
CASSETTE ALUMINUM FILTER	✓	✓
CARBON FILTER	✓	✓
CLOCK DISPLAY	✓	—
SHUT-OFF TIMER	✓	—
CHIMNEY	2 PCS	2 PCS
EXTRA EXTENSIBLE HOSE	✓	✓

	DIVA - CX 9330	DIVA - CX 6330
PRODUCT DIMENSION	900 X 500 X 580-1060 MM	600 X 500 X 580-1060 MM
CUT-OUT DIMENSION	—	—
MATERIAL	STAINLESS STEEL & TEMPERED GLASS	STAINLESS STEEL & TEMPERED GLASS
COLOR	STAINLESS	STAINLESS
AIRFLOW	900 M³/HR	900 M³/HR
TURBO MOTOR POWER	1 X 190 W	1 X 190 W
LAMP TYPE	LED	LED
LAMP POWER	2 X 1.5 W	2 X 1.5 W
OUTLET DIAMETER	150 MM	150 MM
SPEED LEVELS	3	3
CONTROL SYSTEM	ELECTRONIC BUTTON	ELECTRONIC BUTTON
DISPLAY SCREEN	✓	✓
GERMINATOR TECHNOLOGY	✓	✓
VITAMIN C FILTER	✓	✓
CLEANING REMINDER	—	—
CASSETTE ALUMINUM FILTER	✓	✓
CARBON FILTER	✓	✓
CLOCK DISPLAY	—	—
SHUT-OFF TIMER	✓	✓
CHIMNEY	2 PCS	2 PCS
EXTRA EXTENSIBLE HOSE	✓	✓

	FERRARA - CX 9301	FERRARA - CX 6301
PRODUCT DIMENSION	895 X 500 X 570-1050 MM	600 X 500 X 570-1050 MM
CUT-OUT DIMENSION	—	—
MATERIAL	STAINLESS STEEL & ACRYLIC	STAINLESS STEEL & TEMPERED GLASS
COLOR	DIAMOND BLACK	STAINLESS
AIRFLOW	1000 M³/HR	1000 M³/HR
TURBO MOTOR POWER	1 X 210 W	1 X 210 W
LAMP TYPE	LED	LED
LAMP POWER	2 X 2 W	2 X 2 W
OUTLET DIAMETER	150 MM	150 MM
SPEED LEVELS	3	3
CONTROL SYSTEM	PUSH BUTTON	PUSH BUTTON
DISPLAY SCREEN	—	—
GERMINATOR TECHNOLOGY	✓	✓
VITAMIN C FILTER	✓	✓
CLEANING REMINDER	—	—
CASSETTE ALUMINUM FILTER	✓	✓
CARBON FILTER	✓	✓
CLOCK DISPLAY	—	—
SHUT-OFF TIMER	—	—
CHIMNEY	2 PCS	2 PCS
EXTRA EXTENSIBLE HOSE	✓	✓

WALL CHIMNEY



FAENZA - CX 9306



IMOLA - CX 7310 L



DIVA - CX 9330



DIVA - CX 6330



FERRARA - CX 9301



FERRARA - CX 6301

WALL CHIMNEY



	SVOLTA - CX 9107 L	CESENA - CX 9106 L CESENA - CX 9106 W
PRODUCT DIMENSION	900 X 600 X 530-1005 MM	910 X 505 X 550-1030 MM
CUT-OUT DIMENSION	—	—
MATERIAL	STAINLESS STEEL & TEMPERED GLASS	STAINLESS STEEL & TEMPERED GLASS
COLOR	DIAMOND BLACK	DIAMOND BLACK (L) PEARL WHITE (W)
AIRFLOW	1000 M³/HR	1000 M³/HR
TURBO MOTOR POWER	1 X 198 W	1 X 210 W
LAMP TYPE	LED	LED
LAMP POWER	2 X 1.5 W	2 X 1.5 W
OUTLET DIAMETER	150 MM	150 MM
SPEED LEVELS	4	3
CONTROL SYSTEM	TOUCH	SOFT TOUCH
DISPLAY SCREEN	LED	LCD
GERMINATOR TECHNOLOGY	—	✓
VITAMIN C FILTER	—	✓
CLEANING REMINDER	—	✓
CASSETTE ALUMINUM FILTER	✓	✓
CARBON FILTER	✓	✓
CLOCK DISPLAY	✓	✓
SHUT-OFF TIMER	✓	✓
CHIMNEY	2 PCS	2 PCS
EXTRA EXTENSIBLE HOSE	✓	✓

	PIAZZA - CX 9150	PIAZZA - CX 6150
PRODUCT DIMENSION	900 X 500 X 550-1060 MM	600 X 500 X 550-1040 MM
CUT-OUT DIMENSION	—	—
MATERIAL	STAINLESS STEEL	STAINLESS STEEL
COLOR	STAINLESS	STAINLESS
AIRFLOW	900 M³/HR	900 M³/HR
TURBO MOTOR POWER	1 X 190 W	1 X 190 W
LAMP TYPE	LED	LED
LAMP POWER	2 X 1.5 W	2 X 1.5 W
OUTLET DIAMETER	150 MM	150 MM
SPEED LEVELS	3	3
CONTROL SYSTEM	PUSH BUTTON	PUSH BUTTON
DISPLAY SCREEN	—	—
GERMINATOR TECHNOLOGY	✓	✓
VITAMIN C FILTER	✓	✓
CLEANING REMINDER	—	—
CASSETTE ALUMINUM FILTER	✓	✓
CARBON FILTER	✓	✓
CLOCK DISPLAY	—	—
SHUT-OFF TIMER	—	—
CHIMNEY	2 PCS	2 PCS
EXTRA EXTENSIBLE HOSE	✓	✓

	FORLI - CX 9753
PRODUCT DIMENSION	900 X 405 X 1080-1360 MM
CUT-OUT DIMENSION	—
MATERIAL	STAINLESS STEEL & TEMPERED GLASS
COLOR	DIAMOND BLACK
AIRFLOW	900 M³/HR
TURBO MOTOR POWER	1 X 190 W
LAMP TYPE	LED
LAMP POWER	2 X 1.5 W
OUTLET DIAMETER	150 MM
SPEED LEVELS	3
CONTROL SYSTEM	TOUCH
DISPLAY SCREEN	LCD
GERMINATOR TECHNOLOGY	✓
VITAMIN C FILTER	✓
CLEANING REMINDER	✓
CASSETTE ALUMINUM FILTER	✓
CARBON FILTER	✓
CLOCK DISPLAY	✓
SHUT-OFF TIMER	✓
CHIMNEY	2 PCS
EXTRA EXTENSIBLE HOSE	✓

	MESSINA - CX 9701 L	MODICA - CX 7712 L
PRODUCT DIMENSION	900 X 322 X 400-1180 MM	695 X 450 X 560-1040 MM
CUT-OUT DIMENSION	—	—
MATERIAL	METAL & TEMPERED GLASS	METAL & GLASS
COLOR	DIAMOND BLACK	BLACK
AIRFLOW	700 M³/HR	700 M³/HR
TURBO MOTOR POWER	1 X 170 W	1 X 170 W
LAMP TYPE	LED	LED
LAMP POWER	2 X 2 W	2 X 2 W
OUTLET DIAMETER	—	—
SPEED LEVELS	3	3
CONTROL SYSTEM	PUSH BUTTON	PUSH BUTTON
DISPLAY SCREEN	—	—
GERMINATOR TECHNOLOGY	—	—
VITAMIN C FILTER	—	—
CLEANING REMINDER	—	—
CASSETTE ALUMINUM FILTER	✓	✓
CARBON FILTER	✓	✓
CLOCK DISPLAY	—	—
SHUT-OFF TIMER	—	—
CHIMNEY	2 PCS	2 PCS
EXTRA EXTENSIBLE HOSE	✓	✓

	FACILE - BX 9603 FACILE - BX 6603	ABILE - BX 6503
PRODUCT DIMENSION	900 X 310-450 X 175 MM 600 X 310-450 X 175 MM	520 X 296 X 190 MM
CUT-OUT DIMENSION	850 X 280 X 135 MM 550 X 280 X 135 MM	490 X 265 X 190 MM
MATERIAL	METAL & TEMPERED GLASS	STAINLESS STEEL
COLOR	DIAMOND BLACK	STAINLESS
AIRFLOW	400 M³/HR 250 M³/HR	350 M³/HR
MOTOR POWER	2 X 100 W 1 X 100 W	1 X 65 W
LAMP TYPE	BULB	LED
LAMP POWER	2 X 40 W	2 X 2 W
OUTLET DIAMETER	120 MM	150 MM
SPEED LEVELS	3	3
CONTROL SYSTEM	SLIDING BUTTON	SLIDING BUTTON
CARBON FILTER	✓	✓
CASSETTE ALUMINUM FILTER	✓	✓
VITAMIN C FILTER	✓	✓
GERMINATOR SYSTEM	—	—
SMART REMINDER	—	—
DIGITAL TIMER	—	✓
RECIRCULATION SYSTEM	✓	✓
EXHAUST SYSTEM	✓	✓

	MODERNO - RX 9632	MODERNO - RX 7632
PRODUCT DIMENSION	895 X 480 X 135 MM	695 X 480 X 135 MM
CUT-OUT DIMENSION	—	—
MATERIAL	STAINLESS STEEL & TEMPERED GLASS	STAINLESS STEEL & TEMPERED GLASS
COLOR	STAINLESS	STAINLESS
AIRFLOW	400 M³/HR	400 M³/HR
MOTOR POWER	2 X 85 W	2 X 85 W
LAMP TYPE	LED	LED
LAMP POWER	2 X 1.5 W	2 X 1.5 W
OUTLET DIAMETER	120 MM	120 MM
SPEED LEVELS	3	3
CONTROL SYSTEM	TOUCH BUTTON	TOUCH BUTTON
CARBON FILTER	✓	✓
CASSETTE ALUMINUM FILTER	✓	✓
VITAMIN C FILTER	—	—
GERMINATOR SYSTEM	—	—
SMART REMINDER	—	—
DIGITAL TIMER	—	—
RECIRCULATION SYSTEM	✓	✓
EXHAUST SYSTEM	✓	✓



MESSINA - CX 9701 L



MODICA - CX 7712 L

BUILT-IN



FACILE - BX 9603
FACILE - BX 6603



ABILE - BX 6503

SLIM



MODERNO - RX 9632



MODERNO - RX 7632

SLIM



	Fresco - SX 9502 S Fresco - SX 9502 V	Fresco - SX 6501 S Fresco - SX 6501 V
PRODUCT DIMENSION	900 X 495 X 150 MM	600 X 495 X 150 MM
CUT-OUT DIMENSION	—	—
MATERIAL	STAINLESS STEEL (S) PAINTED METAL (V)	STAINLESS STEEL (S) PAINTED METAL (V)
COLOR	STAINLESS (S) SILVER (V)	STAINLESS (S) SILVER (V)
AIRFLOW	520 M³/HR	400 M³/HR
TURBO MOTOR POWER	2 X 125 W	1 X 125 W
LAMP TYPE	BULB	BULB
LAMP POWER	2 X 40 W	2 X 40 W
OUTLET DIAMETER	120 MM	120 MM
SPEED LEVELS	3	3
CONTROL SYSTEM	PUSH BUTTON	PUSH BUTTON
DISPLAY SCREEN	—	—
GERMINATOR TECHNOLOGY	✓	✓
VITAMIN C FILTER	✓	✓
CLEANING REMINDER	—	—
CASSETTE ALUMINUM FILTER	✓	✓
CARBON FILTER	✓	✓
CLOCK DISPLAY	—	—
SHUT-OFF TIMER	—	—
CHIMNEY	—	—
EXTRA EXTENSIBLE HOSE	—	—

	Fresco - SX 9512 L	Fresco - SX 7511 L
PRODUCT DIMENSION	900 X 500 X 150 MM	700 X 500 X 150 MM
CUT-OUT DIMENSION	—	—
MATERIAL	METAL	METAL
COLOR	DIAMOND BLACK	DIAMOND BLACK
AIRFLOW	520 M³/HR	350 M³/HR
MOTOR POWER	2 X 125 W	1 X 125 W
LAMP TYPE	BULB	BULB
LAMP POWER	2 X 40 W	2 X 40 W
OUTLET DIAMETER	—	—
SPEED LEVELS	3	3
CONTROL SYSTEM	PUSH BUTTON	PUSH BUTTON
CARBON FILTER	✓	✓
CASSETTE ALUMINUM FILTER	✓	✓
VITAMIN C FILTER	—	—
GERMINATOR TECHNOLOGY	✓	✓
SMART REMINDER	—	—
DIGITAL TIMER	—	—
RECIRCULATION SYSTEM	✓	✓
EXHAUST SYSTEM	✓	✓

	Fresco - SX 9501 V	Forte - SX 9001 SL
PRODUCT DIMENSION	900 X 495 X 150 MM	900 X 520 X 150 MM
CUT-OUT DIMENSION	—	—
MATERIAL	PAINTED METAL	PAINTED METAL
COLOR	SILVER	STAINLESS & BLACK
AIRFLOW	400 M³/HR	400 M³/HR
TURBO MOTOR POWER	1 X 125 W	2 X 125 W
LAMP TYPE	BULB	BULB
LAMP POWER	2 X 40 W	2 X 40 W
OUTLET DIAMETER	120 MM	120 MM
SPEED LEVELS	3	3
CONTROL SYSTEM	PUSH BUTTON	PUSH BUTTON
DISPLAY SCREEN	—	—
GERMINATOR TECHNOLOGY	✓	✓
VITAMIN C FILTER	✓	✓
CLEANING REMINDER	—	—
CASSETTE ALUMINUM FILTER	✓	✓
CARBON FILTER	✓	✓
CLOCK DISPLAY	—	—
SHUT-OFF TIMER	—	—
CHIMNEY	—	—
EXTRA EXTENSIBLE HOSE	—	—

	ESILE - PX 9012 SS ESILE - PX 9012 V	ESILE - PX 6011 SS ESILE - PX 6011 V
PRODUCT DIMENSION	900 X 520 X 80 MM	600 X 520 X 80 MM
CUT-OUT DIMENSION	—	—
MATERIAL	STAINLESS STEEL (SS) PAINTED METAL (V)	STAINLESS STEEL (SS) PAINTED METAL (V)
COLOR	STAINLESS (S) SILVER (V)	STAINLESS (SS) SILVER (V)
AIRFLOW	520 M³/HR	400 M³/HR
TURBO MOTOR POWER	2 X 100 W	1 X 100 W
LAMP TYPE	BULB	BULB
LAMP POWER	2 X 40 W	1 X 40 W
OUTLET DIAMETER	120 MM	120 MM
SPEED LEVELS	3	3
CONTROL SYSTEM	PUSH BUTTON	PUSH BUTTON
DISPLAY SCREEN	—	—
GERMINATOR TECHNOLOGY	—	—
VITAMIN C FILTER	—	—
CLEANING REMINDER	—	—
ACRYLIC FILTER	✓	✓
CARBON FILTER MATT	✓	✓
CLOCK DISPLAY	—	—
SHUT-OFF TIMER	—	—
CHIMNEY	—	—
EXTRA EXTENSIBLE HOSE	—	—

	ESILE - PX 9002	ESILE - PX 6001 ESILE - PX 7001
PRODUCT DIMENSION	900 X 520 X 80 MM	600 X 520 X 80 MM 700 X 500 X 80 MM
CUT-OUT DIMENSION	—	—
MATERIAL	METAL & ACRYLIC	METAL & ACRYLIC
COLOR	DIAMOND BLACK	DIAMOND BLACK
AIRFLOW	520 M³/HR	400 M³/HR
TURBO MOTOR POWER	2 X 100 W	1 X 100 W
LAMP TYPE	BULB	BULB
LAMP POWER	2 X 40 W	1 X 40 W
OUTLET DIAMETER	120 MM	120 MM
SPEED LEVELS	3	3
CONTROL SYSTEM	PUSH BUTTON	PUSH BUTTON
DISPLAY SCREEN	—	—
GERMINATOR TECHNOLOGY	—	—
VITAMIN C FILTER	—	—
CLEANING REMINDER	—	—
ACRYLIC FILTER	✓	✓
CARBON FILTER MATT	✓	✓
CLOCK DISPLAY	—	—
SHUT-OFF TIMER	—	—
CHIMNEY	—	—
EXTRA EXTENSIBLE HOSE	—	—

	FORTE - SX 9002 S	FORTE - 6001 S
PRODUCT DIMENSION	900 X 520 X 150 MM	600 X 520 X 150 MM
CUT-OUT DIMENSION	—	—
MATERIAL	PAINTED METAL	PAINTED METAL
COLOR	STAINLESS & GRAY	STAINLESS & GRAY
AIRFLOW	520 M³/HR	400 M³/HR
TURBO MOTOR POWER	2 X 125 W	1 X 125 W
LAMP TYPE	BULB	BULB
LAMP POWER	2 X 40 W	1 X 40 W
OUTLET DIAMETER	120 MM	120 MM
SPEED LEVELS	3	3
CONTROL SYSTEM	PUSH BUTTON	PUSH BUTTON
DISPLAY SCREEN	—	—
GERMINATOR TECHNOLOGY	✓	✓
VITAMIN C FILTER	✓	✓
CLEANING REMINDER	—	—
CASSETTE ALUMINUM FILTER	✓	✓
CARBON FILTER	✓	✓
CLOCK DISPLAY	—	—
SHUT-OFF TIMER	—	—
CHIMNEY	—	—
EXTRA EXTENSIBLE HOSE	—	—



ESILE - PX 9012 SS
ESILE - PX 9012 V



ESILE - PX 6011 SS
ESILE - PX 6011 V



ESILE - PX 9002



ESILE - PX 6001
ESILE - PX 7001



FORTE - SX 9002 S



FORTE - SX 6001 S

Sink & Tap



Highlights



Central Drainer Position
The position of the sink can be easily adjusted to the layout of the kitchen, as the drain hole is conveniently placed in the center of sink.



Complete Pipes Installation
Equipped with complete pipe installation, including an 'S' pipe to prevent unpleasant odors from flowing back into the kitchen.



Basket Filter
Catches and prevents food waste from blocking the drainage hole, and keeps the sink easy to clean.



Multiple Water Output
Capable of dispensing both hot and room temperature water, in line with your washing needs.



Overflow Safety
Prevents water from spilling onto the kitchen counters by channeling any water overflow into the drainage pipe.



Flexible Body
Wash food, pots and pans with ease using this flexible tap, which can be angled in any direction desired.



Rubber Mount
A layer of rubber damper placed underneath the sink reduces the noise from running water and other cooking utensils during the washing process.



Stainless Steel 304
Stainless Steel 304 is strong, rust resistance and suitable for safely washing all types of food and cooking utensils.



Adjustable Shower Head
The detachable showerhead extends to reach hard-to-wash areas, making cleaning a breeze.



Large Bowl Size
The deep and large size of the bowl (>19 cm) makes it easy and comfortable for washing, thanks to its generous capacity.



Crystal Glass
Stainless steel meets tempered crystal glass in a gorgeously exclusive design. Resistant to heat and impact, while enhancing the beauty of the kitchen.



Curve Angle Bowl
Gently curved corners and a smooth surface make it easy to clean food scraps, detergent or water residue from the bowl.

TOP-MOUNT



BRACCIANO - KS 8200



BRACCIANO - KS 8101



BRACCIANO - KS 8140 L

	BRACCIANO - KS 8200
PRODUCT DIMENSION	885 X 510 X 223 MM
CUT-OUT DIMENSION	810 X 405 MM, R25 (TOP)
MATERIAL	STAINLESS STEEL 304 & TEMPERED GLASS
COLOR	DIAMOND BLACK
AMOUNT OF BOWLS	2 BOWLS
1ST BOWL DIMENSION	400 X 400 X 220 MM, R25
2ND BOWL DIMENSION	360 X 400 X 220 MM, R25
UNDER-MOUNT INSTALLATION	—
TOP-MOUNT INSTALLATION	✓
FLUSH-MOUNT INSTALLATION	—
OVERFLOW SAFETY	✓
NOISE ABSORBER	✓
S-PIPE	✓
STRAINER & BASKET FILTER	✓
INSTALLATION PIPES	✓
COLANDER	—
RINSING BASKET	—

	BRACCIANO - KS 8101
PRODUCT DIMENSION	860 X 510 X 223 MM
CUT-OUT DIMENSION	405 X 405 MM, R25 (TOP)
MATERIAL	STAINLESS STEEL 304 & TEMPERED GLASS
COLOR	DIAMOND BLACK
AMOUNT OF BOWLS	1 BOWL, 1 DRAINER
1ST BOWL DIMENSION	400 X 400 X 220 MM, R25
2ND BOWL DIMENSION	—
UNDER-MOUNT INSTALLATION	—
TOP-MOUNT INSTALLATION	✓
FLUSH-MOUNT INSTALLATION	—
OVERFLOW SAFETY	✓
NOISE ABSORBER	✓
S-PIPE	✓
STRAINER & BASKET FILTER	✓
INSTALLATION PIPES	✓
COLANDER	—
RINSING BASKET	—

	BRACCIANO - KS 8140 L
PRODUCT DIMENSION	860 X 510 X 200 MM
CUT-OUT DIMENSION	760 X 350 MM (TOP)
MATERIAL	STAINLESS STEEL 304 & TEMPERED GLASS
COLOR	DIAMOND BLACK
AMOUNT OF BOWLS	1 BOWL
1ST BOWL DIMENSION	753 X 343 X 200 MM
2ND BOWL DIMENSION	—
UNDER-MOUNT INSTALLATION	—
TOP-MOUNT INSTALLATION	✓
FLUSH-MOUNT INSTALLATION	—
OVERFLOW SAFETY	✓
NOISE ABSORBER	✓
S-PIPE	✓
STRAINER & BASKET FILTER	✓
INSTALLATION PIPES	✓
COLANDER	—
RINSING BASKET	—

	MASSENZA - KS 7280
PRODUCT DIMENSION	880 X 450 X 200 MM, R3
CUT-OUT DIMENSION	829 X 399 MM, R10 (UNDER) 860 X 430 MM, R10 (TOP) 881 X 451 MM, R2 (FLUSH)
MATERIAL	1.0 MM STAINLESS STEEL 304
COLOR	STAINLESS
AMOUNT OF BOWLS	2 BOWLS
1 ST BOWL DIMENSION	400 X 400 X 200 MM, R10
2 ND BOWL DIMENSION	400 X 400 X 200 MM, R10
UNDER-MOUNT INSTALLATION	✓
TOP-MOUNT INSTALLATION	✓
FLUSH-MOUNT INSTALLATION	✓
OVERFLOW SAFETY	✓
NOISE ABSORBER	✓
S-PIPE	✓
STRAINER & BASKET FILTER	✓
INSTALLATION PIPES	✓
COLANDER	—
RINSING BASKET	—

	MASSENZA - KS 7181	MASSENZA - KS 7270
PRODUCT DIMENSION	880 X 470 X 200 MM	762 X 430 X 205 MM
CUT-OUT DIMENSION	834 X 424 MM, R10 (UNDER) 860 X 450 MM, R10 (TOP) 881 X 471 MM, R2 (FLUSH)	709 X 377 MM, R15 (UNDER) 725 X 393 MM, R23 (TOP) 763 X 431 MM, R2 (FLUSH)
MATERIAL	1.2 MM STAINLESS STEEL 304	1.0 MM STAINLESS STEEL 304
COLOR	STAINLESS	STAINLESS
AMOUNT OF BOWLS	1 BOWL, 1 DRAINER	2 BOWLS
1 ST BOWL DIMENSION	420 X 425 X 200 MM, R10	398 X 378 X 205 MM
2 ND BOWL DIMENSION	—	278 X 378 X 205 MM
UNDER-MOUNT INSTALLATION	✓	✓
TOP-MOUNT INSTALLATION	✓	✓
FLUSH-MOUNT INSTALLATION	✓	✓
OVERFLOW SAFETY	✓	✓
NOISE ABSORBER	✓	✓
S-PIPE	✓	✓
STRAINER & BASKET FILTER	✓	✓
INSTALLATION PIPES	✓	✓
COLANDER	—	—
RINSING BASKET	—	—

	MASSENZA - KS 7170	MASSENZA - KS 7160
PRODUCT DIMENSION	570 X 450 X 225 MM	450 X 450 X 220 MM, R3
CUT-OUT DIMENSION	519 X 399 MM, R15 (UNDER) 535 X 415 MM, R23 (TOP) 571 X 451 MM, R2 (FLUSH)	399 X 399 MM, R20 (UNDER) 430 X 430 MM, R20 (TOP) 451 X 451 MM, R20 (FLUSH)
MATERIAL	1.0 MM STAINLESS STEEL 304	1.0 MM STAINLESS STEEL 304
COLOR	STAINLESS	STAINLESS
AMOUNT OF BOWLS	1 BOWL	1 BOWL
1 ST BOWL DIMENSION	520 X 400 X 225 MM	400 X 400 X 220 MM, R3
2 ND BOWL DIMENSION	—	—
UNDER-MOUNT INSTALLATION	✓	✓
TOP-MOUNT INSTALLATION	✓	✓
FLUSH-MOUNT INSTALLATION	✓	✓
OVERFLOW SAFETY	✓	✓
NOISE ABSORBER	✓	✓
S-PIPE	✓	✓
STRAINER & BASKET FILTER	✓	✓
INSTALLATION PIPES	✓	✓
COLANDER	—	—
RINSING BASKET	—	—

TOP-MOUNT / UNDER-MOUNT / FLUSH-MOUNT



MASSENZA - KS 7280



MASSENZA - KS 7181



MASSENZA - KS 7270



MASSENZA - KS 7170



MASSENZA - KS 7160

TOP-MOUNT / UNDER-MOUNT / FLUSH-MOUNT



TOP-MOUNT



	LESINA - KS 5260
PRODUCT DIMENSION	807 X 464 X 210 MM
CUT-OUT DIMENSION	742 X 399 MM, R76 (UNDER) 758 X 415 MM, R83 (TOP) 808 X 465 MM, R108.5 (FLUSH)
MATERIAL	STAINLESS STEEL 304
COLOR	STAINLESS
AMOUNT OF BOWLS	2 BOWLS
1ST BOWL DIMENSION	356 X 400 X 210 MM
2ND BOWL DIMENSION	356 X 400 X 210 MM
UNDER-MOUNT INSTALLATION	✓
TOP-MOUNT INSTALLATION	✓
FLUSH-MOUNT INSTALLATION	✓
OVERFLOW SAFETY	✓
NOISE ABSORBER	✓
S-PIPE	✓
STRAINER & BASKET FILTER	✓
INSTALLATION PIPES	✓
COLANDER	—
RINSING BASKET	—


	LESINA - KS 5160	ORTA - KS 2100 ORTA - KS 2100A
PRODUCT DIMENSION	464 X 419 X 210 MM	Ø 405 X 185 MM
CUT-OUT DIMENSION	399 X 355 MM, R75 (UNDER) 415 X 371 MM, R83 (TOP) 465 X 420 MM, R108 (FLUSH)	Ø 385 MM (UNDER) Ø 385 MM (TOP) Ø 406 MM (FLUSH)
MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
COLOR	STAINLESS	STAINLESS
AMOUNT OF BOWLS	1 BOWL	1 BOWL
1ST BOWL DIMENSION	400 X 365 X 210 MM	Ø 365 X 185 MM
2ND BOWL DIMENSION	—	—
UNDER-MOUNT INSTALLATION	✓	✓
TOP-MOUNT INSTALLATION	✓	✓
FLUSH-MOUNT INSTALLATION	✓	✓
OVERFLOW SAFETY	✓	✓
NOISE ABSORBER	✓	✓
S-PIPE	✓	✓
STRAINER & BASKET FILTER	✓	KS 2100 ONLY
INSTALLATION PIPES	✓	✓
COLANDER	—	—
RINSING BASKET	—	—

	COMO - KS 5100
PRODUCT DIMENSION	800 X 500 X 220 MM
CUT-OUT DIMENSION	774 X 474 MM, R50 (TOP)
MATERIAL	STAINLESS STEEL 304
COLOR	STAINLESS
AMOUNT OF BOWLS	1 BOWL
1ST BOWL DIMENSION	715 X 415 X 220 MM
2ND BOWL DIMENSION	—
UNDER-MOUNT INSTALLATION	—
TOP-MOUNT INSTALLATION	✓
FLUSH-MOUNT INSTALLATION	—
OVERFLOW SAFETY	✓
NOISE ABSORBER	✓
S-PIPE	✓
STRAINER & BASKET FILTER	✓
INSTALLATION PIPES	✓
COLANDER	✓
RINSING BASKET	✓

	LUGANO - KS 4201
PRODUCT DIMENSION	1160 X 500 X 190 MM
CUT-OUT DIMENSION	1140 X 480 MM, R10 (TOP)
MATERIAL	STAINLESS STEEL 304
COLOR	STAINLESS
AMOUNT OF BOWLS	2 BOWLS, 1 DRAINER
1ST BOWL DIMENSION	330 X 416 X 190 MM
2ND BOWL DIMENSION	330 X 416 X 190 MM
UNDER-MOUNT INSTALLATION	—
TOP-MOUNT INSTALLATION	✓
FLUSH-MOUNT INSTALLATION	—
OVERFLOW SAFETY	✓
NOISE ABSORBER	✓
S-PIPE	✓
STRAINER & BASKET FILTER	✓
INSTALLATION PIPES	✓
COLANDER	—
RINSING BASKET	—

	LUGANO - KS 4101	BOLSENA - KS 3200
PRODUCT DIMENSION	800 X 500 X 190 MM	780 X 465 X 200 MM
CUT-OUT DIMENSION	778 X 478 MM, R10 (TOP)	760 X 445 MM, R40 (TOP)
MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
COLOR	STAINLESS	STAINLESS
AMOUNT OF BOWLS	1 BOWL, 1 DRAINER	2 BOWLS
1ST BOWL DIMENSION	330 X 416 X 190 MM	330 X 380 X 200 MM
2ND BOWL DIMENSION	—	330 X 380 X 200 MM
UNDER-MOUNT INSTALLATION	—	—
TOP-MOUNT INSTALLATION	✓	✓
FLUSH-MOUNT INSTALLATION	—	—
OVERFLOW SAFETY	✓	✓
NOISE ABSORBER	✓	✓
S-PIPE	✓	✓
STRAINER & BASKET FILTER	✓	✓
INSTALLATION PIPES	✓	✓
COLANDER	—	—
RINSING BASKET	—	—

	BOLSENA - KS 3101	BOLSENA - KS 3100
PRODUCT DIMENSION	928 X 444 X 192 MM	500 X 460 X 200 MM
CUT-OUT DIMENSION	902 X 418 MM, R40 (TOP)	464 X 424 MM, R17 (TOP)
MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
COLOR	STAINLESS	STAINLESS
AMOUNT OF BOWLS	1 BOWL, 1 DRAINER	1 BOWL
1ST BOWL DIMENSION	380 X 330 X 192 MM	420 X 380 X 200 MM
2ND BOWL DIMENSION	—	—
UNDER-MOUNT INSTALLATION	—	—
TOP-MOUNT INSTALLATION	✓	✓
FLUSH-MOUNT INSTALLATION	—	—
OVERFLOW SAFETY	✓	✓
NOISE ABSORBER	✓	✓
S-PIPE	✓	✓
STRAINER & BASKET FILTER	✓	✓
INSTALLATION PIPES	✓	✓
COLANDER	—	—
RINSING BASKET	—	—



LUGANO - KS 4201



LUGANO - KS 4101



BOLSENA - KS 3200



BOLSENA - KS 3101



BOLSENA - KS 3100

MIXER



PRIMAVERA - KT 3350



PRIMAVERA - KT 2530



PRIMAVERA - KT 1651



PRIMAVERA - KT 1551

	PRIMAVERA - KT 3350	PRIMAVERA - KT 2530
PRODUCT DIMENSION	51 X 281 X 508 MM	60 X 243 X 368 MM
BODY MATERIAL	BRASS	BRASS
HANDLE MATERIAL	ZINC	ZINC
CARTRIDGE MATERIAL	CERAMIC	CERAMIC
COLOR	STAINLESS CHROME	STAINLESS CHROME
WATER OUTPUT	NORMAL, WARM & HOT	NORMAL, WARM & HOT
SHOWER	STATIC	PULL-OUT
LEFT / RIGHT WAY SHOWER HEAD	✓	✓
ADJUSTABLE SPRAY	✓	✓
FLEXIBLE BODY	✓	—
MIXED WATER INLET	✓	✓
FLEXIBLE HOSE	✓	✓

	PRIMAVERA - KT 1651	PRIMAVERA - KT 1551
PRODUCT DIMENSION	42 X 245 X 287 MM	42 X 241 X 346 MM
BODY MATERIAL	BRASS	BRASS
HANDLE MATERIAL	ZINC	ZINC
CARTRIDGE MATERIAL	CERAMIC	CERAMIC
COLOR	STAINLESS CHROME	STAINLESS CHROME
WATER OUTPUT	NORMAL, WARM & HOT	NORMAL, WARM & HOT
SHOWER	STATIC	STATIC
LEFT / RIGHT WAY SHOWER HEAD	✓	✓
ADJUSTABLE SPRAY	—	—
FLEXIBLE BODY	—	—
MIXED WATER INLET	✓	✓
FLEXIBLE HOSE	✓	✓

	PRIMAVERA - KT 1650	PRIMAVERA - KT 1550
PRODUCT DIMENSION	44.5 X 245 X 306 MM	51 X 219 X 339 MM
BODY MATERIAL	BRASS	BRASS
HANDLE MATERIAL	ZINC	ZINC
CARTRIDGE MATERIAL	CERAMIC	CERAMIC
COLOR	STAINLESS CHROME	STAINLESS CHROME
WATER OUTPUT	NORMAL, WARM & HOT	NORMAL, WARM & HOT
SHOWER	STATIC	STATIC
LEFT / RIGHT WAY SHOWER HEAD	✓	✓
ADJUSTABLE SPRAY	—	—
FLEXIBLE BODY	—	—
MIXED WATER INLET	✓	✓
FLEXIBLE HOSE	✓	✓



PRIMAVERA - KT 1650



PRIMAVERA - KT 1550

SINGLE

	PRIMAVERA - KT 0650	PRIMAVERA - KT 0550
PRODUCT DIMENSION	48 X 247 X 309 MM	48 X 221 X 338 MM
BODY MATERIAL	BRASS	BRASS
HANDLE MATERIAL	ZINC	ZINC
CARTRIDGE MATERIAL	BRASS	BRASS
COLOR	STAINLESS CHROME	STAINLESS CHROME
WATER OUTPUT	NORMAL	NORMAL
SHOWER	STATIC	STATIC
LEFT / RIGHT WAY SHOWER HEAD	✓	✓
ADJUSTABLE SPRAY	—	—
FLEXIBLE BODY	—	—
MIXED WATER INLET	—	—
FLEXIBLE HOSE	—	—



PRIMAVERA - KT 0650



PRIMAVERA - KT 0550

	PRIMAVERA - KT 0530	PRIMAVERA - KT 0330
PRODUCT DIMENSION	48 X 231 X 321 MM	48 X 243 X 360 MM
BODY MATERIAL	BRASS	BRASS
HANDLE MATERIAL	ZINC	ZINC
CARTRIDGE MATERIAL	BRASS	BRASS
COLOR	STAINLESS CHROME	STAINLESS CHROME
WATER OUTPUT	NORMAL	NORMAL
SHOWER	STATIC	STATIC
LEFT / RIGHT WAY SHOWER HEAD	✓	✓
ADJUSTABLE SPRAY	✓	✓
FLEXIBLE BODY	—	✓
MIXED WATER INLET	—	—
FLEXIBLE HOSE	—	—



PRIMAVERA - KT 0530



PRIMAVERA - KT 0330

Refrigerator & Wine Cellar



Highlights



Multifunction Cooling System
Faster and even cooling throughout the refrigerator and freezer compartments.



Bottom Freezer
The efficient placement of the freezer on the bottom minimizes the need to kneel, as daily necessities are stored in the refrigerator area on top.



Anti Bacterial
Anti Bacterial feature prevents and destroys bacterial growth in food kept inside the refrigerator and freezer.



Humidity Crisper Control
Keep vegetables fresh longer in this specially designed crisper bin, which includes an innovative air humidity control system.



Tempered Glass Shelves
These tempered glass shelves have the strength to support heavy quantities of food and drinks, and have an adjustable heights feature that can be set as needed.



Twist Ice Maker
Make and release ice cubes easily and conveniently using this twist ice maker with attached ice bin.



CFC Free Compressor
Help preserve the earth and environment by using a compressor that is free of ozone-depleting CFC compounds.



Soft Touch System
Operate your settings easily using this digital touch system that responds to the touch of a finger.



Door Alarm
Alarm system prevents incomplete closing of refrigerator door to ensure optimal cooling.



Anti UV Glass Door
Fitted out with anti UV glass to optimally protect and preserve the quality and flavor of the wine stored in your wine cellar.



LED Light
Optimal illumination for your space in an energy-efficient and modern looking manner.



2-Space for Red & White Wine
Designed with two separate temperature controlled compartments for white and red wines, allowing the temperature to be correctly set to each type of wine.

REFRIGERATOR



RETRO - RF 2330 R
RETRO - RF 2341 R



RETRO - RF 2330 C
RETRO - RF 2341 C



RETRO - RF 2330 O



RETRO - RF 2330 N



RETRO - RF 2330 U



GIULIA - RF 2552 L

	RETRO - RF 2341 R RETRO - RF 2341 C	RETRO - RF 2330 R RETRO - RF 2330 C RETRO - RF 2330 O RETRO - RF 2330 N RETRO - RF 2330 U
PRODUCT DIMENSION	700 X 710 X 1887 MM	600 X 690 X 1880 MM
PRODUCT WEIGHT	88 KG	76 KG
COLOR	AVAILABLE IN 2 COLORS (CHERRY RED & CREAM)	AVAILABLE IN 5 COLORS (CHERRY RED, CREAM, SEVILLE ORANGE, LIME GREEN & ROYAL BLUE)
TOTAL CAPACITY	415 L	316 L
REFRIGERATOR CAPACITY	285 L	217 L
FREEZER CAPACITY	97 L	85 L
DEFROST POWER	210 W	210 W
REFRIGERATOR TEMPERATURE	5°C	5°C
FREEZER TEMPERATURE	-18°C	-18°C
REFRIGERANT	R600A	R600A
FREEZER TYPE	BOTTOM MOUNT	BOTTOM MOUNT
DOOR SPECIFICATIONS	2 STAINLESS STEEL DOORS	2 STAINLESS STEEL DOORS
SHELVES MATERIAL	TEMPERED GLASS	TEMPERED GLASS
HANDLE TYPE	GRID	GRID
CONTROL SYSTEM	ELECTRIC PANEL	ELECTRIC PANEL
NON CFC COMPRESSOR	✓	✓
DUO COOLING SYSTEM	—	—
NO FROST	✓	✓
ACTIVE DEODORIZER	—	—
ACTIVE IONIZER	—	—
MULTIFLOW COOLING SYSTEM	✓	✓
ALARM DOOR	—	—
LED LIGHT	✓	✓
TWIST ICE MAKER	✓	✓
ADJUSTABLE FEET	✓	✓

	GIULIA - RF 2552 L
PRODUCT DIMENSION	920 X 625 X 1720 MM
PRODUCT WEIGHT	98 KG
COLOR	BLACK
TOTAL CAPACITY	516 L
REFRIGERATOR CAPACITY	328 L
FREEZER CAPACITY	188 L
DEFROST POWER	300 W
REFRIGERATOR TEMPERATURE	5°C
FREEZER TEMPERATURE	-18°C
REFRIGERANT	R600A
FREEZER TYPE	SIDE BY SIDE
DOOR SPECIFICATIONS	2 GLASS DOORS
SHELVES MATERIAL	TEMPERED GLASS
HANDLE TYPE	RECESSED
CONTROL SYSTEM	LED TOUCH PANEL
NON CFC COMPRESSOR	✓
DUO COOLING SYSTEM	—
NO FROST	✓
ACTIVE DEODORIZER	✓
ACTIVE IONIZER	—
MULTIFLOW COOLING SYSTEM	✓
ALARM DOOR	✓
LED LIGHT	✓
TWIST ICE MAKER	✓
ADJUSTABLE FEET	✓

	ALLEGRA - RF 2551 S	FARFALLA - RF 2252 L	CENTURION - RF 2241 S
PRODUCT DIMENSION	905 X 655 X 1770 MM	700 X 680 X 1845 MM	750 X 735 X 1825 MM
PRODUCT WEIGHT	95 KG	78 KG	89 KG
COLOR	STAINLESS	BLACK	STAINLESS
TOTAL CAPACITY	556 L	498 L	450 L
REFRIGERATOR CAPACITY	339 L	365 L	353 L
FREEZER CAPACITY	177 L	101 L	97 L
DEFROST POWER	270 W	180 W	180 W
REFRIGERATOR TEMPERATURE	5°C	5°C	2°C TO 8°C
FREEZER TEMPERATURE	-18°C	-18°C	-16°C TO -24°C
REFRIGERANT	R600A	R134A	R600A
FREEZER TYPE	SIDE BY SIDE	TOP MOUNT	TOP MOUNT
DOOR SPECIFICATIONS	2 STAINLESS STEEL DOORS	2 GLASS DOORS	2 STAINLESS STEEL DOORS
SHELVES MATERIAL	TEMPERED GLASS	TEMPERED GLASS	TEMPERED GLASS
HANDLE TYPE	GRID	RECESSED	GRID
CONTROL SYSTEM	ELECTRIC PANEL	MANUAL PANEL	ELECTRONIC PANEL
NON CFC COMPRESSOR	✓	✓	✓
DUO COOLING SYSTEM	—	—	—
NO FROST	✓	✓	✓
ACTIVE DEODORIZER	✓	—	✓
MULTIFLOW COOLING SYSTEM	✓	✓	✓
ALARM DOOR	✓	✓	✓
LED LIGHT	✓	✓	✓
TWIST ICE MAKER	✓	✓	✓
ADJUSTABLE FEET	✓	✓	✓

	SCUDERIA - WC 2045 L	SCUDERIA - WC 2045 S
PRODUCT DIMENSION	595 X 600 X 820 MM	595 X 600 X 820 MM
PRODUCT WEIGHT	50 KG	50 KG
CUT-OUT DIMENSION	615 X 592 X 850 MM	615 X 592 X 850 MM
COLOR	BLACK STAINLESS	SILVER STAINLESS
INSTALLATION	BUILT-IN OR FREESTANDING	BUILT-IN OR FREESTANDING
CAPACITY	45 BOTTLES	45 BOTTLES
POWER	100 W	100 W
TEMPERATURE (UPPER SHELF)	5°C TO 10°C	5°C TO 10°C
TEMPERATURE (LOWER SHELF)	10°C TO 18°C	10°C TO 18°C
REFRIGERANT	R600A	R600A
DOOR SPECIFICATIONS	1 DOOR	1 DOOR
COOLING COMPARTMENT	2	2
HANDLE TYPE	GRID	GRID
CONTROL SYSTEM	LED TOUCH PANEL	LED TOUCH PANEL
NON CFC COMPRESSOR	✓	✓
FAN COOLING SYSTEM	✓	✓
ECO ENERGY SYSTEM	✓	✓
ANTI-UV GLASS	✓	✓
MOVABLE WOODEN SHELVES	✓	✓
ALARM DOOR	✓	✓
DOOR LOCK	✓	✓
LED LIGHT	✓	✓
TEMPERATURE DISPLAY	✓	✓
ADJUSTABLE FEET	✓	✓

	VICINO - BW 3435	SCUDERIA - WC 1022 S SCUDERIA - WC 1022 L
PRODUCT DIMENSION	595 X 610 X 455 MM	600 X 590 X 460 MM
PRODUCT WEIGHT	28 KG	29 KG
CUT-OUT DIMENSION	565 X 565 X 450 MM	560 X 568 X 451 MM
COLOR	STAINLESS	SILVER STAINLESS BLACK STAINLESS
INSTALLATION	BUILT-IN	BUILT-IN
CAPACITY	24 BOTTLES	22 BOTTLES
POWER	100 W	70 W
TEMPERATURE	4°C TO 18°C	4°C TO 18°C
REFRIGERANT	R600A	R600A
DOOR SPECIFICATIONS	1 DOOR	1 DOOR
COOLING COMPARTMENT	1	1
HANDLE TYPE	GRID	GRID
CONTROL SYSTEM	LED SOFT BUTTON PANEL	LED TOUCH PANEL
NON CFC COMPRESSOR	✓	✓
FAN COOLING SYSTEM	✓	✓
ECO ENERGY SYSTEM	✓	✓
ANTI-UV GLASS	✓	✓
MOVABLE WOODEN SHELVES	✓	✓
ALARM DOOR	✓	✓
LED LIGHT	✓	✓
TEMPERATURE DISPLAY	—	✓



ALLEGRA - RF 2551 S



FARFALLA - RF 2252 L



CENTURION - RF 2241 S

WINE CELLAR



SCUDERIA - WC 2045 L



SCUDERIA - WC 2045 S



VICINO - BW 3435



SCUDERIA - WC 1022 S
SCUDERIA - WC 1022 L

Water Dispenser



Highlights



Self-Cleaning System

The self-cleaning function keeps the water tank clean and free of bacteria for healthy and hygienic water.



Digital Display

Allows you to easily and conveniently monitor the temperature of the hot and cold water that will be dispensed.



Child Safety Lock

The hot water switch is equipped with a safety lock that is difficult to open, keeping children safe from the risk of hot water burns.



Adjustable Hot Temperature

Adjust the hot water temperature to the level you desire, making it easy and convenient to make tea, coffee, baby food, oatmeal and more.




Bottom Loading System

A safer, more practical way of changing the gallon container that lets you roll the heavy gallon container into place, rather than lifting it.



Thermostat

Set the temperature for the cold water dispenser as low as you want, for the ultimate refreshing drink.



Water Storage Sensor

An indicator light turns on and an alarm sounds the alert when the water in the gallon runs out.



Hot, Cold & Normal

Three switches conveniently dispense hot, cold and room temperature water as needed.



Hot & Cold Temperature

Dispenses hot water between 80°C - 90°C and cold water below <10°C for your daily drinking needs.



Stainless Steel Water Tank

A water tank constructed from anti-rust, food-grade stainless steel that ensures the safety and cleanliness of your water.



Stainless Ziggy Pipe

The stainless steel Z-shaped pipe takes up water from the very bottom of the gallon container, ensuring that no water is wasted.



Water Pipe Holder

A special holder to hang the water pipe when changing out the gallon container, keeping it safely off the floor for hygienic reasons.

COOLING

BUILT-IN



BOTTOM GALLON



	VICINO - BP 3435
PRODUCT DIMENSION	595 X 400 X 455 MM
BUILT-IN DIMENSION	565 X 550 X 450 MM
LOADING SYSTEM	BOTTOM
INSTALLATION	BUILT-IN
WATER TUBE MATERIAL	STAINLESS STEEL 304
COLOR	STAINLESS & BLACK
AMOUNT OF TAPS	2 TAPS
WATER OUTPUT	HOT & COLD
HOT WATER FLOW	5 L/HR
COLD WATER FLOW	1.2 L/HR
HOT WATER TUBE CAPACITY	1.0 L
COLD WATER TUBE CAPACITY	1.0 L
HOT WATER TEMPERATURE	≥ 90°C
COLD WATER TEMPERATURE	≤ 10°C
REFRIGERANT TYPE	R600A
HEATING POWER	500 W
COOLING POWER	100 W
WATER PUMP POWER	10 W
DIGITAL DISPLAY	✓
WATER STORAGE SENSOR	✓
CHILD LOCK	✓
THERMOSTAT	✓

	DOPPIO - DD 68 L	DOPPIO - DD 68 W
PRODUCT DIMENSION	320 X 355 X 1050 MM	320 X 355 X 1050 MM
LOADING SYSTEM	BOTTOM	BOTTOM
WATER TUBE MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
COLOR	BLACK & SILVER	WHITE & BLACK
AMOUNT OF TAPS	2 TAPS	2 TAPS
WATER OUTPUT	HOT & COLD	HOT & COLD
HOT WATER FLOW	5 L/HR	5 L/HR
COLD WATER FLOW	2 L/HR	2 L/HR
HOT WATER TUBE CAPACITY	1.7 L	1.7 L
COLD WATER TUBE CAPACITY	3.2 L	3.2 L
HOT WATER TEMPERATURE	≥ 90°C	≥ 90°C
COLD WATER TEMPERATURE	≤ 10°C	≤ 10°C
REFRIGERANT TYPE	R134A	R134A
HEATING POWER	500 W	500 W
COOLING POWER	85 W	85 W
WATER PUMP POWER	10 W	10 W
ADJUSTABLE HOT TEMP.	70°C, 80°C, 90°C	—
ADJUSTABLE COLD TEMP.	5°C, 8°C, 12°C	—
EXTRA HOT	95°C	—
SELF-CLEANING SYSTEM	✓	—
DIGITAL DISPLAY	✓	✓
WATER STORAGE SENSOR	✓	✓
WATER PIPE HOLDER	✓	✓
CHILD LOCK	✓	✓
GALLON COMPARTMENT	✓	✓
THERMOSTAT	✓	✓

	VITTORE - DD 67 S	DAVION - DD 75 L
PRODUCT DIMENSION	400 X 385 X 1120 MM	360 X 310 X 1040 MM
LOADING SYSTEM	BOTTOM	BOTTOM
WATER TUBE MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
COLOR	BLACK & SILVER	BLACK & SILVER
AMOUNT OF TAPS	3 TAPS	3 TAPS
WATER OUTPUT	HOT, COLD & NORMAL	HOT, COLD & NORMAL
HOT WATER FLOW	5 L/HR	4 L/HR
COLD WATER FLOW	2 L/HR	4 L/HR
HOT WATER TUBE CAPACITY	0.8 L	1.1 L
COLD WATER TUBE CAPACITY	3.5 L	3.6 L
HOT WATER TEMPERATURE	≥ 90°C	≥ 90°C
COLD WATER TEMPERATURE	≤ 10°C	≤ 10°C
REFRIGERANT TYPE	R134A	R134A
HEATING POWER	420 W	420 W
COOLING POWER	100 W	100 W
WATER PUMP POWER	10 W	10 W
SELF-CLEANING SYSTEM	—	✓
WATER STORAGE SENSOR	✓	✓
CHILD LOCK	✓	✓
GALLON COMPARTMENT	✓	✓
THERMOSTAT	✓	✓

	DENTRO - DD 66 V		
	DENTRO - DD 66 L	DENTRO - DD 66 G	PIETRO - DD 65 L
PRODUCT DIMENSION	358 X 339 X 1062 MM	358 X 339 X 1062 MM	325 X 370 X 1040 MM
LOADING SYSTEM	BOTTOM	BOTTOM	BOTTOM
WATER TUBE MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304	STAINLESS STEEL 304
COLOR	SILVER & BLACK BLACK & SILVER	GREY & GRAVEL	BLACK
AMOUNT OF TAPS	3 TAPS	3 TAPS	3 TAPS
WATER OUTPUT	HOT, COLD & NORMAL	HOT, COLD & NORMAL	HOT, COLD & NORMAL
HOT WATER FLOW	5 L/HR	4 L/HR	2 L/HR
COLD WATER FLOW	2 L/HR	2 L/HR	1.5 L/HR
HOT WATER TUBE CAPACITY	0.8 L	0.8 L	0.8 L
COLD WATER TUBE CAPACITY	2.5 L	2.5 L	2.5 L
HOT WATER TEMPERATURE	≥ 90°C	≥ 90°C	≥ 90°C
COLD WATER TEMPERATURE	≤ 10°C	≤ 10°C	≤ 10°C
REFRIGERANT TYPE	R134A	R134A	R134A
HEATING POWER	420 W	350 W	190 W
COOLING POWER	80 W	80 W	80 W
WATER PUMP POWER	10 W	10 W	5 W
SELF-CLEANING SYSTEM	—	—	—
WATER STORAGE SENSOR	✓	✓	✓
CHILD LOCK	✓	✓	✓
GALLON COMPARTMENT	✓	✓	✓
THERMOSTAT	✓	✓	✓

	PUNTO - DD 23	LIBERO - DD 12
PRODUCT DIMENSION	290 X 330 X 980 MM	310 X 330 X 960 MM
LOADING SYSTEM	TOP	TOP
WATER TUBE MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
COLOR	BLACK & SILVER	WHITE
AMOUNT OF TAPS	2 TAPS	3 TAPS
WATER OUTPUT	HOT & COLD	HOT, COLD & NORMAL
HOT WATER FLOW	5.6 L/HR	2.5 L/HR
COLD WATER FLOW	1.4 L/HR	2 L/HR
HOT WATER TUBE CAPACITY	1.2 L	0.8 L
COLD WATER TUBE CAPACITY	3.6 L	1.5 L
HOT WATER TEMPERATURE	≥ 90°C	≥ 90°C
COLD WATER TEMPERATURE	≤ 10°C	≤ 10°C
REFRIGERANT TYPE	R134A	R134A
HEATING POWER	350 W	200 W
COOLING POWER	80 W	100 W
CHILD LOCK	✓	✓
BOTTOM CABINET	—	✓
THERMOSTAT	✓	✓

	ARLETTE - DD 07	FIDATO - DD 06	LIBERO - DD 02
PRODUCT DIMENSION	360 X 310 X 1000 MM	310 X 330 X 960 MM	310 X 330 X 960 MM
LOADING SYSTEM	TOP	TOP	TOP
WATER TUBE MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304	STAINLESS STEEL 304
COLOR	WHITE	GREY & GRAVEL	BLUISH GREY
AMOUNT OF TAPS	3 TAPS	3 TAPS	3 TAPS
WATER OUTPUT	HOT, COLD & NORMAL	HOT, COLD & NORMAL	HOT, COLD & NORMAL
HOT WATER FLOW	4 L/HR	2.5 L/HR	2.5 L/HR
COLD WATER FLOW	2 L/HR	2 L/HR	2 L/HR
HOT WATER TUBE CAPACITY	1.0 L	0.8 L	0.8 L
COLD WATER TUBE CAPACITY	3.0 L	1.5 L	1.5 L
HOT WATER TEMPERATURE	≥ 90°C	≥ 90°C	≥ 90°C
COLD WATER TEMPERATURE	≤ 10°C	≤ 10°C	≤ 10°C
REFRIGERANT TYPE	R134A	R134A	R134A
HEATING POWER	420 W	200 W	200 W
COOLING POWER	100 W	80 W	80 W
CHILD LOCK	✓	✓	✓
BOTTOM CABINET	—	—	—
THERMOSTAT	✓	✓	✓



DENTRO - DD 66 V
DENTRO - DD 66 L



DENTRO - DD 66 G



PIETRO - DD 65 L

TOP GALLON



PUNTO - DD 23



LIBERO - DD 12



ARLETTE - DD 07




FIDATO - DD 06



LIBERO - DD 02

Laundry & Dishwasher



Highlights



Anti Bacterial Sterilization
The Anti Bacterial Sterilization function delivers cleaner, more hygienic results resulting in a laundry that is free of dirt and bacteria.



Delay Start
Conveniently set the timing of the washing and drying process in accordance with your desired schedule.



Extra Rinse Program
Extremely useful for baby clothes and sensitive skin, this setting adds an extra rinse cycle to ensure that all laundry detergent has been rinsed away.



Mix Washer Function
A program that allows you to effectively wash cotton and synthetics at the same time without damaging them.



Quick Wash Program
A water and energy efficient setting that is ideal for quickly washing small quantities of lightly soiled clothes.



Hand Wash Program
A slow wash program designed to mimic washing by hand, resulting in clothing that is optimally clean without damaging the material.



Ergo Drum
This specially designed drum, suitable for all types of clothing, ensures that your laundry comes out clean while preserving the fabric quality.



Add Garment Program
Save time with this useful feature, which lets you add items mid-cycle while the washer is operating.



Anti Crease Iron
A special feature that results in dryer, wrinkle-free clothing that is easy to iron.



Delicate Program
The setting is ideal for drying clothes made of delicate material, using a lower temperature setting to preserve the integrity of the fabric.



Water Overflow Protection
A watertight door seal is integrated with the dishwasher cabinet door to prevent leaks and spillages while the dishwasher is operating.



Spin Jet Technology
Powerful water jets deliver an even spray that effectively removes dirt stuck to plates, pots and utensils, for sparkling clean results.

WASHER



TIZIANO - WF 830



TIZIANO - WF 730



NOTO - WF 763



NOTO - WF 663



IMPERIAN - WF 720



IMPERIAN - WF 620

	TIZIANO - WF 830	TIZIANO - WF 730
PRODUCT DIMENSION	595 X 555 X 850 MM	595 X 515 X 850 MM
PRODUCT WEIGHT	60 KG	57 KG
CAPACITY	8.5 KG	7 KG
SPIN SPEED	400 / 600 / 800 / 1000 / 1200 / 1400 RPM	400 / 600 / 800 / 1000 / 1200 RPM
COLD WASH POWER	250 W	250 W
HOT WASH POWER	2000 W	2000 W
SPIN POWER	400 W	400 W
WATER CONSUMPTION	74 L	56 L
WASHING TIME	99 MINS	99 MINS
WASHING PROGRAMS	12 PROGRAMS	16 PROGRAMS
ADJUSTABLE TEMPERATURE	✓	✓
START / PAUSE BUTTON	✓	✓
DETERGENT BOX	✓	✓
ADJUSTABLE FEET	✓	✓
CHILD LOCK	✓	✓
EXTRA RINSE FUNCTION	✓	✓
SPEED SELECTION	✓	✓
DELAY START FUNCTION	✓	✓
PREWASH FUNCTION	—	✓
TEMPERATURE SELECTION	✓	✓
QUICK WASH FUNCTION	✓	✓

	NOTO - WF 763	NOTO - WF 663
PRODUCT DIMENSION	597 X 565 X 840 MM	600 X 480 X 840 MM
PRODUCT WEIGHT	67 KG	57.6 KG
CAPACITY	7 KG	6 KG
SPIN SPEED	400 / 500 / 600 / 700 / 800 RPM	400 / 500 / 600 / 650 / 700 / 750 / 800 RPM
COLD WASH POWER	230 W	200 W
HOT WASH POWER	2000 W	1500 W
SPIN POWER	330 W	330 W
WATER CONSUMPTION	52 L	45 L
WASHING TIME	105 MINS	120 MINS
WASHING PROGRAMS	15 PROGRAMS + SPIN	15 PROGRAMS + SPIN
ADJUSTABLE TEMPERATURE	✓	✓
START / PAUSE BUTTON	✓	✓
DETERGENT BOX	✓	✓
ADJUSTABLE FEET	✓	✓
CHILD LOCK	✓	✓
EXTRA RINSE FUNCTION	✓	✓
SPEED SELECTION	✓	✓
DELAY START FUNCTION	✓	✓
PREWASH FUNCTION	✓	✓
TEMPERATURE SELECTION	✓	✓
QUICK WASH FUNCTION	✓	✓

	IMPERIAN - WF 720	IMPERIAN - WF 620
PRODUCT DIMENSION	598 X 485 X 850 MM	598 X 435 X 850 MM
PRODUCT WEIGHT	65 KG	60 KG
CAPACITY	7 KG	6 KG
SPIN SPEED	1200 RPM	1000 RPM
COLD WASH POWER	263 W	263 W
HOT WASH POWER	2150 W	2150 W
SPIN POWER	395 W	395 W
WATER CONSUMPTION	59 L	54 L
WASHING TIME	78 MINS	76 MINS
WASHING PROGRAMS	11 PROGRAMS + 3 OPTIONAL	11 PROGRAMS + 3 OPTIONAL
ADJUSTABLE TEMPERATURE	✓	✓
START / PAUSE BUTTON	✓	✓
DETERGENT BOX	✓	✓
ADJUSTABLE FEET	✓	✓
CHILD LOCK	✓	✓
EXTRA RINSE FUNCTION	✓	✓
SPEED SELECTION	—	—
DELAY START FUNCTION	✓	✓
PREWASH FUNCTION	—	—
TEMPERATURE SELECTION	✓	✓
QUICK WASH FUNCTION	✓	✓

	CALDO - ED 850	ETTORE - ED 770	CALDO - ED 650
PRODUCT DIMENSION	600 X 630 X 850 MM	595 X 555 X 840 MM	595 X 560 X 845 MM
PRODUCT WEIGHT	44 KG	33 KG	36 KG
COLOR	WHITE	WHITE	WHITE
DRUM MATERIAL	STAINLESS	GALVANIS STAINLESS	STAINLESS
CAPACITY (COTTON)	8.5 KG	7 KG	6.5 KG
CAPACITY (SYNTHETIC)	4 KG	3 KG	3 KG
POWER CONSUMPTION	2500 W	2000 W	2100 W
VOLTAGE	220-230 V; 50 HZ	220-240 V; 50 HZ	220-230 V; 50 HZ
DRYING TIME	150 MINS	145 MINS	140 MINS
NUMBER OF PROGRAMS	15 PROGRAMS	16 PROGRAMS	15 PROGRAMS
ON / OFF BUTTON	✓	✓	✓
BUZZER FUNCTION	✓	✓	✓
QUICK FUNCTION	✓	✓	✓
DELICATE FUNCTION	✓	✓	✓
DELAY START FUNCTION	✓	✓	✓
START / PAUSE BUTTON	✓	✓	✓
EXTENSIBLE PIPE	—	1 SET	1 SET
DRAIN PIPE	1 SET	—	—

DRYER



CALDO - ED 850



ETTORE - ED 770



CALDO - ED 650

DISHWASHER

	VALIDO - WP 600
PRODUCT DIMENSION	600 X 600 X 850 MM
PRODUCT WEIGHT	44 KG
BODY COLOR	GREY
DOOR COLOR	STAINLESS
DOOR MATERIAL	STAINLESS STEEL
OUTER CABINET MATERIAL	METAL
INNER CABINET MATERIAL	STAINLESS STEEL
INSTALLATION	FREESTANDING
WATER CONSUMPTION	13 L
POWER CONSUMPTION	1850 W
VOLTAGE	220-240 V; 50 HZ
MAX. WASH TEMPERATURE	60° C
NUMBER OF PROGRAMS	6 PROGRAMS
PROCESS TIME	172 MINS
WATER OVERFLOW PROTECTION	✓
DETERGENT BOX	✓
RINSE BOX	✓
ADJUSTABLE FEET	✓
ADJUSTABLE BASKET	✓
DELAY START FUNCTION	✓
CHILD LOCK	✓



VALIDO - WP 600

Water Heater



Highlights



ELCB Safety
Users can shower safely with the ELCB Safety system, which automatically cuts off electricity in case of an electricity leak.



Oxygen Depletion Safety
This safety feature shuts off the gas flow whenever inadequate oxygen levels are detected in the air.



Water Pressure Valve
The water pressure valve works to prevent excessive pressure in the tank, that can result in an explosion.



Double Thermostat
A safer and more pleasant bath experience thanks to the Double Thermostat's multiple safeguards, which prevents the water from overheating.



Flexiheat
Increases the efficiency of your energy usage, as the electric power of the water heater can be adjusted to your desired temperature.



Titanium Porcelain Enamel
An anti-rust layer makes the water drum stronger and more durable by repelling the effects of dirt particles in the water.



Polyurethane Insulation
A 20mm polyurethane layer helps the drum retain heat, keeping the water inside hot for a longer time.



Magnihealth+
Neutralizes corrosive substances in the water for cleaner, hygienic and rust-free water.



Long Life Endurance
The heating elements are protected from the deposit build up and rust by Glasslined technology, extending their useful lifetime.



Whirl Flow Technology
Maintains efficient hot water generation by preventing direct contact with cold water flowing through the bottom area.

ELECTRIC STORAGE



DISTESO - ES 100H



DISTESO - ES 80H



DISTESO - ES 50H



DISTESO - ES 30H

	DISTESO - ES 100H
PRODUCT DIMENSION	1095 X 410 X 410 MM
PRODUCT WEIGHT	31 KG
INSTALLATION	HORIZONTAL
TANK MATERIAL	STEEL
ENAMEL COATING	TITANIUM PORCELAIN
CAPACITY	100 L
POWER	500 W / 1000 W / 1500 W
WATER PRESSURE RATE	0.8 MPA
WATER PIPE DIAMETER	0.5 INCH
TEMPERATURE	MAX. 75°C
POLYURETHANE INSULATION	✓
IPX4	✓
POWER SETTING	✓
ELECTRIC SAFETY	✓
PRESSURE SAFETY VALVE	✓
DOUBLE THERMOSTAT	✓
THERMOMETER	✓
EARTHING TERMINAL	✓
MAGNIHEALTH* TECHNOLOGY	✓
DYNABOLT	2 PCS
WATER SAFETY VALVE	1 PC
WATER DRAIN HOSE	1 PC

	DISTESO - ES 80H
PRODUCT DIMENSION	918 X 410 X 410 MM
PRODUCT WEIGHT	25 KG
INSTALLATION	HORIZONTAL
TANK MATERIAL	STEEL
ENAMEL COATING	TITANIUM PORCELAIN
CAPACITY	80 L
POWER	500 W / 1000 W / 1500 W
WATER PRESSURE RATE	0.8 MPA
WATER PIPE DIAMETER	0.5 INCH
TEMPERATURE	MAX. 75°C
POLYURETHANE INSULATION	✓
IPX4	✓
POWER SETTING	✓
ELECTRIC SAFETY	✓
PRESSURE SAFETY VALVE	✓
DOUBLE THERMOSTAT	✓
THERMOMETER	✓
EARTHING TERMINAL	✓
MAGNIHEALTH* TECHNOLOGY	✓
DYNABOLT	2 PCS
WATER SAFETY VALVE	1 PC
WATER DRAIN HOSE	1 PC

	DISTESO - ES 50H	DISTESO - ES 30H
PRODUCT DIMENSION	910 X 340 X 340 MM	650 X 340 X 340 MM
PRODUCT WEIGHT	19 KG	13.6 KG
INSTALLATION	HORIZONTAL	HORIZONTAL
TANK MATERIAL	STEEL	STEEL
ENAMEL COATING	TITANIUM PORCELAIN	TITANIUM PORCELAIN
CAPACITY	50 L	30 L
POWER	500 W / 1000 W / 1500 W	500 W / 1000 W / 1500 W
WATER PRESSURE RATE	0.8 MPA	0.8 MPA
WATER PIPE DIAMETER	0.5 INCH	0.5 INCH
TEMPERATURE	MAX. 75°C	MAX. 75°C
POLYURETHANE INSULATION	✓	✓
IPX4	✓	✓
POWER SETTING	✓	✓
ELECTRIC SAFETY	✓	✓
PRESSURE SAFETY VALVE	✓	✓
DOUBLE THERMOSTAT	✓	✓
THERMOMETER	✓	✓
EARTHING TERMINAL	✓	✓
MAGNIHEALTH* TECHNOLOGY	✓	✓
DYNABOLT	2 PCS	2 PCS
WATER SAFETY VALVE	1 PC	1 PC
WATER DRAIN HOSE	1 PC	1 PC

	TONDO - ES 100V	TONDO - ES 80V
PRODUCT DIMENSION	410 X 410 X 1110 MM	410 X 410 X 920 MM
PRODUCT WEIGHT	29.2 KG	25 KG
INSTALLATION	VERTICAL	VERTICAL
TANK MATERIAL	STEEL	STEEL
ENAMEL COATING	TITANIUM PORCELAIN	TITANIUM PORCELAIN
CAPACITY	100 L	80 L
POWER	500 W / 1000 W / 1500 W	400 W / 800 W / 1200 W
WATER PRESSURE RATE	0.8 MPA	0.8 MPA
WATER PIPE DIAMETER	0.5 INCH	0.5 INCH
TEMPERATURE	MAX. 75°C	MAX. 75°C
POLYURETHANE INSULATION	✓	✓
IPX4	✓	✓
POWER SETTING	✓	✓
ELECTRIC SAFETY	✓	✓
PRESSURE SAFETY VALVE	✓	✓
DOUBLE THERMOSTAT	✓	✓
THERMOMETER	✓	✓
EARTHING TERMINAL	✓	✓
MAGNIHEALTH* TECHNOLOGY	✓	✓
DYNABOLT	2 PCS	2 PCS
WATER SAFETY VALVE	1 PC	1 PC
WATER DRAIN HOSE	1 PC	1 PC

	TONDO - ES 50V	TONDO - ES 30V
PRODUCT DIMENSION	410 X 410 X 675 MM	340 X 340 X 620 MM
PRODUCT WEIGHT	17.5 KG	14 KG
INSTALLATION	VERTICAL	VERTICAL
TANK MATERIAL	STEEL	STEEL
ENAMEL COATING	TITANIUM PORCELAIN	TITANIUM PORCELAIN
CAPACITY	50 L	30 L
POWER	400 W / 800 W / 1200 W	400 W / 800 W / 1200 W
WATER PRESSURE RATE	0.8 MPA	0.8 MPA
WATER PIPE DIAMETER	0.5 INCH	0.5 INCH
TEMPERATURE	MAX. 75°C	MAX. 75°C
POLYURETHANE INSULATION	✓	✓
IPX4	✓	✓
POWER SETTING	✓	✓
ELECTRIC SAFETY	✓	✓
PRESSURE SAFETY VALVE	✓	✓
DOUBLE THERMOSTAT	✓	✓
THERMOMETER	✓	✓
EARTHING TERMINAL	✓	✓
MAGNIHEALTH* TECHNOLOGY	✓	✓
DYNABOLT	2 PCS	2 PCS
WATER SAFETY VALVE	1 PC	1 PC
WATER DRAIN HOSE	1 PC	1 PC

	TONDO - ES 15V	TONDO - ES 10V
PRODUCT DIMENSION	310 X 310 X 535 MM	310 X 310 X 435 MM
PRODUCT WEIGHT	8.9 KG	7.8 KG
INSTALLATION	VERTICAL	VERTICAL
TANK MATERIAL	STEEL	STEEL
ENAMEL COATING	TITANIUM PORCELAIN	TITANIUM PORCELAIN
CAPACITY	15 L	10 L
POWER	350 W / 450 W / 800 W	350 W / 450 W / 800 W
WATER PRESSURE RATE	0.8 MPA	0.8 MPA
WATER PIPE DIAMETER	0.5 INCH	0.5 INCH
TEMPERATURE	MAX. 75°C	MAX. 75°C
POLYURETHANE INSULATION	✓	✓
IPX4	✓	✓
POWER SETTING	✓	✓
ELECTRIC SAFETY	✓	✓
PRESSURE SAFETY VALVE	✓	✓
DOUBLE THERMOSTAT	✓	✓
THERMOMETER	✓	✓
EARTHING TERMINAL	✓	✓
MAGNIHEALTH* TECHNOLOGY	✓	✓
DYNABOLT	2 PCS	2 PCS
WATER SAFETY VALVE	1 PC	1 PC
WATER DRAIN HOSE	1 PC	1 PC



TONDO - ES 100V



TONDO - ES 80V



TONDO - ES 50V



TONDO- ES 30V



TONDO - ES 15V



TONDO - ES 10V

ELECTRIC STORAGE



CIRCOLO - ES 30B
CIRCOLO - ES 15B
CIRCOLO - ES 10B



UNICA - ES 15A
UNICA - ES 10A



CUBICO - ES 30E
CUBICO - ES 15E
CUBICO - ES 10E

	CIRCOLO - ES 30B	CIRCOLO - ES 15B	CIRCOLO - ES 10B
PRODUCT DIMENSION	475 X 475 X 395 MM	405 X 405 X 310 MM	365 X 365 X 285 MM
PRODUCT WEIGHT	20.5 KG	13.5 KG	10.7 KG
INSTALLATION	VERTICAL	VERTICAL	VERTICAL
TANK MATERIAL	STEEL	STEEL	STEEL
ENAMEL COATING	TITANIUM PORCELAIN	TITANIUM PORCELAIN	TITANIUM PORCELAIN
CAPACITY	30 L	15 L	10 L
POWER	800 W	350 W	250 W
WATER PRESSURE RATE	0.8 MPA	0.8 MPA	0.8 MPA
WATER PIPE DIAMETER	0.5 INCH	0.5 INCH	0.5 INCH
TEMPERATURE	MAX. 75°C	MAX. 75°C	MAX. 75°C
MAGNIHEALTH* TECHNOLOGY	✓	✓	✓
POLYURETHANE INSULATION	✓	✓	✓
IPX4	✓	✓	✓
POWER SETTING	—	—	—
ELECTRIC SAFETY	✓	✓	✓
PRESSURE SAFETY VALVE	✓	✓	✓
DOUBLE THERMOSTAT	✓	✓	✓
THERMOMETER	—	—	—
EARTHING TERMINAL	✓	✓	✓
DYNABOLT	2 PCS	2 PCS	2 PCS
WATER SAFETY VALVE	1 PC	1 PC	1 PC
WATER DRAIN HOSE	1 PC	1 PC	1 PC

	UNICA - ES 15A	UNICA - ES 10A
PRODUCT DIMENSION	348 X 360 X 348 MM	348 X 265 X 348 MM
PRODUCT WEIGHT	8 KG	6.8 KG
INSTALLATION	VERTICAL	VERTICAL
TANK MATERIAL	STEEL	STEEL
ENAMEL COATING	TITANIUM PORCELAIN	TITANIUM PORCELAIN
CAPACITY	15 L	10 L
POWER	350 W	250 W
WATER PRESSURE RATE	0.8 MPA	0.8 MPA
WATER PIPE DIAMETER	0.5 INCH	0.5 INCH
TEMPERATURE	MAX. 75°C	MAX. 75°C
MAGNIHEALTH* TECHNOLOGY	—	—
POLYURETHANE INSULATION	✓	✓
IPX4	✓	✓
POWER SETTING	—	—
ELECTRIC SAFETY	✓	✓
PRESSURE SAFETY VALVE	✓	✓
DOUBLE THERMOSTAT	✓	✓
THERMOMETER	—	—
EARTHING TERMINAL	✓	✓
DYNABOLT	2 PCS	2 PCS
WATER SAFETY VALVE	1 PC	1 PC
WATER DRAIN HOSE	1 PC	1 PC

	CUBICO - ES 30E	CUBICO - ES 15E	CUBICO - ES 10E
PRODUCT DIMENSION	440 X 350 X 450 MM	375 X 305 X 375 MM	320 X 298 X 320 MM
PRODUCT WEIGHT	12.8 KG	9.2 KG	7.7 KG
INSTALLATION	VERTICAL	VERTICAL	VERTICAL
TANK MATERIAL	STEEL	STEEL	STEEL
ENAMEL COATING	TITANIUM PORCELAIN	TITANIUM PORCELAIN	TITANIUM PORCELAIN
CAPACITY	30 L	15 L	10 L
POWER	800 W	350 W	250 W
WATER PRESSURE RATE	0.8 MPA	0.8 MPA	0.8 MPA
WATER PIPE DIAMETER	0.5 INCH	0.5 INCH	0.5 INCH
TEMPERATURE	MAX. 75°C	MAX. 75°C	MAX. 75°C
MAGNIHEALTH* TECHNOLOGY	—	—	—
POLYURETHANE INSULATION	✓	✓	✓
IPX4	✓	✓	✓
POWER SETTING	—	—	—
ELECTRIC SAFETY	✓	✓	✓
PRESSURE SAFETY VALVE	✓	✓	✓
DOUBLE THERMOSTAT	✓	✓	✓
THERMOMETER	—	—	—
EARTHING TERMINAL	✓	✓	✓
SCREW & FISHER	3 PCS	3 PCS	3 PCS
WATER SAFETY VALVE	1 PC	1 PC	1 PC
WATER DRAIN HOSE	1 PC	1 PC	1 PC

	VELOCE - EI 3D V	VELOCE - EI 3D L
PRODUCT DIMENSION	257 X 84 X 387 MM	257 X 84 X 387 MM
PRODUCT WEIGHT	2 KG	2 KG
COLOR	SILVER	BLACK
INSTALLATION	VERTICAL	VERTICAL
WATER OUT FLOW	3.6 L/MIN	3.6 L/MIN
POWER	2400 W	2400 W
WATER PRESSURE RATE	0.02-0.6 MPA	0.02-0.6 MPA
WATER PIPE DIAMETER	0.5 INCH	0.5 INCH
TEMPERATURE	30°C TO 55°C	30°C TO 55°C
IPX5 (SPASH-PROOF)	✓	✓
TEMPERATURE SETTING	✓	✓
ELECTRIC SAFETY	✓	✓
PRESSURE SAFETY VALVE	✓	✓
THERMOSTAT	✓	✓
FISHER	6 PCS	6 PCS
DYNABOLT	6 PCS	6 PCS

	RAPIDO INOX - GI 10 S	RAPIDO INOX - GI 6 S
PRODUCT DIMENSION	320 X 145 X 544 MM	300 X 137 X 440 MM
PRODUCT WEIGHT	9.8 KG	5.5 KG
INSTALLATION	VERTICAL	VERTICAL
WATER PIPE MATERIAL	COPPER	COPPER
WATER OUT FLOW	10 L/MIN	6 L/MIN
GAS INPUT	1.38 KG/HR	0.78 KG/HR
CALORIE	17200.8 KCAL/HR	8600 KCAL/HR
WATER PRESSURE RATE	0.025-0.8 MPA	0.025-0.8 MPA
WATER PIPE DIAMETER	0.5 INCH	0.5 INCH
TEMPERATURE	MAX. 75°C	MAX. 75°C
EXHAUST FAN	30 W	—
FORCE EXHAUST	✓	—
FLAME OUT SAFETY	✓	✓
AUTO SHUT-OFF	✓	✓
THERMOSTAT	✓	✓
OVERHEATING SAFETY	✓	✓
OXYGEN DEPLETION SAFETY	✓	✓
BATTERY	—	2 PCS
FLUE PIPE	1 SET	—
ELBOW	1 SET	1 SET
DYNABOLT	1 PC	2 PCS
BOLT	2 PCS	2 PCS
FISHER	2 PCS	2 PCS

	RAPIDO - GI 6A V	RAPIDO - GI 6 V
PRODUCT DIMENSION	300 X 150 X 500 MM	300 X 120 X 440 MM
PRODUCT WEIGHT	4.6 KG	5 KG
INSTALLATION	VERTICAL	VERTICAL
WATER PIPE MATERIAL	COPPER	COPPER
WATER OUT FLOW	6 L/MIN	6 L/MIN
GAS INPUT	1.38 KG/HR	1 KG/HR
CALORIE	17200.8 KCAL/HR	—
WATER PRESSURE RATE	0.015-0.5 MPA	0.015-0.5 MPA
WATER PIPE DIAMETER	0.5 INCH	0.5 INCH
TEMPERATURE	MAX. 75°C	MAX. 75°C
EXHAUST FAN	—	—
FORCE EXHAUST	—	—
FLAME OUT SAFETY	✓	✓
AUTO SHUT-OFF	—	✓
THERMOSTAT	✓	✓
OVERHEATING SAFETY	✓	✓
OXYGEN DEPLETION SAFETY	—	—
BATTERY	2 PCS	2 PCS
FLUE PIPE	—	—
ELBOW	1 SET	1 SET
DYNABOLT	2 PCS	2 PCS
BOLT	2 PCS	2 PCS
FISHER	2 PCS	2 PCS

ELECTRIC INSTANT



VELOCE - EI 3D V



VELOCE - EI 3D L

GAS INSTANT



RAPIDO INOX - GI 10 S



RAPIDO INOX - GI 6 S



RAPIDO - GI 6A V



RAPIDO - GI 6 V

Vacuum Cleaner



Highlights



Cyclone Suction Technology
Powerful cyclone technology suction for optimal removal of dust and dirt.



5-Layer Filter Technology
A 5-layer filter design ensures optimal dust filtration, resulting in cleaner air.



HEPA Filter
This washable HEPA Filter, efficiently filters out both small and large dirt particles from the air.



Power Controller
Set the motor power level in accordance with the available electricity power and dirt level.



Dust Bag Indicator
Indicates that the dust bag is full and needs to be emptied out.



Wet Suction Function
Effectively clean up liquid or oily grime from any surface.



Dry Suction Function
Cleans stubborn debris on your sofa, carpets and all types of flooring.



Blower
Cleans inaccessible corners and angles by blowing air at high pressure to disperse dust and dirt.



Suction Controller
Control and set the suction power level in accordance with the dirt level of the area to be cleaned.




Auto Cable Rewinder
The automatic cable rewriter retracts the cable, making it easy to tidy up after cleaning.

WET & DRY



PURO - VC 2050



PURO - VC 1500



PURO - VC 1350

CYCLONE



SANO - VC 4315



SANO - VC 4215



SANO - VC 4015

	PURO - VC 2050
PRODUCT DIMENSION	330 X 350 X 480 MM
COLOR	BLUE & BLACK / GRAY
NOZZLE MATERIAL	FIBER
TUBE	STANDARD
DUST CAPACITY	20 L
CABLE LENGTH	4.5 M
NOISE LEVEL	≤ 80 DBA
VACUUM PRESSURE	≥ 16 KPA
POWER	1000 W
DRY SUCTION	✓
WET SUCTION	✓
SUCTION CONTROLLER	✓
BLOWER FUNCTION	—
AUTO CABLE REWINDER	—
OVERLOAD PROTECTION	✓
INLET DUST BAG (CLOTH)	✓
INLET OUTER CYCLONE FILTER	—
INLET INNER CYCLONE FILTER	—
INLET FOAM FILTER	—
INLET NANO FILTER	—
INLET CASSA FILTER	—
OUTLET HEPA FILTER	—
OUTLET CASSA FILTER	✓

	PURO - VC 1500	PURO - VC 1350
PRODUCT DIMENSION	350 X 360 X 390 MM	330 X 320 X 380 MM
COLOR	YELLOW & BLACK / GRAY	GREEN & BLACK / GRAY
NOZZLE MATERIAL	FIBER	FIBER
TUBE	STANDARD	STANDARD
DUST CAPACITY	15 L	13.5 L
CABLE LENGTH	4.5 M	4.5 M
NOISE LEVEL	≤ 86 DBA	≤ 82 DBA
VACUUM PRESSURE	≥ 19.5 KPA	≥ 17 KPA
POWER	1200 W	600 W
DRY SUCTION	✓	✓
WET SUCTION	✓	✓
SUCTION CONTROLLER	✓	✓
BLOWER FUNCTION	✓	—
AUTO CABLE REWINDER	—	—
OVERLOAD PROTECTION	✓	—
INLET DUST BAG (CLOTH)	✓	✓
INLET OUTER CYCLONE FILTER	—	✓
INLET INNER CYCLONE FILTER	—	—
INLET FOAM FILTER	✓	—
INLET NANO FILTER	—	—
INLET CASSA FILTER	✓	✓
OUTLET HEPA FILTER	—	—
OUTLET CASSA FILTER	✓	✓

	SANO - VC 4315	SANO - VC 4215	SANO - VC 4015
PRODUCT DIMENSION	295 X 430 X 360 MM	258 X 385 X 315 MM	275 X 410 X 320 MM
COLOR	ORANGE & WHITE	YELLOW & WHITE	GREEN & WHITE
NOZZLE MATERIAL	METAL	METAL	METAL
TUBE	TELESCOPIC - STAINLESS	TELESCOPIC - STAINLESS	TELESCOPIC - STAINLESS
DUST CAPACITY	1.5 L	1.5 L	1.45 L
CABLE LENGTH	4.5 M	4.5 M	4.5 M
NOISE LEVEL	≤ 69 DBA	≤ 73 DBA	≤ 73 DBA
VACUUM PRESSURE	≥ 20 KPA	≥ 19 KPA	≥ 18 KPA
POWER	1200 W	1200 W	1200 W
DRY SUCTION	✓	✓	✓
WET SUCTION	—	—	—
SUCTION CONTROLLER	✓	✓	✓
BLOWER FUNCTION	—	—	—
AUTO CABLE REWINDER	✓	✓	✓
DUST INDICATOR	✓	✓	✓
OVERLOAD PROTECTION	—	—	✓
INLET DUST BAG (CLOTH)	✓	✓	—
INLET OUTER CYCLONE FILTER	✓	✓	✓
INLET HEPA FILTER	✓	✓	✓
INLET FOAM FILTER	✓	✓	✓
INLET CASSA FILTER	✓	✓	✓
OUTLET HEPA FILTER	✓	—	✓
OUTLET CASSA FILTER	—	✓	—

	ARANCIO - VC 3137	PULITO - VC 3013
PRODUCT DIMENSION	444 X 289 X 226 MM	290 X 390 X 225 MM
COLOR	ORANGE	ORANGE & WHITE
NOZZLE MATERIAL	METAL	METAL
TUBE	TELESCOPIC - STAINLESS	TELESCOPIC - STAINLESS
DUST CAPACITY	3 L	1.6 L
CABLE LENGTH	4.5 M	4.5 M
NOISE LEVEL	≤ 69 DBA	≤ 65 DBA
VACUUM PRESSURE	≥ 19 KPA	≥ 22 KPA
POWER	450-1200 W	450-1200 W
DRY SUCTION	✓	✓
SUCTION CONTROLLER	✓	✓
AUTO CABLE REWINDER	✓	✓
POWER CONTROLLER	✓	✓
DUST INDICATOR	✓	✓
OVERLOAD PROTECTION	✓	✓
INLET DUST BAG (CLOTH)	✓	✓
INLET HEPA FILTER	✓	✓
INLET FOAM FILTER	✓	✓
INLET CASSA FILTER	✓	✓
OUTLET HEPA FILTER	✓	✓

	PULITO - VC 2313	PULITO - VC 2313 U	PULITO - VC 2313 N
PRODUCT DIMENSION	240 X 340 X 200 MM	240 X 340 X 200 MM	240 X 340 X 200 MM
COLOR	YELLOW & WHITE	BLUE & WHITE	GREEN & WHITE
NOZZLE MATERIAL	FIBER	FIBER	FIBER
TUBE	STANDARD	STANDARD	STANDARD
DUST CAPACITY	1.1 L	1.1 L	1.1 L
CABLE LENGTH	4.5 M	4.5 M	4.5 M
NOISE LEVEL	≤ 76 DBA	≤ 76 DBA	≤ 76 DBA
VACUUM PRESSURE	≥ 18 KPA	≥ 18 KPA	≥ 18 KPA
POWER	400-1000 W	400-1000 W	400-1000 W
DRY SUCTION	✓	✓	✓
SUCTION CONTROLLER	✓	✓	✓
AUTO CABLE REWINDER	✓	✓	✓
POWER CONTROLLER	✓	✓	✓
DUST INDICATOR	✓	✓	✓
OVERLOAD PROTECTION	✓	✓	✓
INLET DUST BAG (CLOTH)	✓	✓	✓
INLET CASSA FILTER	✓	✓	✓
OUTLET CASSA FILTER	✓	✓	✓

	CB 7012	CB 1121 CB 1111	IF 3012
USABLE FOR	VC 1500	VC 3013 VC 2313	VC 1350 & VC 1500
CAPACITY	7 L	1.6 L 1.1 L	7 L
QUANTITY	2	4	2

DRY



ARANCIO - VC 3137



PULITO - VC 3013



PULITO - VC 2313



PULITO - VC 2313 U



PULITO - VC 2313 N

DUST BAGS



CB 7012



CB 1121
CB 1111



IF 3012

Professional Equipment



Professional Cooking



Highlights



Full Stainless Steel
The entire surface of the unit is made of stainless steel, for long-lasting and durable usage.



Gas Safety Device
Each burner is fitted with a thermocouple safety sensor that automatically shuts off the gas flow as soon as the burner flame is extinguished.




Pilot Flame
The small pilot flame is always on standby to quickly ignite the cooker.



Oil Tray
The oil tray effectively catches oil drips from the cooking process, making it easier to clean the cooker.



Gas Nozzle Alternative
Accommodates two nozzle heads for LPG and LNG.



Adjustable Height
Adjustable height for added comfort and convenience.



Adjustable Temperature
Adjustable temperature to ensure faster, more efficient cooking.



Adjustable Heat Source Distance
Allows for height adjustment from heat source for better cooking result.



Adjustable Slice Thickness
Allows you to adjust the thickness of meat being sliced to your desired measurement.



Wind-Proof Design
Maintains constant flame output untampered by wind disturbance.



Direct-Fire Cooking
This direct heating system conveniently shortens the time needed to produce a fully cooked pot of rice.



Aluminum Die Cast Burner & Inner Pot
The burner and inner pot are made of strong, long lasting aluminum, which has the added benefit of being easy to clean.

BURNER GAS RANGE WITH OVEN



GR 7060GO



GR 7740GO

	GR 7060GO	GR 7740GO
PRODUCT DIMENSION	1050 X 700 X 850+70 MM	700 X 700 X 850+70 MM
PRODUCT WEIGHT	155 KG	117 KG
MATERIAL	STAINLESS STEEL	STAINLESS STEEL
ENERGY SOURCE	LPG OR NG	LPG OR NG
LPG PRESSURE	2,800-3,700 PA	2,800-3,700 PA
LPG CONSUMPTION	2.57 KG/HR	1.54 KG/HR
NG PRESSURE	2,000-2,500 PA	2,000-2,500 PA
NG CONSUMPTION	3.45 M³/HR	2.07 M³/HR
QUANTITY OF BURNER	6	4
BURNER POWER	3X3.5 & 3X4.5 KW/BTU	2X3.5 & 2X4.5 KW/BTU
GAS SAFETY TECHNOLOGY	✓	✓
PILOT FLAME	✓	✓
PIEZOELECTRIC IGNITER	✓	✓
CAST IRON GRID	✓	✓
OVEN POWER	5.8 KW/BTU	5.8 KW/BTU
OVEN TEMPERATURE RANGE	120°C TO 330°C	120°C TO 330°C
GAS INLET	R1 3/4"	R1 3/4"
OVEN CHAMBER SIZE	560 X 600 X 270 MM	560 X 600 X 270 MM
STAINLESS RACK	1 PC	1 PC
ADJUSTABLE FEET	✓	✓

GAS FRY TOP



FT 6930G



FT 6620G

	FT 6930G	FT 6620G
PRODUCT DIMENSION	900 X 660 X 400 MM	600 X 660 X 400 MM
PRODUCT WEIGHT	80 KG	52 KG
MATERIAL	STAINLESS STEEL	STAINLESS STEEL
POWER	75,000 BTU/HR	50,000 BTU/HR
ENERGY SOURCE	LPG OR NG	LPG OR NG
QUANTITY OF BURNER	3	2
CRUMB / OIL TRAY	✓	✓
FEET	✓	✓

GAS CHAR-GRILL TOP



GT 6930GC



GT 6620GC

	GT 6930GC	GT 6620GC
PRODUCT DIMENSION	900 X 660 X 400 MM	600 X 660 X 400 MM
PRODUCT WEIGHT	74 KG	54 KG
MATERIAL	STAINLESS STEEL	STAINLESS STEEL
POWER	75,000 BTU/HR	50,000 BTU/HR
ENERGY SOURCE	LPG OR NG	LPG OR NG
QUANTITY OF BURNER	3	2
CRUMB / OIL TRAY	✓	✓
CAST IRON GRID	✓	✓
FEET	✓	✓

	CT 7960G	CT 7640G
PRODUCT DIMENSION	900 X 770 X 360+60 MM	600 X 770 X 360+60 MM
PRODUCT WEIGHT	84 KG	59 KG
MATERIAL	STAINLESS STEEL	STAINLESS STEEL
POWER	46.6/159,000 KW/BTU	25.2/86,000 KW/BTU
ENERGY SOURCE	LPG OR NG	LPG OR NG
QUANTITY OF BURNER	6	4
PILOT FLAME	✓	✓
OIL TRAY	✓	✓
CAST IRON GRID	✓	✓
FEET	✓	✓

	CO 5512E
MAIN FUNCTION	ELECTRIC OVEN CONVECTION
PRODUCT DIMENSION	565 X 545 X 595 MM
PRODUCT WEIGHT	36 KG
COLOR	BLACK
CAPACITY	58 LITERS
AMOUNT OF TRAY SLOT	4
AMOUNT OF TRAY INCLUDED	2
TEMPERATURE	UP TO 280°C
CONVECTION POWER	2500 W
GRILL	700 W
UPPER HEATER	1700 W
LOWER HEATER	1400 W
VOLTAGE	230 V - 1 N; 50/60 HZ
MOTOR	1 X 20 W
CHAMBER LIGHT	1 X 15 W
CONTROL SYSTEM	MECHANICAL PANEL
INSULATION	CLASS 1
TIMER	UP TO 60 MINS
ADJUSTABLE FEET	✓
TWIN FLAME	✓

	FF 4210ES	FF 4520ED	FF 4520ES
PRODUCT DIMENSION	290 X 460 X 310 MM	580 X 460 X 310 MM	550 X 460 X 310 MM
PRODUCT WEIGHT	4.6 KG	9 KG	9 KG
MATERIAL	STAINLESS STEEL	STAINLESS STEEL	STAINLESS STEEL
CAPACITY	5.5 L	2 X 5.5 L	11 L
POWER	2.5 KW	2 X 2.5 KW	2 X 2.5 KW
VOLTAGE	220-240 V	220-240 V	220-240 V
BURNER POWER	2.5 KW	2 X 2.5 KW	5 KW
QUANTITY OF BURNER	1	2	2
QUANTITY OF TANK	1	2	1

BURNER GAS TOP



CT 7960G



CT 7640G

CONVECTION OVEN



CO 5512E

ELECTRIC FRYER



FF 4210ES



FF 4520ED



FF 4520ES

MEAT SLICER & GRINDER



SL 1950E



SL 2200E



SL 2500E



SL 2750E



SL 3000E



GM 2400E

	SL 1950E	SL 2200E
PRODUCT DIMENSION	510 X 430 X 330 MM	530 X 430 X 360 MM
PRODUCT WEIGHT	10.5 KG	14.8 KG
MATERIAL	STAINLESS STEEL	STAINLESS STEEL
BLADE DIAMETER	Ø 195 MM	Ø 220 MM
POWER	150 W	240 W

	SL 2500E	SL 2750E
PRODUCT DIMENSION	520 X 430 X 380 MM	520 X 430 X 400 MM
PRODUCT WEIGHT	15.2 KG	16.5 KG
MATERIAL	STAINLESS STEEL	STAINLESS STEEL
BLADE DIAMETER	Ø 250 MM	Ø 275 MM
POWER	240 W	240 W

	SL 3000E	GM 2400E
PRODUCT DIMENSION	650 X 490 X 450 MM	460 X 230 X 370 MM
PRODUCT WEIGHT	21.3 KG	13.5 KG
MATERIAL	STAINLESS STEEL	STAINLESS STEEL
BLADE DIAMETER	Ø 300 MM	—
POWER	380 W	260 W

	SA 4640E
PRODUCT DIMENSION	600 X 450 X 500 MM
PRODUCT WEIGHT	49 KG
POWER	4,000 W
TEMPERATURE RANGE	50°C TO 300°C
HEAT ZONE	590 X 320 MM
UP & DOWN TRAVEL	0-140 MM
CRUMB / OIL TRAY	✓
THERMOSTAT	✓

ELECTRIC SALAMANDER



GAS RICE COOKER

	CR 1001G	WR 1001E
PRODUCT DIMENSION	530 X 480 X 450 MM	480 X 410 X 400 MM
PRODUCT WEIGHT	14.7 KG	13 KG
INNER POT MATERIAL	ALUMINUM DIE CAST	ALUMINUM
BODY MATERIAL	METAL	STAINLESS STEEL
BURNER MATERIAL	ALUMINUM DIE CAST	—
CAPACITY	10 L	20 L
FIXED HOT LOAD	7.8 W	—
POWER	—	105 W
ENERGY SOURCE	LPG OR NG	ELECTRIC
LPG PRESSURE	2.8 KPA	—
LPG CONSUMPTION	MAX. 0.22 KG/COOKING	—
NG PRESSURE	2.8 KPA	—
NG CONSUMPTION	MAX. 0.21 M³/COOKING	—
THERMOSTAT	✓	—
WIND-PROOF DESIGN	✓	—
NON-STICK COATED INNER POT	—	✓

ELECTRIC RICE WARMER



ELECTRIC CONVEYOR TOASTER



ELECTRIC SLICE TOASTER



Professional Cooling



Highlights



Hot Air Blowing
To ensure that display items stay clearly visible, hot air flows from the compressor to the showcase door, preventing condensation from forming on the glass.



Shield+ Protection
A protective film prevents absorption of external heat and protects the door glass against damage from impact.



LED Light
Optimal LED illumination automatically turns on when the showcase door is opened, and turns off when the door closes.



Power Duo (Freezing - Cooling)
Double function thermostat to cool and freeze simultaneously.



Temperature Display
Sleek display for easy maintenance and adjustment.



Defrosting Hole
Thoughtful placement of defrosting hole allows for faster water drainage.



Strong Castors with Brake
Strong castor wheels are able to support a great deal of weight, making it easy to move the showcase while stoppers on the front wheels add stability.




Heavy Duty Compressor
A top-of-the-line compressor ensures reliable cooling for a low, stable temperature.



Fan Cooling System
A fan cooling system blows cold air evenly to all corners of the cabinet, preventing frost from forming.



Active Deodorizer
Neutralizes unpleasant odors and allows food to stay fresh.



Strong Basket
Durable portable basket that accommodates various sizes.



Aluminum Inside with Curve Angle
Rust resistant interior with an angled curve for easy cleaning.



Ventilated Cooling System
The ventilation system evenly distributes cold air for rapid and even cooling, resulting in a stable temperature to preserve food or beverage quality.



Removable Compressor
The removable compressor makes periodic maintenance much easier.



Self-Closing Door
The door closes automatically to prevent loss of cold air, maintaining a stable temperature and preserving items inside in a good condition.



Automatic Defrost (No Frost)
The automatic defrost feature prevents frost from piling up and eliminates the need for tedious manual cleaning.



Professional Compressor
Our refrigerator performance is powered by a professional standard, high quality compressor capable of maintaining a stable cold temperature.



Self-Evaporation
Automatically evaporates condensed water to prevent puddles from forming under the refrigerator.



Smart Sensor
The smart sensor adjusts the compressor performance according to the quantity of items inside the fridge, resulting in an efficient energy usage.



Digital Display
A digital panel screen displays the refrigerator temperature, for ease of setting the desired temperature.



Replaceable Magnetic Gasket
The door gasket can be easily taken off for periodic maintenance and cleaning, in order to prevent bacteria and dirt from building up between the door and the gasket.



Food Grade Material
Premium food-grade 304 stainless steel material is proven to be safe and durable for the food and drinks stored inside.



4 Wheels with Lock
Easy to move thanks to four sturdy wheels, while stoppers on the front two wheels ensure that the unit remain intact when stationary.



Stirring System
The stirring system prevents lumps in the dispenser process, for evenly blended drinks and smoothies.

CHEST FREEZER



CONSERVA - MD 95



CONSERVA - MD 75



CONSERVA - MD 60



CONSERVA - MD 45



CONSERVA - MD 30



CONSERVA - MD 20 A
CONSERVA - MD 15
CONSERVA - MD 10



CONSERVA - MD 130 W

	CONSERVA - MD 95	CONSERVA - MD 75	CONSERVA - MD 60
PRODUCT DIMENSION	1980 X 1050 X 930 MM	1950 X 870 X 830 MM	1680 X 750 X 830 MM
COLOR	SILVER PCM	SILVER PCM	SILVER PCM
CAPACITY	950 L	750 L	560 L
POWER	600 W	360 W	310 W
TEMPERATURE	-25°C	-25°C	-25°C
HEAVY DUTY COMPRESSOR	2 PCS	1 PC	1 PC
FREEZER CAPACITY	48 KG / 24 HRS	45 KG / 24 HRS	38 KG / 24 HRS
REFRIGERANT TYPE	R134A	R134A	R134A
NUMBER OF DOOR	2 DOORS	2 DOORS	2 DOORS
POWER DUO COOLING SYSTEM	✓	✓	✓
ECO ENERGY SYSTEM	✓	✓	✓
ADJUSTABLE THERMOSTAT	✓	✓	✓
DIGITAL THERMOMETER	✓	—	—
DEFROSTING HOLE	✓	✓	✓
STYLISH HANDLE WITH KEY	✓	✓	✓
STURDY WHEEL	✓	✓	✓
ACTIVE DEODORIZER	✓	✓	✓
LED LIGHT	✓	✓	✓
STRONG BASKET	5 PCS	5 PCS	4 PCS

	CONSERVA - MD 45	CONSERVA - MD 30	CONSERVA - MD 20A CONSERVA - MD 15 CONSERVA - MD 10
PRODUCT DIMENSION	1360 X 750 X 830 MM	1160 X 680 X 830 MM	1010 X 610 X 830 MM 820 X 600 X 830 MM 630 X 600 X 830 MM
COLOR	SILVER PCM	SILVER PCM	SILVER PCM
CAPACITY	430 L	300 L	205 L 155 L 100 L
POWER	220 W	275 W	155 W 125 W 120 W
TEMPERATURE	-25°C	-25°C	-25°C
HEAVY DUTY COMPRESSOR	1 PC	1 PC	1 PC
FREEZER CAPACITY	26 KG / 24 HRS	17 KG / 24 HRS	12 KG / 24 HRS 8 KG / 24 HRS 6 KG / 24 HRS
REFRIGERANT TYPE	R134A	R134A	R134A
NUMBER OF DOOR	2 DOORS	1 DOOR	1 DOOR
POWER DUO COOLING SYSTEM	✓	✓	✓
ECO ENERGY SYSTEM	✓	✓	✓
ADJUSTABLE THERMOSTAT	✓	✓	✓
DIGITAL THERMOMETER	—	—	—
DEFROSTING HOLE	✓	✓	✓
STYLISH HANDLE WITH KEY	✓	✓	✓
STURDY WHEEL	✓	✓	✓
ACTIVE DEODORIZER	✓	✓	✓
LED LIGHT	✓	✓	—
STRONG BASKET	4 PCS	3 PCS	1 PC

	CONSERVA - MD 130 W
PRODUCT DIMENSION	2650 X 960 X 908 MM
COLOR	WHITE
CAPACITY	1300 L
POWER	536 W
TEMPERATURE	-25°C
HEAVY DUTY COMPRESSOR	2 PCS
FREEZER CAPACITY	72 KG / 24 HRS
REFRIGERANT TYPE	R134A
NUMBER OF DOOR	3 DOORS
POWER DUO COOLING SYSTEM	✓
ECO ENERGY SYSTEM	✓
ADJUSTABLE THERMOSTAT	✓
DIGITAL THERMOMETER	✓
DEFROSTING HOLE	✓
STYLISH HANDLE WITH KEY	✓
STURDY WHEEL	✓
ACTIVE DEODORIZER	—
LED LIGHT	—
STRONG BASKET	2 PCS

	CONSERVA - MD 65 W CONSERVA - MD 37 W	CONSERVA - MD 20 W CONSERVA - MD 10 W
PRODUCT DIMENSION	1930 X 670 X 825 MM 1256 X 670 X 825 MM	1010 X 610 X 830 MM 630 X 545 X 830 MM
COLOR	WHITE	WHITE
CAPACITY	650 L 370 L	205 L 100 L
POWER	268 W 183 W	155 W 120 W
TEMPERATURE	-25°C	-25°C -25°C
HEAVY DUTY COMPRESSOR	1 PC	1 PC
FREEZER CAPACITY	36 KG / 24 HRS 21 KG / 24 HRS	12 KG / 24 HRS 6 KG / 24 HRS
REFRIGERANT TYPE	R134A	R134A
NUMBER OF DOOR	2 DOORS	1 DOOR
POWER DUO COOLING SYSTEM	✓	✓
ECO ENERGY SYSTEM	✓	✓
ADJUSTABLE THERMOSTAT	✓	✓
DEFROSTING HOLE	✓	✓
STYLISH HANDLE WITH KEY	✓	—
STURDY WHEEL	✓	✓
ACTIVE DEODORIZER	—	—
LED LIGHT	—	—
STRONG BASKET	1 PC	1 PC

	CONSERVA - MD 62 WH CONSERVA - MD 52 WH	CONSERVA - 36 WH CONSERVA - 30 WH	CONSERVA - MD 20 WH CONSERVA - MD 15 WH CONSERVA - MD 10 WH
PRODUCT DIMENSION	1663 X 740 X 845 MM 1412 X 740 X 845 MM	1150 X 740 X 845 MM 1120 X 688 X 835 MM	996 X 565 X 835 MM 822 X 565 X 835 MM 632 X 565 X 835 MM
COLOR	WHITE	WHITE	WHITE
CAPACITY	600 L 520 L	360 L 300 L	200 L 150 L 100 L
POWER	280 W 270 W	210 W 165 W	160 W 123 W 120 W
TEMPERATURE	-20°C	-20°C -25°C	-25°C -25°C
HEAVY DUTY COMPRESSOR	1 PC	1 PC	1 PC
FREEZER CAPACITY	30 KG / 24 HRS 25 KG / 24 HRS	20 KG / 24 HRS 17 KG / 24 HRS	12 KG / 24 HRS 8 KG / 24 HRS 6 KG / 24 HRS
REFRIGERANT TYPE	R134A	R134A	R134A
NUMBER OF DOOR	2 DOORS	1 DOOR	1 DOOR
POWER DUO COOLING SYSTEM	✓	✓	✓
ECO ENERGY SYSTEM	✓	✓	✓
ADJUSTABLE THERMOSTAT	✓	✓	✓
DEFROSTING HOLE	✓	✓	✓
STYLISH HANDLE WITH KEY	✓	✓	—
STURDY WHEEL	✓	✓	✓
ACTIVE DEODORIZER	—	—	—
LED LIGHT	—	—	—
STRONG BASKET	1 PC	1 PC	1 PC

	CONSERVA - MC 30	CONSERVA - MC 23
PRODUCT DIMENSION	1240 X 600 X 870 MM	1030 X 600 X 870 MM
COLOR	WHITE	WHITE
CAPACITY	300 L	230 L
POWER	210 W	210 W
TEMPERATURE	-25°C	-25°C
HEAVY DUTY COMPRESSOR	1 PC	1 PC
FREEZER CAPACITY	17 KG / 24 HRS	12 KG / 24 HRS
REFRIGERANT TYPE	R134A	R134A
NUMBER OF DOOR	1 DOOR	1 DOOR
POWER DUO COOLING SYSTEM	✓	✓
ECO ENERGY SYSTEM	✓	✓
ADJUSTABLE THERMOSTAT	✓	✓
DEFROSTING HOLE	✓	✓
STYLISH HANDLE WITH KEY	—	—
STURDY WHEEL	✓	✓
ACTIVE DEODORIZER	—	—
LED LIGHT	—	—
STRONG BASKET	4 PCS	3 PCS



SLIDING CURVE GLASS FREEZER



SHOWCASE COOLER



FINESTRA - SC 2201 L



CELSO - SC 2071 L



FINESTRA - SC 2920



FINESTRA - SC 2801 L



FINESTRA - SC 2691 L

	FINESTRA - SC 2201 L
PRODUCT DIMENSION	1330 X 720 X 2023 MM
COLOR	BLACK
CAPACITY	1200 L
POWER	500 W
TEMPERATURE	0°C TO 10°C
REFRIGERANT TYPE	R134A
2-LAYER GLASS DOOR	2 DOORS
FROST FREE TECHNOLOGY	✓
FAN COOLING SYSTEM	✓
ECO ENERGY SYSTEM	✓
ADJUSTABLE THERMOSTAT	✓
TEMPERATURE DISPLAY	✓
HOT AIR BLOWING	✓
MOVABLE STRONG SHELVES	✓
SELF-EVAPORATION	✓
INTERIOR LIGHT	✓
HANDLE WITH KEY	✓
STURDY WHEELS	✓
LIGHT BOX	✓
SHELVES	10 PCS

	CELSO - SC 2071 L	FINESTRA - SC 2920
PRODUCT DIMENSION	1130 X 720 X 2023 MM	1250 X 680 X 2081 MM
COLOR	WHITE & BLACK	BLACK
CAPACITY	1000 L	910 L
POWER	750 W	480 W
TEMPERATURE	0°C TO 10°C	0°C TO 10°C
REFRIGERANT TYPE	R134A	R134A
2-LAYER GLASS DOOR	2 DOORS	2 DOORS
DIRECT COOLING TECHNOLOGY	—	✓
FROST FREE TECHNOLOGY	✓	—
FAN COOLING SYSTEM	✓	✓
ECO ENERGY SYSTEM	✓	✓
ADJUSTABLE THERMOSTAT	✓	✓
TEMPERATURE DISPLAY	✓	✓
HOT AIR BLOWING	✓	✓
MOVABLE STRONG SHELVES	✓	✓
SELF-EVAPORATION	✓	✓
INTERIOR LIGHT	✓	✓
HANDLE WITH KEY	✓	✓
STURDY WHEELS	✓	✓
LIGHT BOX	✓	✓
SHELVES	10 PCS	8 PCS

	FINESTRA - SC 2801 L	FINESTRA - SC 2691 L
PRODUCT DIMENSION	1000 X 720 X 2020 MM	1120 X 585 X 1900 MM
COLOR	BLACK	BLACK
CAPACITY	800 L	690 L
POWER	575 W	450 W
TEMPERATURE	0°C TO 10°C	0°C TO 10°C
REFRIGERANT TYPE	R134A	R134A
2-LAYER GLASS DOOR	2 DOORS	2 DOORS
FROST FREE TECHNOLOGY	✓	✓
FAN COOLING SYSTEM	✓	✓
ECO ENERGY SYSTEM	✓	✓
ADJUSTABLE THERMOSTAT	✓	✓
TEMPERATURE DISPLAY	✓	✓
HOT AIR BLOWING	✓	✓
MOVABLE STRONG SHELVES	✓	✓
SELF-EVAPORATION	✓	✓
INTERIOR LIGHT	✓	✓
HANDLE WITH KEY	✓	✓
STURDY WHEELS	✓	✓
LIGHT BOX	✓	✓
SHELVES	10 PCS	5 PCS

	CEL SO - SC 1431 L
PRODUCT DIMENSION	606 X 620 X 2000 MM
COLOR	WHITE & BLACK
CAPACITY	430 L
POWER	430 W
TEMPERATURE	0°C TO 10°C
REFRIGERANT TYPE	R134A
2-LAYER GLASS DOOR	1 DOOR
FROST FREE TECHNOLOGY	✓
FAN COOLING SYSTEM	✓
ECO ENERGY SYSTEM	✓
ADJUSTABLE THERMOSTAT	✓
HOT AIR BLOWING	✓
SELF-EVAPORATION	✓
INTERIOR LIGHT	✓
HANDLE WITH KEY	✓
STURDY WHEELS	✓
LIGHT BOX	✓
SHELVES	5 PCS

	FINESTRA - SC 1351 FINESTRA - SC 1301	FINESTRA - SC 1281 FINESTRA - SC 1260 FINESTRA - SC 1200
PRODUCT DIMENSION	615 X 590 X 1985 MM 615 X 595 X 1800 MM	575 X 595 X 1800 MM 540 X 520 X 1750 MM 540 X 520 X 1570 MM
COLOR	BLACK	BLACK
CAPACITY	350 L 300 L	280 L 260 L 200 L
POWER	225 W 225 W	210 W 200 W 200 W
TEMPERATURE	0°C TO 10°C	0°C TO 10°C
REFRIGERANT TYPE	R134A	R134A
2-LAYER GLASS DOOR	1 DOOR	1 DOOR
DIRECT COOLING TECHNOLOGY	✓	✓
FAN COOLING SYSTEM	✓	✓
ECO ENERGY SYSTEM	✓	✓
ADJUSTABLE THERMOSTAT	✓	✓
HOT AIR BLOWING	✓	✓
SELF-EVAPORATION	✓	✓
INTERIOR LIGHT	✓	✓
HANDLE WITH KEY	✓	✓
STURDY WHEELS	✓	✓
LIGHT BOX	✓	✓
SHELVES	4 PCS	4 PCS

	FINESTRA - SC 1180 FINESTRA - SC 1150 FINESTRA - SC 1130	VETRINA - VM 1385 VETRINA - VM 1285
PRODUCT DIMENSION	495 X 515 X 1400 MM 495 X 515 X 1280 MM 495 X 515 X 1160 MM	615 X 590 X 1945 MM 575 X 590 X 1665 MM
COLOR	BLACK	GRAY
CAPACITY	180 L 150 L 130 L	380 L 280 L
POWER	110 W 110 W 110 W	268 W 225 W
TEMPERATURE	0°C TO 10°C	0°C TO 10°C
REFRIGERANT TYPE	R134A	R134A
2-LAYER GLASS DOOR	1 DOOR	1 DOOR
DIRECT COOLING TECHNOLOGY	✓	—
FROST FREE TECHNOLOGY	✓	✓
FAN COOLING SYSTEM	✓	✓
ECO ENERGY SYSTEM	✓	✓
ADJUSTABLE THERMOSTAT	✓	✓
HOT AIR BLOWING	✓	✓
SELF-EVAPORATION	✓	✓
INTERIOR LIGHT	✓	✓
HANDLE WITH KEY	✓	✓
STURDY WHEELS	✓	✓
SHELVES	4 PCS	4 PCS



CEL SO - SC 1431 L



FINESTRA - SC 1351
FINESTRA - SC 1301



FINESTRA - SC 1281
FINESTRA - SC 1260
FINESTRA - SC 1200



FINESTRA - SC 1180
FINESTRA - SC 1150
FINESTRA - SC 1130



VETRINA - VM 1385
VETRINA - VM 1285

COUNTER FREEZER (CF) & CHILLER (CC)



CF 3180
CC 3180



CF 2130
CC 2130



CC 3221



CC 2121

	CF 3180
	CC 3180
PRODUCT DIMENSION	1795 X 700 X 860 MM
INTERNAL DIMENSION	1230 X 580 X 560 MM
INTERIOR MATERIAL	STAINLESS STEEL 304
EXTERIOR MATERIAL	STAINLESS STEEL 304
CAPACITY	465 L
POWER	750 W
	350 W
VOLTAGE	230 V / 50 HZ
TEMPERATURE	-10°C TO -20°C
	-2°C TO 10°C
DOORS	3 DOORS
DRAWERS	—
REMOVABLE SHELVES	3 SHELVES
VENTILATED COOLING SYSTEM	✓
AUTOMATIC DEFROST	✓
ELECTRONIC THERMOSTAT	✓
LED TEMPERATURE DISPLAY	✓
SELF-CLOSING DOOR	✓
REPLACEABLE GASKET	✓
SELF-EVAPORATION	✓
ADJUSTABLE FEET	✓
LOCK & KEY	✓
INTERIOR LAMP	—

	CF 2130
	CC 2130
PRODUCT DIMENSION	1360 X 700 X 860 MM
INTERNAL DIMENSION	795 X 580 X 560 MM
INTERIOR MATERIAL	STAINLESS STEEL 304
EXTERIOR MATERIAL	STAINLESS STEEL 304
CAPACITY	314 L
POWER	750 W
	350 W
VOLTAGE	230 V / 50 HZ
TEMPERATURE	-10°C TO -20°C
	-2°C TO 10°C
DOORS	2 DOORS
DRAWERS	—
REMOVABLE SHELVES	2 SHELVES
VENTILATED COOLING SYSTEM	✓
AUTOMATIC DEFROST	✓
ELECTRONIC THERMOSTAT	✓
LED TEMPERATURE DISPLAY	✓
SELF-CLOSING DOOR	✓
REPLACEABLE GASKET	✓
SELF-EVAPORATION	✓
ADJUSTABLE FEET	✓
LOCK & KEY	✓
INTERIOR LAMP	—

	CC 3221	CC 2121
PRODUCT DIMENSION	1795 X 700 X 860 MM	1360 X 700 X 860 MM
INTERNAL DIMENSION	1230 X 580 X 560 MM	795 X 580 X 560 MM
INTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
EXTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
CAPACITY	465 L	314 L
POWER	350 W	350 W
VOLTAGE	230 V / 50 HZ	230 V / 50 HZ
TEMPERATURE	-2°C TO 10°C	-2°C TO 10°C
DOORS	2 DOORS	1 DOOR
DRAWERS	2 DRAWERS	2 DRAWERS
REMOVABLE SHELVES	2 SHELVES	1 SHELF
VENTILATED COOLING SYSTEM	✓	✓
AUTOMATIC DEFROST	✓	✓
ELECTRONIC THERMOSTAT	✓	✓
LED TEMPERATURE DISPLAY	✓	✓
SELF-CLOSING DOOR	✓	✓
REPLACEABLE GASKET	✓	✓
SELF-EVAPORATION	✓	✓
ADJUSTABLE FEET	✓	✓
LOCK & KEY	✓	✓
INTERIOR LAMP	—	—

	CC 3141	CC 2041
PRODUCT DIMENSION	1795 X 700 X 860 MM	1360 X 700 X 860 MM
INTERNAL DIMENSION	1230 X 580 X 560 MM	795 X 580 X 560 MM
INTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
EXTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
CAPACITY	465 L	314 L
POWER	350 W	350 W
VOLTAGE	230 V / 50 HZ	230 V / 50 HZ
TEMPERATURE	-2°C TO 10°C	-2°C TO 10°C
DOORS	1 DOOR	—
DRAWERS	4 DRAWERS	4 DRAWERS
REMOVABLE SHELVES	1 SHELF	—
VENTILATED COOLING SYSTEM	✓	✓
AUTOMATIC DEFROST	✓	✓
ELECTRONIC THERMOSTAT	✓	✓
LED TEMPERATURE DISPLAY	✓	✓
SELF-CLOSING DOOR	✓	—
REPLACEABLE GASKET	✓	✓
SELF-EVAPORATION	✓	✓
ADJUSTABLE FEET	✓	✓
LOCK & KEY	✓	✓
INTERIOR LAMP	—	—

	CC 3231	CC 2131
PRODUCT DIMENSION	1795 X 700 X 860 MM	1360 X 700 X 860 MM
INTERNAL DIMENSION	1230 X 580 X 560 MM	795 X 580 X 560 MM
INTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
EXTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
CAPACITY	465 L	314 L
POWER	350 W	350 W
VOLTAGE	230 V / 50 HZ	230 V / 50 HZ
TEMPERATURE	-2°C TO 10°C	-2°C TO 10°C
DOORS	2 DOORS	1 DOOR
DRAWERS	3 DRAWERS	3 DRAWERS
REMOVABLE SHELVES	2 SHELVES	1 SHELF
VENTILATED COOLING SYSTEM	✓	✓
AUTOMATIC DEFROST	✓	✓
ELECTRONIC THERMOSTAT	✓	✓
LED TEMPERATURE DISPLAY	✓	✓
SELF-CLOSING DOOR	✓	✓
REPLACEABLE GASKET	✓	✓
SELF-EVAPORATION	✓	✓
ADJUSTABLE FEET	✓	✓
LOCK & KEY	✓	✓
INTERIOR LAMP	—	—

	CG 3180	CG 2130
PRODUCT DIMENSION	1795 X 700 X 860 MM	1360 X 700 X 860 MM
INTERNAL DIMENSION	1230 X 580 X 560 MM	795 X 580 X 560 MM
INTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
EXTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
CAPACITY	465 L	314 L
POWER	350 W	350 W
VOLTAGE	230 V / 50 HZ	230 V / 50 HZ
TEMPERATURE	-2°C TO 10°C	-2°C TO 10°C
DOORS	3 GLASS DOORS	2 GLASS DOORS
DRAWERS	—	—
REMOVABLE SHELVES	3 SHELVES	2 SHELVES
VENTILATED COOLING SYSTEM	✓	✓
AUTOMATIC DEFROST	✓	✓
ELECTRONIC THERMOSTAT	✓	✓
LED TEMPERATURE DISPLAY	✓	✓
SELF-CLOSING DOOR	✓	✓
REPLACEABLE GASKET	✓	✓
SELF-EVAPORATION	✓	✓
ADJUSTABLE FEET	✓	✓
LOCK & KEY	✓	✓
INTERIOR LAMP	✓	✓



GLASS DOOR COUNTER CHILLER



UNDER COUNTER CHILLER



CU 3300



CU 2200



CU 3061



CU 2041



CU 3001DC



CU 2001DB

	CU 3300	CU 2200
PRODUCT DIMENSION	1795 X 700 X 650 MM	1360 X 700 X 650 MM
INTERNAL DIMENSION	1230 X 580 X 340 MM	795 X 580 X 340 MM
INTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
EXTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
CAPACITY	317 LITERS	214 LITERS
POWER	350 W	350 W
VOLTAGE	230 V / 50 HZ	230 V / 50 HZ
TEMPERATURE	-2°C TO 10°C	-2°C TO 10°C
DOORS	3 DOORS	2 DOORS
DRAWERS	—	—
REMOVABLE SHELVES	3 SHELVES	2 SHELVES
VENTILATED COOLING SYSTEM	✓	✓
AUTOMATIC DEFROST	✓	✓
ELECTRONIC THERMOSTAT	✓	✓
LED TEMPERATURE DISPLAY	✓	✓
SELF-CLOSING DOOR	✓	✓
REPLACEABLE GASKET	✓	✓
SELF-EVAPORATION	✓	✓
ADJUSTABLE FEET	✓	✓
LOCK & KEY	✓	✓
INTERIOR LAMP	—	—

	CU 3061	CU 2041
PRODUCT DIMENSION	1795 X 700 X 650 MM	1360 X 700 X 650 MM
INTERNAL DIMENSION	1230 X 580 X 340 MM	795 X 580 X 340 MM
INTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
EXTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
CAPACITY	317 LITERS	214 LITERS
POWER	350 W	350 W
VOLTAGE	230 V / 50 HZ	230 V / 50 HZ
TEMPERATURE	-2°C TO 10°C	-2°C TO 10°C
DOORS	—	—
DRAWERS	6 DRAWERS	4 DRAWERS
REMOVABLE SHELVES	—	—
VENTILATED COOLING SYSTEM	✓	✓
AUTOMATIC DEFROST	✓	✓
ELECTRONIC THERMOSTAT	✓	✓
LED TEMPERATURE DISPLAY	✓	✓
SELF-CLOSING DOOR	—	—
REPLACEABLE GASKET	✓	✓
SELF-EVAPORATION	✓	✓
ADJUSTABLE FEET	✓	✓
LOCK & KEY	✓	✓
INTERIOR LAMP	—	—

	CU 3001DC	CU 2001DB
PRODUCT DIMENSION	1795 X 700 X 650 MM	1360 X 700 X 650 MM
INTERNAL DIMENSION	1230 X 580 X 340 MM	795 X 580 X 340 MM
INTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
EXTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
CAPACITY	317 LITERS	214 LITERS
POWER	350 W	350 W
VOLTAGE	230 V / 50 HZ	230 V / 50 HZ
TEMPERATURE	-2°C TO 10°C	-2°C TO 10°C
DOORS	—	—
DRAWERS	3 SINGLE DRAWERS	2 SINGLE DRAWERS
REMOVABLE SHELVES	—	—
VENTILATED COOLING SYSTEM	✓	✓
AUTOMATIC DEFROST	✓	✓
ELECTRONIC THERMOSTAT	✓	✓
LED TEMPERATURE DISPLAY	✓	✓
SELF-CLOSING DOOR	—	—
REPLACEABLE GASKET	✓	✓
SELF-EVAPORATION	✓	✓
ADJUSTABLE FEET	✓	✓
LOCK & KEY	✓	✓
INTERIOR LAMP	—	—

	CN 3300GD	CN 2200GD
PRODUCT DIMENSION	1795 X 600 X 860 MM	1360 X 600 X 860 MM
INTERNAL DIMENSION	1230 X 480 X 560 MM	795 X 480 X 560 MM
INTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
EXTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
CAPACITY	386 L	260 L
POWER	350 W	350 W
VOLTAGE	230 V / 50 HZ	230 V / 50 HZ
TEMPERATURE	2°C TO 8°C	2°C TO 8°C
DOORS	3 GLASS DOORS	2 GLASS DOORS
DRAWERS	—	—
REMOVABLE SHELVES	3 SHELVES	2 SHELVES
VENTILATED COOLING SYSTEM	✓	✓
AUTOMATIC DEFROST	✓	✓
ELECTRONIC THERMOSTAT	✓	✓
LED TEMPERATURE DISPLAY	✓	✓
SELF-CLOSING DOOR	✓	✓
REPLACEABLE GASKET	✓	✓
SELF-EVAPORATION	✓	✓
ADJUSTABLE FEET	✓	✓
LOCK & KEY	✓	✓
INTERIOR LAMP	✓	✓

	PZ 3270	PZ 2170
PRODUCT DIMENSION	2025 X 800 X 1000 MM	1510 X 800 X 1000 MM
INTERNAL DIMENSION	945 X 680 X 560 MM	435 X 680 X 560 MM
TABLETOP MATERIAL	MARBLE	MARBLE
INTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
EXTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
CAPACITY	428 L	221 L
POWER	350 W	350 W
VOLTAGE	230 V / 50 HZ	230 V / 50 HZ
TEMPERATURE	2°C TO 8°C	2°C TO 8°C
DOORS	2 DOORS	1 DOOR
FIXED SHELVES	7 SHELVES	7 SHELVES
REMOVABLE SHELVES	2 SHELVES	1 SHELF
VENTILATED COOLING SYSTEM	✓	✓
AUTOMATIC DEFROST	✓	✓
ELECTRONIC THERMOSTAT	✓	✓
LED TEMPERATURE DISPLAY	✓	✓
SELF-CLOSING DOOR	✓	✓
REPLACEABLE GASKET	✓	✓
SELF-EVAPORATION	✓	✓
ADJUSTABLE FEET	✓	✓
LOCK & KEY	✓	✓
INTERIOR LAMP	—	—

	SR 2200	SR 2201
PRODUCT DIMENSION	1045 X 700 X 870 MM	903 X 700 X 870 MM
INTERNAL DIMENSION	975 X 595 X 456 MM	830 X 595 X 456 MM
INTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
EXTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
CAPACITY	302 L	257 L
POWER	350 W	350 W
VOLTAGE	230 V / 50 HZ	230 V / 50 HZ
TEMPERATURE	2°C TO 8°C	2°C TO 8°C
DOORS	2 DOORS	2 DOORS
DRAWERS	—	—
REMOVABLE SHELVES	2 SHELVES	2 SHELVES
VENTILATED COOLING SYSTEM	✓	✓
AUTOMATIC DEFROST	✓	✓
ELECTRONIC THERMOSTAT	✓	✓
LED TEMPERATURE DISPLAY	✓	✓
SELF-CLOSING DOOR	✓	✓
REPLACEABLE GASKET	✓	✓
SELF-EVAPORATION	✓	✓
ADJUSTABLE FEET	✓	✓
LOCK & KEY	—	—
GN TRAY	—	—
INTERIOR LAMP	—	—

SNACK COUNTER CHILLER



PIZZA COUNTER



SALADETTE RANGE



UPRIGHT FREEZER (UF) & CHILLER (UC)



BLAST FREEZER & CHILLER



	UF 4130M UC 4130M	UF 2070M UC 2070M
PRODUCT DIMENSION	1340 X 845 X 2000 MM	680 X 845 X 2000 MM
INTERNAL DIMENSION	1220 X 570 X 1380 MM	560 X 570 X 1380 MM
INTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
EXTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
CAPACITY	1173 L	537 L
POWER	900 W 700 W	600 W 350 W
VOLTAGE	230 V / 50 HZ	230 V / 50 HZ
TEMPERATURE	-10°C TO -20°C -2°C TO 10°C	-10°C TO -20°C -2°C TO 10°C
DOORS	4 DOORS	2 DOORS
DRAWERS	—	—
REMOVABLE SHELVES	6 SHELVES	4 SHELVES
VENTILATED COOLING SYSTEM	✓	✓
AUTOMATIC DEFROST	✓	✓
ELECTRONIC THERMOSTAT	✓	✓
LED TEMPERATURE DISPLAY	✓	✓
SELF-CLOSING DOOR	✓	✓
REPLACEABLE GASKET	✓	✓
SELF-EVAPORATION	✓	✓
ADJUSTABLE FEET	✓	✓
LOCK & KEY	✓	✓
INTERIOR LAMP	—	—

	BZ 1014	BZ 1010 BZ 1005
PRODUCT DIMENSION	800 X 815 X 2170 MM	800 X 815 X 1645 MM 800 X 815 X 1015 MM
INTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
EXTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
CAPACITY	494 L	368 L 139 L
POWER	2500 W	1300 W 800 W
VOLTAGE	230 V / 50 HZ	230 V / 50 HZ
CHILLER TEMPERATURE	70°C TO 3°C IN 90 MINS	70°C TO 3°C IN 90 MINS
FREEZER TEMPERATURE	70°C TO -18°C IN 240 MINS	70°C TO -18°C IN 240 MINS
DOORS	1 DOOR	1 DOOR
REMOVABLE TRAYS	14 TRAYS	10 TRAYS 5 TRAYS
VENTILATED COOLING SYSTEM	✓	✓
AUTOMATIC DEFROST	✓	✓
ELECTRONIC THERMOSTAT	✓	✓
LED TEMPERATURE DISPLAY	✓	✓
SELF-CLOSING DOOR	✓	✓
REPLACEABLE GASKET	✓	✓
SELF-EVAPORATION	✓	✓
REMOVABLE COMPRESSOR	✓	✓
WHEELS WITH STOPPER	✓	✓
LOCK & KEY	—	—
GN TRAY	—	—

	PT 1500	PT 1501
PRODUCT DIMENSION	1500 X 335 X 435 MM	1500 X 395 X 435 MM
INTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
EXTERIOR MATERIAL	STAINLESS STEEL 304	STAINLESS STEEL 304
CAPACITY	7 X 1/4 PANS	5 X 1/3 PANS 1 X 1/2 PANS
POWER	350 W	350 W
VOLTAGE	230 V / 50 HZ	230 V / 50 HZ
TEMPERATURE	2°C TO 8°C	2°C TO 8°C
STATIC COOLING SYSTEM	✓	✓
FLAT GLASS COVER	✓	✓
ELECTRONIC THERMOSTAT	✓	✓
LED TEMPERATURE DISPLAY	✓	✓
GN TRAY	—	—

PIZZA TOPPING DISPLAYER



	CP 4300C	CP 4200C
PRODUCT DIMENSION	610 X 470 X 690 MM	410 X 470 X 690 MM
PRODUCT WEIGHT	38 KG	30.5 KG
VOLUME	3 X 12 L	2 X 12 L
POWER	370 W	350 W
TEMPERATURE	8°C TO 10°C	8°C TO 10°C
STEERING SYSTEM	✓	✓

COLD DRINK DISPENSER





Our Commitment for Customer Satisfaction

MODENA's longstanding dedication to provide only the very best to our customers have earned us multiple accolades including Global Customer Satisfaction Standard 2013-2014 in Cooker Category, Indonesia Best Brand Awards 2012-2015 in Built-in Hob Category and GfK 2010-2015 Number 1 market share Built-in Hob, Built-in Oven, Freestanding Cooker and Exhaust Hood Categories.

Your trust and loyalty mean the world to us, which is why we have also centralized our Customer Contact Center. We look forward to hearing from you through our Nationwide Customer Contact Center 15.007.15. The calls will go through an extensive monitoring system to ensure that all of your concerns are addressed. Our Customer Care team is always ready to address your questions and concerns through various offline and online channels.

WARRANTY

HOB

1-Year Warranty: Service & spare parts
Lifetime Warranty: Glass plate

FREESTANDING COOKER

1-Year Warranty: Service & spare parts
3-Year Warranty: Oven glass door

OVEN

1-Year Warranty: Service & spare parts
3-Year Warranty: Oven glass door

MICROWAVE OVEN

1-Year Warranty: Service & spare parts
2-Year Warranty: Magnetron

HOOD

1-Year Warranty: Service & spare parts
3-Year Warranty: Motor

SINK & TAP

1-Year Warranty: Service & spare parts

REFRIGERATOR & WINE CELLAR

1-Year Warranty: Service & spare parts
10-Year Warranty: Compressor (refrigerator)

WATER DISPENSER

1-Year Warranty: Service & spare parts
3-Year Warranty: Compressor

LAUNDRY & DISHWASHER

1-Year Warranty: Service & spare parts
3-Year Warranty: Dryer motor
5-Year Warranty: Washer motor
10-Year Warranty: Glass door, stainless steel drum

WATER HEATER

1-Year Warranty: Service & spare parts
7-Year Warranty: Electric heating tank
10-Year Warranty: Heating tank for ES_B series

VACUUM CLEANER

1-Year Warranty: Service & spare parts
2-Year Warranty: Motor

PROFESSIONAL COOKING

1-Year Warranty: Service & spare parts

PROFESSIONAL COOLING

1-Year Warranty: Service & spare parts

SERVICES

Shop Online

Shop at your convenience through our online store, www.modena.co.id. Discover our extensive range of products and learn about our innovative features in the comfort of your own home.

Nationwide Coverage

With more than 70 service centers spread across the nation, customers can now easily access any of our MODENA Service Centers and Authorized Service Centers.

Service Contract

Periodic visits for regular maintenance to ensure your product is always at its best.

Same Day Service

We are available to visit your place at a mutually agreed schedule on the very same day you make a call to our Service Center.

Free Installation

Complimentary installation service for selected product categories.

Weekend Service

We are available to make weekend visit to ensure prompt and efficient service.

Accessories & Product Support

We have available premium accessories for hobs, water heaters, washing machines and many other products.

Online Self Service

Should you have any questions or suggestions, we welcome them also through our website or email us at customercare@modena.co.id.

MODENA ELETTRODOMESTICI
Via Vincenzo Monti 8, Milano 20123, Italy

MODENA INDONESIA
Jl. Prof. Dr. Satrio C-4 No. 13,
Jakarta 12950, Indonesia
customercare@modena.co.id
WhatsApp: +62.8151.15.007.15

NATIONWIDE CALL CENTER 15.007.15



Smart Living